



II. STATEWIDE PREVALENCE OF USE

Statewide Prevalence Rates by Grade: Lifetime, Annual, Monthly, Daily and Special Use

• Grade 6	60
• Grade 7	64
• Grade 8	68
• Grade 9	72
• Grade 10	76
• Grade 11	80
• Grade 12	84

Mean Age of First Time Use of Alcohol, Tobacco, and Other Drugs	88
--	-----------

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	29.2	28.8	27.6	27.7	27.3	26.3	23.3	21.8	20.6	17.7	17.6	17.7	14.6	11.9	11.1	9.8	8.9	-0.9
Cigars	--	--	--	--	--	9.7	8.4	7.7	10.5	6.9	6.8	7.0	6.0	5.4	4.8	4.5	3.6	-0.9
Pipe	--	--	--	--	--	3.2	3.1	2.9	--	2.1	2.2	2.4	2.0	1.8	1.3	1.2	1.0	-0.2
Smokeless Tobacco	8.5	9.0	7.7	7.1	6.7	4.6	3.7	4.0	3.5	2.9	3.2	3.0	2.9	2.7	2.4	2.5	2.0	-0.5
Alcohol	37.8	36.1	32.4	29.3	32.3	25.7	26.9	25.8	29.6	29.4	29.4	29.7	26.1	25.2	22.5	21.2	19.2	-2.0
Marijuana	2.2	2.9	3.6	5.1	4.7	5.0	4.2	3.8	4.5	4.8	4.6	4.5	3.9	2.9	3.0	2.5	2.4	
Cocaine	0.1	0.5	0.6	0.8	0.8	0.9	0.7	0.7	0.8	0.7	0.8	0.7	0.8	0.6	0.5	0.4	0.4	
Crack	0.1	0.6	0.6	1.0	0.9	1.0	0.9	0.8	1.1	1.0	1.0	1.0	1.1	0.8	0.7	0.5	0.6	
Inhalants	7.8	8.4	8.1	8.1	10.1	7.9	7.3	6.4	6.9	6.1	7.2	8.1	7.3	6.5	6.2	5.6	4.8	-0.8
Amphetamines	1.5	1.6	1.3	1.5	1.5	1.3	0.9	0.9	1.0	0.8	0.7	0.7	0.6	0.5	0.4	0.4	0.3	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	0.7	0.5	0.4	0.4	0.4	
Ritalin/Adderall	--	--	--	--	--	1.4	1.0	1.2	1.3	1.1	1.1	1.1	1.1	0.9	1.0	0.9	0.9	
Tranquilizers	4.3	4.4	4.0	4.2	5.1	4.7	4.1	3.7	4.0	4.3	4.4	4.4	4.1	3.9	4.0	3.6	3.4	
Narcotics	1.7	1.4	1.2	1.3	1.5	1.4	1.0	0.9	1.1	1.0	1.0	1.2	0.9	0.8	0.8	0.8	0.7	
Psychedelics#	0.1	1.0	0.8	1.4	1.5	1.5	1.1	0.9	--	1.0	0.9	1.0	0.8	0.6	0.5	0.5	0.4	
LSD	--	--	--	--	--	--	--	--	--	0.8	0.7	0.7	0.5	0.5	0.3	0.3	0.3	
Others	--	--	--	--	--	--	--	--	--	0.5	0.5	0.6	0.5	0.4	0.3	0.3	0.2	
Heroin	0.1	0.5	0.4	0.8	0.7	0.9	0.6	0.6	0.8	0.7	0.7	0.7	0.6	0.5	0.4	0.3	0.4	
Steroids	1.2	1.5	1.0	1.4	1.4	1.3	1.4	1.2	1.1	0.9	1.0	1.1	0.9	0.8	0.7	0.6	0.6	
Injected drugs	--	--	--	--	--	--	--	--	0.9	0.8	0.8	1.0	1.0	0.9	0.8	0.7	0.6	
MDMA	--	--	--	--	--	--	--	--	--	0.7	0.6	0.7	0.5	0.4	0.3	0.2	0.2	
Rohypnol	--	--	--	--	--	--	--	--	--	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2	
GHB	--	--	--	--	--	--	--	--	--	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.1	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.7	4.1	3.6	-0.5

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	19.0	19.5	18.3	18.4	18.3	16.4	14.2	12.5	11.2	9.4	9.5	9.5	7.9	6.2	5.3	5.0	4.6	-0.4
Cigars	--	--	--	--	--	7.4	6.3	5.5	7.0	4.5	4.3	4.6	4.0	3.4	3.1	3.0	2.5	-0.5
Pipe	--	--	--	--	--	2.3	1.7	1.7	--	1.4	1.5	1.6	1.3	1.1	1.0	1.0	0.8	-0.2
Smokeless Tobacco	6.4	6.8	5.8	5.4	4.9	3.2	2.6	2.6	2.5	2.1	2.2	2.2	2.0	1.9	1.7	1.7	1.5	-0.2
Alcohol	27.7	27.3	23.2	21.7	23.7	19.3	21.0	20.3	21.4	20.4	20.7	20.7	17.6	17.3	15.3	14.5	13.0	-1.5
Marijuana	1.7	2.5	3.1	4.4	4.0	4.2	3.6	3.2	3.6	3.6	3.5	3.7	3.0	2.3	2.3	2.0	1.8	
Cocaine	0.1	0.4	0.4	0.8	0.7	0.7	0.5	0.6	0.7	0.5	0.6	0.6	0.5	0.4	0.4	0.3	0.3	
Crack	0.1	0.4	0.3	0.9	0.7	0.8	0.7	0.6	0.8	0.6	0.8	0.8	0.7	0.5	0.5	0.4	0.4	
Inhalants	6.1	6.2	5.8	6.4	7.9	6.0	5.4	4.5	5.2	4.1	5.2	5.9	5.1	4.5	4.1	3.8	3.2	-0.6
Amphetamines	1.2	1.3	1.0	1.4	1.3	1.1	0.7	0.7	0.7	0.6	0.6	0.6	0.4	0.4	0.3	0.3	0.3	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	0.5	0.3	0.2	0.3	0.2	
Ritalin/Adderall	--	--	--	--	--	1.2	0.8	0.9	0.9	0.7	0.7	0.8	0.7	0.5	0.7	0.5	0.5	
Tranquilizers	3.5	3.5	3.0	3.2	4.1	3.8	3.2	2.8	3.0	3.0	3.1	3.2	3.0	2.7	2.8	2.6	2.4	
Narcotics	1.3	1.0	0.9	1.0	1.3	1.0	0.6	0.7	0.9	0.6	0.7	0.8	0.6	0.5	0.5	0.6	0.5	
Psychedelics#	0.1	0.7	0.7	1.2	1.2	1.3	0.8	0.7	--	0.6	0.6	0.7	0.5	0.4	0.4	0.7	0.3	-0.4
LSD	--	--	--	--	--	--	--	--	--	0.5	0.5	0.5	0.3	0.3	0.2	0.3	0.2	
Others	--	--	--	--	--	--	--	--	--	0.3	0.3	0.4	0.3	0.2	0.3	0.5	0.1	-0.4
Heroin	0.1	0.4	0.2	0.6	0.5	0.7	0.4	0.4	0.6	0.4	0.5	0.5	0.4	0.3	0.2	0.2	0.3	
Steroids	0.1	1.0	0.6	1.0	1.0	1.1	0.8	0.8	0.8	0.6	0.7	0.8	0.6	0.5	0.5	0.4	0.4	
Injected drugs	--	--	--	--	--	--	--	--	0.6	0.5	0.7	0.7	0.7	0.5	0.6	0.5	0.4	
MDMA	--	--	--	--	--	--	--	--	--	0.5	0.5	0.5	0.4	0.3	0.2	0.2	0.2	
Rohypnol	--	--	--	--	--	--	--	--	--	0.2	0.3	0.3	0.3	0.2	0.1	0.2	0.1	-0.1
GHB	--	--	--	--	--	--	--	--	--	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.8	3.3	2.8	-0.5

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates ($p < .05$).

Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	8.5	10.0	9.3	9.7	9.5	8.2	7.0	5.7	6.0	4.8	5.1	5.4	4.2	3.3	2.8	2.6	2.3	
Cigars	--	--	--	--	--	3.9	3.3	2.9	3.8	2.4	2.5	2.5	2.2	1.8	1.6	1.5	1.2	-0.3
Pipe	--	--	--	--	--	1.5	1.0	0.8	--	0.8	0.9	0.8	0.7	0.7	0.5	0.6	0.5	
Smokeless Tobacco	3.5	4.0	3.3	3.1	3.1	1.9	1.4	1.4	1.4	1.2	1.4	1.3	1.1	1.1	0.9	1.0	0.8	
Alcohol	13.6	13.7	11.4	10.7	11.5	9.5	9.9	9.2	9.5	9.5	9.9	9.8	8.1	7.6	6.9	6.3	5.6	-0.7
Marijuana	1.2	1.7	1.9	3.0	2.7	2.2	2.2	1.8	2.4	2.2	2.3	2.5	1.8	1.4	1.4	1.3	1.1	
Cocaine	0.1	0.3	0.3	0.6	0.5	0.5	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.2	0.2	0.2	0.2	
Crack	0.1	0.3	0.3	0.6	0.5	0.6	0.3	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.3	0.3	0.2	
Inhalants	3.8	4.1	3.6	3.8	4.9	3.6	3.4	2.7	3.1	2.5	3.2	3.6	3.1	2.9	2.3	2.3	1.8	-0.5
Amphetamines	0.1	0.9	0.6	1.0	0.9	0.6	0.5	0.3	0.4	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	0.3	0.2	0.1	0.2	0.2	
Ritalin/Adderall	--	--	--	--	--	0.7	0.5	0.5	0.6	0.4	0.4	0.5	0.4	0.3	0.4	0.4	0.3	
Tranquilizers	2.0	2.2	1.6	1.9	2.4	2.0	1.8	1.6	1.7	1.7	1.8	1.9	1.7	1.5	1.5	1.4	1.3	
Narcotics	0.1	0.5	0.6	0.6	0.9	0.7	0.4	0.5	0.5	0.4	0.4	0.5	0.3	0.3	0.3	0.3	0.3	
Psychedelics#	0.1	0.6	0.5	0.8	0.9	0.8	0.5	0.4	--	0.4	0.4	0.4	0.3	0.2	0.2	0.2	0.1	-0.1
LSD	--	--	--	--	--	--	--	--	--	0.4	0.3	0.3	0.3	0.2	0.1	0.2	0.1	-0.1
Others	--	--	--	--	--	--	--	--	--	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	
Heroin	0.1	0.3	0.2	0.5	0.4	0.4	0.3	0.3	0.4	0.3	0.4	0.3	0.3	0.2	0.2	0.2	0.1	
Steroids	0.1	0.6	0.4	0.7	0.7	0.6	0.5	0.4	0.5	0.4	0.4	0.5	0.4	0.3	0.3	0.2	0.2	
Injected drugs	--	--	--	--	--	--	--	--	0.4	0.3	0.4	0.4	0.5	0.3	0.3	0.3	0.3	
MDMA	--	--	--	--	--	--	--	--	--	0.4	0.3	0.3	0.3	0.1	0.1	0.1	0.1	
Rohypnol	--	--	--	--	--	--	--	--	--	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	
GHB	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.4	2.3	1.9	-0.4

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	
CIGARETTES																			
Daily Use	3.4	4.3	4.0	4.2	4.3	3.7	3.1	2.3	2.6	1.9	2.2	2.1	1.9	1.4	1.0	0.9	0.8	0.8	
1/2+ Pack per Day	1.5	2.0	1.9	2.1	2.1	1.7	1.4	1.0	1.2	0.9	0.8	0.9	1.0	0.7	0.4	0.4	0.4	0.4	
CIGARS	--	--	--	--	--	0.6	0.5	0.3	0.6	0.2	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.1	
SMOKELESS TOBACCO	0.1	0.6	0.4	0.5	0.5	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	
ALCOHOL																			
Daily Use	0.1	0.4	0.5	0.4	0.6	0.5	0.4	0.4	0.5	0.5	0.6	0.4	0.5	0.3	0.3	0.3	0.2	0.2	-0.1
Binge Drinking	8.0	8.1	7.2	7.6	7.6	8.7	8.2	7.9	6.7	6.6	5.3	5.9	4.5	4.2	4.9	4.2	4.2	4.2	4.2
MARIJUANA	0.1	0.1	0.3	0.4	0.3	0.4	0.4	0.2	0.4	0.4	0.5	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	38.6	40.1	39.8	40.2	38.5	35.1	34.0	31.2	29.1	26.3	23.4	24.6	22.0	19.7	17.9	16.4	16.1	
Cigars	--	--	--	--	--	15.1	14.3	12.3	14.9	11.5	9.8	10.6	9.6	8.3	8.6	8.3	8.1	
Pipe	--	--	--	--	--	5.1	5.0	5.0	--	3.6	3.6	3.8	3.2	2.9	3.0	2.8	2.7	
Smokeless Tobacco	13.9	14.9	14.6	12.7	11.5	8.1	7.3	5.9	5.2	5.3	4.8	6.1	4.8	5.0	4.3	4.4	4.9	0.5
Alcohol	48.7	47.4	44.4	44.0	42.4	36.2	37.5	36.5	39.5	39.4	37.7	38.3	34.0	33.3	32.7	29.8	29.3	
Marijuana	5.3	7.7	9.5	12.8	10.2	9.9	9.4	8.8	9.8	9.3	8.7	8.7	8.0	6.8	7.7	6.4	6.9	0.5
Cocaine	1.0	1.2	1.3	2.1	1.6	1.6	1.6	1.2	1.2	1.5	1.6	1.6	1.3	1.5	1.2	1.2	1.3	
Crack	0.1	1.3	1.3	1.9	1.4	1.7	1.6	1.4	1.5	1.8	1.6	1.9	1.6	1.5	1.3	1.3	1.4	
Inhalants	9.8	12.0	12.3	13.5	12.9	10.6	8.8	7.9	7.8	7.6	8.8	10.3	8.9	9.0	7.9	7.5	7.2	
Amphetamines	3.9	4.5	4.6	5.7	3.5	3.0	2.5	2.4	2.1	2.4	2.1	2.0	1.5	1.4	1.2	1.1	1.2	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.2	1.2	1.0	0.9	0.9	
Ritalin/Adderall	--	--	--	--	--	2.5	2.1	2.4	1.9	2.0	1.9	1.9	1.9	1.8	2.2	1.9	1.9	
Tranquilizers	6.5	6.8	6.7	8.5	7.4	7.1	6.2	6.4	6.0	6.8	6.5	7.2	6.0	6.0	5.6	5.5	5.9	
Narcotics	3.0	2.9	2.8	3.6	3.4	2.9	2.4	2.3	2.1	2.4	2.2	2.4	2.0	2.0	2.2	2.1	2.2	
Psychedelics#	1.8	2.2	2.4	3.7	3.0	3.1	2.5	2.4	--	2.1	2.0	1.8	1.6	1.5	1.2	1.3	1.2	
LSD	--	--	--	--	--	--	--	--	--	1.7	1.6	1.5	1.2	1.1	1.0	1.0	1.0	
Others	--	--	--	--	--	--	--	--	--	0.9	0.9	0.8	0.8	0.8	0.6	0.6	0.6	
Heroin	1.0	1.2	1.1	1.2	1.3	1.1	1.0	0.9	1.0	1.1	1.2	1.2	1.0	1.1	0.9	0.9	0.9	
Steroids	2.2	2.4	1.7	2.0	1.8	1.6	2.1	1.5	1.3	1.6	1.5	1.6	1.3	1.2	1.2	1.1	1.2	
Injected drugs	--	--	--	--	--	--	--	--	0.9	1.3	1.3	1.5	1.3	1.3	1.4	1.4	1.2	
MDMA	--	--	--	--	--	--	--	--	--	1.8	1.8	1.5	1.2	1.2	1.0	0.9	0.9	
Rohypnol	--	--	--	--	--	--	--	--	--	0.9	0.7	0.7	0.6	0.8	0.6	0.5	0.5	
GHB	--	--	--	--	--	--	--	--	--	0.5	0.5	0.4	0.4	0.5	0.4	0.3	0.4	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.5	6.4	6.1	

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	28.4	29.7	29.8	31.4	29.0	25.2	22.7	20.0	18.1	15.7	13.9	15.2	13.0	11.7	10.8	9.9	10.0	
Cigars	--	--	--	--	--	12.6	11.0	9.5	10.5	7.9	6.4	7.4	6.6	5.8	6.2	6.0	5.9	
Pipe	--	--	--	--	--	3.7	3.2	2.9	--	2.6	2.7	2.8	2.1	2.1	2.6	2.2	2.3	
Smokeless Tobacco	10.9	11.7	11.9	10.2	8.8	6.4	5.1	3.9	3.8	3.9	3.6	4.5	3.5	3.9	3.3	3.5	3.8	
Alcohol	39.8	38.7	36.1	36.9	34.5	30.3	31.7	30.8	31.6	30.1	29.2	29.8	25.7	25.5	24.8	22.6	22.0	
Marijuana	4.5	6.7	8.6	11.5	9.1	8.6	8.1	7.9	8.3	7.8	7.1	7.2	6.3	5.6	6.3	5.0	5.5	0.5
Cocaine	0.1	1.1	1.1	1.8	1.4	1.3	1.3	1.1	1.0	1.2	1.3	1.3	1.0	1.2	1.0	0.9	1.0	
Crack	0.1	0.9	1.0	1.6	1.2	1.3	1.2	1.3	1.2	1.1	1.3	1.4	1.1	1.2	0.9	1.0	1.0	
Inhalants	7.6	9.6	9.3	11.4	10.3	7.8	6.4	5.7	5.6	4.9	6.2	7.6	6.4	6.3	5.4	5.0	4.8	
Amphetamines	3.3	3.9	4.0	5.1	3.2	2.4	2.0	2.0	1.8	1.8	1.5	1.5	1.1	1.1	1.0	0.9	0.9	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	0.9	0.8	0.7	0.6	0.7	
Ritalin/Adderall	--	--	--	--	--	2.0	1.6	2.0	1.5	1.4	1.4	1.3	1.3	1.3	1.6	1.3	1.4	
Tranquilizers	5.2	5.6	5.4	7.2	6.2	5.9	5.0	5.2	5.0	5.1	4.9	5.5	4.5	4.6	4.2	4.0	4.3	
Narcotics	2.4	2.2	2.2	3.1	2.7	2.2	1.9	1.8	1.7	1.7	1.5	1.7	1.4	1.4	1.6	1.5	1.5	
Psychedelics#	1.5	1.7	2.2	3.2	2.6	2.6	2.1	2.1	--	1.5	1.5	1.4	1.2	1.1	1.0	1.1	0.9	-0.2
LSD	--	--	--	--	--	--	--	--	--	1.3	1.2	1.1	0.9	0.8	0.7	0.7	0.7	
Others	--	--	--	--	--	--	--	--	--	0.6	0.6	0.6	0.5	0.6	0.6	0.7	0.5	-0.2
Heroin	0.1	0.9	0.9	1.3	1.0	0.9	0.8	0.7	0.8	0.9	0.9	1.0	0.7	0.8	0.7	0.6	0.7	
Steroids	1.6	1.8	1.2	1.5	1.4	1.1	1.5	1.1	1.0	1.2	1.1	1.3	0.9	0.9	0.9	0.8	0.8	
Injected drugs	--	--	--	--	--	--	--	--	0.7	1.0	0.9	1.0	0.9	1.0	1.0	1.0	0.9	
MDMA	--	--	--	--	--	--	--	--	--	1.4	1.4	1.1	0.9	0.9	0.8	0.6	0.6	
Rohypnol	--	--	--	--	--	--	--	--	--	0.7	0.5	0.5	0.4	0.6	0.5	0.5	0.4	
GHB	--	--	--	--	--	--	--	--	--	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.1	4.9	4.7	

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates ($p < .05$).

Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	14.5	16.9	17.7	19.0	16.3	14.0	12.3	11.0	9.9	9.1	8.1	8.9	7.5	6.7	6.2	5.4	5.6	
Cigars	--	--	--	--	--	6.9	5.8	5.3	6.0	4.6	3.7	4.5	3.7	3.2	3.6	3.3	3.4	
Pipe	--	--	--	--	--	2.4	1.8	2.1	--	1.5	1.5	1.6	1.2	1.2	1.5	1.3	1.4	
Smokeless Tobacco	6.7	7.5	7.1	6.7	5.2	3.9	2.7	2.2	2.1	2.3	2.1	2.8	2.2	2.3	2.0	2.0	2.3	
Alcohol	21.8	21.5	19.6	21.3	18.4	16.8	16.8	16.5	16.1	15.2	14.7	15.3	12.7	12.9	12.2	11.2	10.8	
Marijuana	2.7	4.8	5.4	7.9	5.7	5.5	5.1	5.2	5.2	4.7	4.6	4.5	4.1	3.6	3.9	3.2	3.5	
Cocaine	0.1	0.8	0.7	1.3	1.0	0.9	0.7	0.7	0.6	0.8	0.9	0.8	0.7	0.8	0.7	0.6	0.6	
Crack	0.1	0.7	0.7	1.2	0.9	0.9	0.8	0.7	0.7	0.7	0.9	0.9	0.8	0.8	0.6	0.6	0.7	
Inhalants	4.7	6.1	5.6	7.0	6.6	4.8	3.7	3.3	3.1	3.0	3.7	4.8	3.7	3.6	3.1	3.0	2.7	
Amphetamines	2.2	2.7	2.4	3.3	2.3	1.7	1.2	1.2	1.1	1.1	1.0	1.1	0.7	0.8	0.6	0.6	0.6	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	0.6	0.6	0.5	0.4	0.5	
Ritalin/Adderall	--	--	--	--	--	1.4	1.0	1.2	0.8	0.8	0.9	0.8	0.8	0.8	1.0	0.8	0.8	
Tranquilizers	3.1	3.7	3.3	5.0	4.1	4.0	3.2	3.3	3.0	3.2	2.9	3.3	2.7	2.8	2.5	2.3	2.6	
Narcotics	1.4	1.4	1.3	2.2	1.7	1.6	1.2	1.2	1.0	1.1	1.0	1.1	0.9	0.9	1.0	0.8	0.9	
Psychedelics#	1.1	1.3	1.4	2.2	1.8	1.9	1.5	1.3	--	1.0	0.9	0.9	0.8	0.7	0.6	0.6	0.6	
LSD	--	--	--	--	--	--	--	--	--	0.8	0.8	0.8	0.7	0.5	0.5	0.4	0.5	
Others	--	--	--	--	--	--	--	--	--	0.4	0.4	0.4	0.3	0.4	0.3	0.3	0.3	
Heroin	0.1	0.8	0.6	0.9	0.8	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.5	0.5	0.4	0.5	0.4	
Steroids	0.1	1.3	0.9	1.0	0.8	0.6	1.0	0.7	0.7	0.8	0.7	0.8	0.6	0.6	0.6	0.5	0.5	
Injected drugs	--	--	--	--	--	--	--	--	--	0.5	0.7	0.6	0.6	0.6	0.6	0.6	0.6	
MDMA	--	--	--	--	--	--	--	--	--	1.0	0.9	0.8	0.6	0.6	0.6	0.4	0.4	
Rohypnol	--	--	--	--	--	--	--	--	--	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	
GHB	--	--	--	--	--	--	--	--	--	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.4	3.5	3.0	-0.5

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
CIGARETTES																		
Daily Use	7.3	8.6	8.8	10.4	8.3	6.9	6.0	5.6	4.4	4.2	3.6	4.2	3.3	3.0	2.7	2.3	2.3	2.3
1/2+ Pack per Day	3.9	4.4	4.5	5.7	4.3	3.7	2.9	2.8	1.9	2.2	1.7	2.1	1.5	1.4	1.3	1.0	1.1	1.1
CIGARS	--	--	--	--	--	1.2	1.0	1.0	1.3	0.9	0.7	1.0	0.7	0.6	0.7	0.7	0.7	0.7
SMOKELESS TOBACCO	1.2	1.7	1.1	1.3	0.9	0.5	0.4	0.4	0.3	0.6	0.3	0.6	0.4	0.4	0.4	0.4	0.4	0.4
ALCOHOL																		
Daily Use	1.2	1.4	1.0	1.4	1.1	1.2	1.0	1.1	0.9	1.0	1.0	1.2	0.9	0.8	0.9	0.8	0.8	0.8
Binge Drinking	12.7	13.0	12.3	13.5	12.0	12.3	12.4	12.4	9.7	10.0	8.0	8.9	6.8	7.0	8.3	7.5	7.7	7.7
MARIJUANA	0.1	0.7	0.9	1.4	1.0	1.1	1.0	1.0	1.0	0.9	0.9	1.0	0.9	0.7	0.8	0.7	0.7	0.7

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates ($p < .05$).

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
Cigarettes	50.0	51.3	52.4	53.7	52.6	49.5	45.7	43.7	39.9	37.4	35.1	34.7	32.1	30.2	28.1	25.5	25.0		20.5
Cigars	--	--	--	--	--	24.4	22.5	21.3	22.1	17.4	16.4	16.1	15.8	14.6	14.7	14.2	13.7		--
Pipe	--	--	--	--	--	8.0	8.6	7.8	--	5.5	5.5	5.6	5.2	4.9	5.8	5.5	5.6		--
Smokeless Tobacco	18.9	20.1	19.2	17.9	16.7	12.4	10.9	10.9	8.2	7.7	7.3	8.3	7.3	8.3	7.2	7.9	8.4	0.5	9.8
Alcohol	60.9	61.7	60.2	59.1	59.4	51.5	53.0	51.0	53.3	52.6	51.7	52.0	49.0	46.5	45.4	44.0	41.6	-2.4	38.9
Marijuana	12.0	16.0	20.2	24.3	23.0	22.1	19.7	19.0	19.5	20.0	19.1	18.6	17.6	15.6	16.1	14.4	15.0	0.6	14.6
Cocaine	2.0	2.5	2.9	3.6	3.5	3.2	2.6	2.6	2.7	2.6	2.9	2.7	2.9	2.5	2.4	2.1	2.2		3.0
Crack	1.5	2.0	2.4	3.0	2.9	2.9	2.4	2.4	2.5	2.3	2.7	2.4	2.6	2.2	2.0	1.8	1.9		2.0
Inhalants	14.5	15.3	18.1	17.4	17.6	13.9	12.0	11.2	10.3	9.3	10.7	11.0	11.3	10.4	10.5	9.5	9.0	-0.5	15.7
Amphetamines	9.0	9.1	10.6	10.0	9.1	6.6	5.8	5.6	5.5	5.0	4.7	4.3	3.7	3.2	3.0	2.6	2.7		6.8
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	2.4	2.0	1.6	1.5	1.5		2.3
Ritalin/Adderall	--	--	--	--	--	4.2	3.9	4.2	4.0	3.5	3.6	3.1	3.5	3.1	4.5	4.1	4.2		--
Tranquilizers	10.3	10.7	11.4	11.9	12.5	11.5	10.1	10.3	10.2	10.2	10.7	10.2	9.8	8.9	9.1	8.6	8.5		3.9
Narcotics	5.3	5.4	5.8	5.5	6.5	5.8	5.2	5.0	4.9	4.8	4.8	4.5	4.5	4.1	5.0	4.5	4.7		--
Psychedelics#	3.7	3.7	5.1	6.7	6.3	5.6	5.7	5.4	--	4.2	3.7	3.1	3.3	2.8	2.6	2.4	2.6		3.3
LSD	--	--	--	--	--	--	--	--	--	3.8	3.2	2.6	2.7	2.3	2.2	2.0	2.1		1.9
Others	--	--	--	--	--	--	--	--	--	1.4	1.4	1.4	1.5	1.3	1.3	1.1	1.1		2.5
Heroin	1.4	1.7	1.8	2.2	1.8	1.9	1.3	1.6	1.7	1.4	1.8	1.5	1.6	1.5	1.3	1.4	1.5		1.4
Steroids	2.6	2.7	2.6	2.1	2.3	2.5	2.1	2.5	2.2	2.1	2.2	2.2	1.8	1.5	1.5	1.5	1.4		1.4
Injected drugs	--	--	--	--	--	--	--	--	1.5	1.4	1.7	1.5	1.8	1.7	1.7	1.7	1.7		--
MDMA	--	--	--	--	--	--	--	--	--	3.4	3.3	2.7	2.5	2.3	2.3	2.0	2.1		2.4
Rohypnol	--	--	--	--	--	--	--	--	--	1.1	1.3	1.1	1.2	1.2	1.1	1.0	1.0		0.7
GHB	--	--	--	--	--	--	--	--	--	0.7	0.7	0.7	0.7	0.8	0.7	0.7	0.7		--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.2	9.7	9.4		--

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
 ## Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
Cigarettes	37.9	39.6	41.4	42.6	41.5	37.3	33.1	30.6	26.3	24.1	22.6	22.2	20.6	19.1	18.0	16.6	16.8		--
Cigars	--	--	--	--	--	20.0	18.1	16.9	16.6	11.9	11.3	11.6	11.3	10.3	11.0	10.6	10.3		--
Pipe	--	--	--	--	--	5.8	5.9	5.1	--	3.8	4.0	4.2	3.8	3.5	5.0	4.5	4.7		--
Smokeless Tobacco	14.9	16.5	15.4	14.2	12.8	9.5	8.3	8.0	6.2	5.8	5.5	6.3	5.6	6.4	5.8	6.4	6.9	0.5	--
Alcohol	52.3	52.9	51.6	51.4	51.2	45.1	47.0	45.1	45.4	43.8	42.4	42.1	39.0	38.3	36.6	35.7	33.8	-1.9	32.1
Marijuana	10.4	14.3	18.4	22.4	21.0	19.8	17.7	17.1	17.1	16.8	16.0	15.4	14.5	12.7	13.1	11.6	12.6	1.0	10.9
Cocaine	1.6	2.1	2.5	2.9	3.0	2.7	2.1	2.2	2.2	2.0	2.3	2.1	2.3	1.9	1.8	1.5	1.6		1.8
Crack	1.2	1.6	2.0	2.3	2.4	2.4	1.9	1.9	2.0	1.7	2.0	1.7	1.8	1.7	1.5	1.3	1.4		1.1
Inhalants	11.2	12.4	14.5	13.6	14.0	10.5	8.9	8.3	7.4	6.2	7.5	7.9	7.8	7.2	7.1	6.4	6.1		8.9
Amphetamines	7.8	7.8	9.3	8.8	7.9	5.6	4.7	4.7	4.5	3.8	3.7	3.4	2.9	2.5	2.3	1.9	2.0		4.5
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.7	1.4	1.2	1.1	1.1		1.2
Ritalin/Adderall	--	--	--	--	--	3.6	3.2	3.5	3.1	2.5	2.6	2.2	2.6	2.3	3.3	2.8	3.1		1.6
Tranquilizers	8.6	9.1	9.5	10.3	10.8	9.7	8.5	8.5	8.5	7.9	8.3	8.1	7.5	6.8	6.7	6.3	6.3		2.4
Narcotics	4.3	4.0	4.8	4.6	5.5	4.9	4.2	4.1	4.1	3.6	3.5	3.3	3.2	3.0	3.6	3.1	3.4		--
Psychedelics#	3.1	3.1	4.5	6.0	5.6	5.0	4.8	4.5	--	2.9	2.7	2.4	2.4	2.1	2.0	1.8	1.9		2.1
LSD	--	--	--	--	--	--	--	--	--	2.7	2.3	1.9	2.0	1.7	1.6	1.5	1.6		1.3
Others	--	--	--	--	--	--	--	--	--	1.0	1.0	1.1	1.0	1.1	1.0	0.9	0.9		1.6
Heroin	1.1	1.5	1.5	1.8	1.6	1.5	1.1	1.2	1.3	1.0	1.4	1.2	1.2	1.0	0.9	1.0	1.1		0.9
Steroids	2.0	2.0	1.8	1.6	1.7	2.0	1.5	1.8	1.7	1.6	1.6	1.6	1.4	1.1	1.2	1.0	1.0		0.9
Injected drugs	--	--	--	--	--	--	--	--	1.1	1.0	1.2	1.2	1.3	1.2	1.3	1.3	1.4		--
MDMA	--	--	--	--	--	--	--	--	--	2.7	2.6	2.0	1.8	1.7	1.7	1.4	1.5		1.7
Rohypnol	--	--	--	--	--	--	--	--	--	0.8	1.0	0.9	0.9	0.8	0.8	0.7	0.7		0.5
GHB	--	--	--	--	--	--	--	--	--	0.4	0.5	0.6	0.5	0.5	0.5	0.5	0.5		1.1
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.0	7.6	7.4		--

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates ($p < .05$).

Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
Cigarettes	21.1	24.2	26.3	27.1	25.8	24.1	19.7	18.2	16.1	14.7	14.0	13.4	12.5	11.6	10.8	9.7	9.9		6.8
Cigars	--	--	--	--	--	12.0	9.6	9.7	10.0	6.6	6.8	6.7	6.5	5.9	6.4	6.2	5.9		--
Pipe	--	--	--	--	--	3.5	3.5	3.1	--	2.2	2.2	2.3	2.1	2.0	3.1	2.7	2.8		--
Smokeless Tobacco	9.0	10.6	9.3	8.6	7.2	5.6	4.6	4.5	3.5	3.4	3.2	3.8	3.3	3.8	3.3	3.7	4.1	0.4	3.5
Alcohol	30.9	32.0	31.3	31.3	30.3	27.2	27.7	26.4	24.7	24.9	24.3	23.5	21.1	20.9	19.9	18.8	17.5	-1.3	15.9
Marijuana	6.5	9.9	13.1	15.2	13.8	12.8	11.3	11.3	11.3	11.1	10.6	9.8	9.3	8.2	8.3	7.1	7.8	0.7	5.8
Cocaine	0.1	1.3	1.4	1.7	1.9	1.5	1.1	1.1	1.3	1.2	1.3	1.2	1.4	1.1	1.1	0.9	0.9		0.8
Crack	0.1	1.0	1.1	1.4	1.4	1.3	1.1	1.0	1.2	0.9	1.2	1.0	1.2	1.0	0.9	0.8	0.7		0.5
Inhalants	6.5	7.5	8.4	8.0	8.2	5.7	4.8	4.4	4.0	3.4	4.2	4.7	4.3	4.1	3.7	3.3	3.2		4.1
Amphetamines	5.1	5.2	5.9	5.6	5.3	3.3	2.8	2.8	2.8	2.4	2.4	2.1	1.9	1.4	1.4	1.2	1.2		2.2
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.1	0.9	0.7	0.7	0.6		0.7
Ritalin/Adderall	--	--	--	--	--	2.0	1.7	2.0	1.7	1.3	1.4	1.3	1.5	1.3	1.9	1.7	1.8		--
Tranquilizers	5.6	5.7	5.8	6.0	6.5	5.7	5.2	5.1	5.2	4.8	5.1	4.9	4.7	4.1	3.9	3.7	3.6		1.2
Narcotics	2.6	2.5	2.6	2.7	3.2	2.8	2.4	2.4	2.4	2.0	2.1	1.9	1.9	1.8	2.1	1.8	2.0		--
Psychedelics#	2.0	2.1	3.1	3.6	3.6	3.0	2.6	2.7	--	1.6	1.5	1.4	1.5	1.2	1.1	1.0	1.1		0.9
LSD	--	--	--	--	--	--	--	--	--	1.5	1.3	1.2	1.2	0.9	0.9	0.9	0.9		0.5
Others	--	--	--	--	--	--	--	--	--	0.6	0.7	0.7	0.6	0.6	0.6	0.5	0.5		0.7
Heroin	0.1	1.0	0.9	1.1	1.1	1.0	0.6	0.7	0.8	0.7	0.9	0.8	0.8	0.7	0.6	0.6	0.6		0.4
Steroids	1.2	1.3	1.0	1.0	1.0	1.1	0.9	0.9	1.0	0.9	1.0	0.9	0.8	0.7	0.7	0.6	0.7		0.5
Injected drugs	--	--	--	--	--	--	--	--	0.7	0.6	0.8	0.8	0.8	0.8	0.8	0.8	0.9		--
MDMA	--	--	--	--	--	--	--	--	--	1.6	1.5	1.3	1.1	1.0	0.9	0.8	0.9		0.8
Rohypnol	--	--	--	--	--	--	--	--	--	0.5	0.7	0.6	0.6	0.5	0.5	0.5	0.5		0.1
GHB	--	--	--	--	--	--	--	--	--	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.3		--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.2	5.1	4.9		--

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
 ## Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
CIGARETTES																			
Daily Use	11.8	13.8	14.9	15.4	14.2	13.7	10.6	10.0	8.8	7.5	7.2	6.9	6.7	5.8	5.5	4.7	4.6		3.1
1/2+ Pack per Day	6.7	7.2	8.4	8.8	8.4	7.5	5.6	5.3	4.9	4.3	3.7	3.5	3.3	2.9	2.7	2.3	2.2		1.2
CIGARS	--	--	--	--	--	2.5	1.7	1.9	3.0	1.4	1.4	1.3	1.3	1.3	1.6	1.5	1.3		--
SMOKELESS TOBACCO	2.3	2.6	2.1	2.2	1.6	1.4	0.9	0.9	0.9	0.8	0.7	0.9	0.8	1.0	0.8	0.9	1.0		0.8
ALCOHOL																			
Daily Use	1.8	2.3	2.1	2.2	2.2	2.4	2.1	2.4	2.2	1.9	2.1	1.9	1.8	1.6	1.8	1.5	1.5		0.7
Binge Drinking	18.5	18.6	18.4	19.0	18.9	19.7	19.5	18.6	14.8	15.5	13.4	13.4	11.6	11.0	13.2	12.2	12.5		8.1
MARIJUANA	0.9	1.9	2.1	3.1	2.7	2.7	2.3	2.7	3.1	2.7	2.6	2.3	2.4	2.0	2.0	1.7	1.8		0.9

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).

Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	56.5	57.4	58.7	61.4	57.3	55.8	53.7	50.6	47.2	43.6	39.8	40.7	36.8	36.3	33.5	32.0	31.1	-0.9
Cigars	--	--	--	--	--	31.0	28.7	26.8	29.8	23.1	20.7	21.3	20.6	20.4	19.4	19.3	19.0	
Pipe	--	--	--	--	--	10.9	10.1	9.7	--	7.6	7.1	7.3	6.5	6.9	9.1	9.1	9.3	
Smokeless Tobacco	24.3	25.8	26.2	24.2	21.3	18.7	15.0	14.2	11.9	12.4	10.5	12.2	10.7	11.6	10.8	11.6	12.0	
Alcohol	70.2	69.9	68.7	69.7	65.9	61.8	61.4	59.8	62.6	59.9	58.4	58.4	55.2	55.5	51.7	50.6	49.7	-0.9
Marijuana	18.4	23.9	26.1	35.0	28.9	30.7	27.8	26.7	28.4	28.1	25.2	24.0	22.9	22.5	21.2	21.3	21.0	
Cocaine	2.5	3.7	3.7	4.9	4.8	5.3	4.2	3.9	3.8	4.3	4.3	4.7	4.2	4.4	3.7	3.6	3.1	-0.5
Crack	1.8	2.5	2.7	4.0	3.5	4.2	3.3	3.0	3.0	3.1	3.2	3.3	3.0	3.0	2.4	2.5	2.2	
Inhalants	13.3	17.4	17.3	18.3	16.7	15.7	12.3	11.6	11.1	9.9	9.8	11.3	10.9	11.4	9.8	9.7	9.1	-0.6
Amphetamines	13.5	14.8	14.3	16.7	13.3	12.0	9.9	10.1	10.0	9.7	8.6	8.6	7.0	6.8	5.3	5.1	4.8	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	3.5	3.0	2.2	2.0	2.1	
Ritalin/Adderall	--	--	--	--	--	6.8	5.0	6.2	6.3	5.3	5.1	4.9	5.4	5.4	7.3	7.4	6.9	-0.5
Tranquilizers	11.1	13.8	13.4	15.3	15.0	14.9	13.7	14.0	14.2	14.4	13.2	13.6	12.3	12.4	10.9	10.4	10.2	
Narcotics	6.9	8.5	7.9	9.9	9.1	9.2	8.1	8.1	8.5	9.1	7.9	8.0	7.0	7.4	7.6	7.6	7.3	
Psychedelics#	5.6	6.4	7.8	12.1	8.9	9.9	9.2	8.0	--	6.9	5.2	5.2	4.7	4.2	3.6	4.0	3.9	
LSD	--	--	--	--	--	--	--	--	--	6.3	4.5	4.3	3.9	3.4	2.9	3.4	3.2	
Others	--	--	--	--	--	--	--	--	--	2.4	2.3	2.4	2.3	2.2	1.8	1.8	1.9	
Heroin	1.5	2.0	1.9	2.4	2.1	2.1	1.7	1.6	1.8	1.8	2.0	2.0	2.1	1.9	1.5	1.8	1.8	
Steroids	2.8	3.0	2.6	2.5	2.3	2.5	2.4	2.8	2.5	2.4	2.6	2.7	2.3	1.8	1.7	1.7	1.6	
Injected drugs	--	--	--	--	--	--	--	--	1.3	1.6	2.0	2.0	2.0	1.8	1.7	2.0	1.8	
MDMA	--	--	--	--	--	--	--	--	--	5.4	4.2	4.1	3.6	3.7	3.2	3.3	3.3	
Rohypnol	--	--	--	--	--	--	--	--	--	1.6	1.6	1.8	1.8	1.8	1.4	1.5	1.4	
GHB	--	--	--	--	--	--	--	--	--	1.1	1.1	1.1	1.1	1.0	0.9	0.9	1.0	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12.3	11.7	11.1	-0.6

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	43.6	45.5	46.2	50.2	46.4	43.4	39.7	37.1	33.3	29.1	27.0	27.6	25.4	25.0	22.6	22.5	22.0	
Cigars	--	--	--	--	--	26.3	23.8	21.8	23.2	16.2	14.6	15.4	15.1	15.3	14.7	14.9	14.8	
Pipe	--	--	--	--	--	7.9	6.9	6.6	--	5.1	5.1	5.5	4.9	5.1	7.6	7.5	7.7	
Smokeless Tobacco	19.2	20.8	20.8	19.6	16.7	14.1	11.5	11.2	9.0	8.8	8.1	9.3	8.3	9.6	8.7	9.5	9.7	
Alcohol	62.5	61.6	60.5	62.2	58.1	56.0	56.0	54.6	54.7	50.4	50.1	49.9	46.3	47.3	43.4	42.7	41.0	-1.7
Marijuana	16.1	21.7	23.7	31.8	25.8	27.3	24.6	24.0	24.6	23.4	20.9	19.6	18.0	18.4	17.0	17.0	17.0	
Cocaine	2.1	2.9	3.1	4.1	4.0	4.5	3.2	3.3	3.1	3.2	3.2	3.5	3.1	3.3	2.6	2.5	2.2	-0.3
Crack	1.4	2.0	2.2	3.2	2.9	3.3	2.4	2.4	2.3	2.1	2.2	2.4	2.2	2.2	1.6	1.6	1.5	
Inhalants	9.8	13.5	13.2	13.8	12.1	11.5	8.8	8.1	7.2	6.1	6.3	7.5	6.9	7.5	6.1	6.2	5.5	-0.7
Amphetamines	11.6	12.9	12.2	14.4	11.4	9.8	8.2	8.0	8.5	7.2	6.7	6.6	5.2	5.1	3.7	3.6	3.3	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	2.5	2.2	1.4	1.4	1.4	
Ritalin/Adderall	--	--	--	--	--	5.7	3.9	4.8	4.9	3.7	3.6	3.4	3.6	3.8	5.3	5.4	4.9	-0.5
Tranquilizers	9.2	11.9	10.8	13.0	12.7	12.5	11.7	12.2	12.2	10.8	10.2	10.7	8.9	9.6	7.9	7.5	7.4	
Narcotics	5.5	6.9	6.3	7.9	7.6	7.8	6.9	6.8	7.1	6.6	5.8	5.9	4.9	5.3	5.3	5.4	5.0	-0.4
Psychedelics#	4.7	5.6	6.9	10.9	7.7	8.5	7.9	6.7	--	4.7	3.6	3.7	3.1	3.1	2.5	3.0	2.6	-0.4
LSD	--	--	--	--	--	--	--	--	--	4.4	3.1	3.1	2.5	2.4	2.0	2.4	2.2	
Others	--	--	--	--	--	--	--	--	--	1.6	1.6	1.8	1.6	1.6	1.3	1.6	1.3	-0.3
Heroin	1.1	1.5	1.7	2.0	1.7	1.6	1.3	1.4	1.3	1.1	1.4	1.4	1.4	1.4	1.1	1.3	1.2	
Steroids	2.0	2.2	1.8	1.8	1.7	1.8	1.7	2.1	1.9	1.7	2.0	1.9	1.6	1.4	1.2	1.2	1.1	
Injected drugs	--	--	--	--	--	--	--	--	0.9	1.1	1.4	1.4	1.3	1.3	1.4	1.6	1.4	
MDMA	--	--	--	--	--	--	--	--	--	3.9	3.1	3.0	2.5	2.7	2.2	2.3	2.3	
Rohypnol	--	--	--	--	--	--	--	--	--	1.1	1.2	1.3	1.2	1.3	1.0	1.1	0.9	
GHB	--	--	--	--	--	--	--	--	--	0.7	0.8	0.8	0.8	0.8	0.6	0.7	0.7	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.2	9.0	8.1	-0.9

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates ($p < .05$).

Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	26.2	29.4	30.8	34.4	30.5	28.9	25.4	24.9	21.8	19.1	17.9	18.2	16.4	16.5	14.7	14.7	13.8	-0.9
Cigars	--	--	--	--	--	15.5	13.2	12.6	14.1	9.2	8.3	9.1	8.6	8.8	8.7	8.6	8.6	
Pipe	--	--	--	--	--	4.5	4.1	4.2	--	2.9	2.7	3.2	2.7	3.0	4.4	4.4	4.4	
Smokeless Tobacco	12.2	13.3	13.2	12.5	9.8	8.3	6.5	6.5	5.4	5.2	4.9	5.6	5.2	5.7	5.3	6.0	5.9	
Alcohol	38.2	39.6	38.5	40.8	36.0	36.7	36.2	35.3	33.2	30.5	30.8	29.4	26.6	28.5	24.8	24.5	22.1	-2.4
Marijuana	10.6	15.2	15.9	22.8	17.2	18.4	16.2	15.6	16.1	14.6	13.9	12.1	11.5	11.4	10.3	10.4	10.5	
Cocaine	0.1	1.6	1.7	2.4	2.2	2.4	1.4	1.6	1.6	1.6	1.8	2.0	1.7	1.7	1.4	1.4	1.2	-0.2
Crack	0.1	1.4	1.3	2.1	1.5	1.9	1.2	1.3	1.2	1.1	1.2	1.4	1.3	1.1	0.9	0.9	0.9	
Inhalants	5.2	7.3	6.9	7.2	6.1	5.8	4.4	4.2	3.7	3.0	3.0	3.9	3.6	3.6	2.9	3.0	2.6	-0.4
Amphetamines	6.4	7.8	7.2	8.9	6.8	5.9	4.8	5.1	5.2	4.3	3.6	3.8	3.0	3.0	2.0	2.1	1.8	-0.3
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.5	1.2	0.8	0.9	0.8	
Ritalin/Adderall	--	--	--	--	--	3.0	2.0	2.5	2.4	1.9	1.8	1.9	2.0	2.0	2.8	3.0	2.6	-0.4
Tranquilizers	5.2	7.1	6.2	7.7	7.9	7.5	7.2	7.4	7.3	6.7	5.9	6.3	5.1	5.7	4.4	4.3	4.0	
Narcotics	2.9	3.7	3.8	4.9	4.2	4.2	3.8	3.9	4.2	3.9	3.3	3.1	2.8	2.9	2.9	3.2	2.7	-0.5
Psychedelics#	2.7	3.7	4.9	6.5	4.6	5.0	4.3	3.6	--	2.4	1.8	1.9	1.7	1.6	1.3	1.6	1.3	-0.3
LSD	--	--	--	--	--	--	--	--	--	2.0	1.5	1.6	1.4	1.3	1.1	1.3	1.1	
Others	--	--	--	--	--	--	--	--	--	1.0	0.8	1.0	0.9	0.8	0.7	0.8	0.7	-0.1
Heroin	0.1	1.1	0.9	1.3	1.0	0.9	0.6	0.7	0.8	0.7	0.9	0.9	0.9	0.8	0.7	0.8	0.8	
Steroids	1.3	1.4	1.2	1.2	1.1	1.1	0.9	1.0	1.1	1.0	1.2	1.1	0.9	0.9	0.8	0.8	0.8	
Injected drugs	--	--	--	--	--	--	--	--	0.6	0.6	0.8	0.8	0.8	0.8	0.9	1.0	1.0	
MDMA	--	--	--	--	--	--	--	--	--	1.9	1.5	1.6	1.3	1.5	1.2	1.3	1.1	
Rohypnol	--	--	--	--	--	--	--	--	--	0.7	0.6	0.7	0.7	0.8	0.6	0.6	0.5	
GHB	--	--	--	--	--	--	--	--	--	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.5	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.6	5.7	5.0	-0.7

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	
CIGARETTES																			
Daily Use	16.0	18.3	18.4	22.0	19.0	18.5	15.5	14.7	12.4	11.6	10.3	10.3	9.4	9.6	8.1	8.1	7.4	-0.7	
1/2+ Pack per Day	9.9	11.7	11.2	14.0	11.8	11.6	9.2	8.4	7.0	7.0	6.1	5.7	5.1	5.4	4.4	4.2	3.9		
CIGARS	--	--	--	--	--	3.3	2.8	2.8	4.3	2.1	1.7	2.2	1.8	1.9	2.3	2.3	2.1		
SMOKELESS TOBACCO	3.8	4.2	4.1	3.9	2.5	2.4	1.8	2.0	1.5	1.6	1.4	1.8	1.5	1.8	1.6	1.9	1.8		
ALCOHOL																			
Daily Use	2.8	3.2	3.1	3.6	3.1	3.6	3.6	3.4	3.0	3.1	2.8	2.9	2.4	2.7	2.3	2.5	1.9	-0.6	
Binge Drinking	23.3	23.6	23.3	25.5	23.1	25.7	24.3	24.3	19.7	19.8	17.9	17.3	14.8	15.6	16.9	16.2	15.5	-0.7	
MARIJUANA	1.8	3.3	3.7	6.4	4.1	4.9	4.6	4.5	4.2	4.5	3.8	3.2	3.3	3.2	2.7	3.1	2.9		

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates ($p < .05$).

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
Cigarettes	60.8	61.5	61.8	63.6	64.1	61.4	60.5	57.4	55.5	51.5	47.2	46.7	43.9	43.0	40.6	39.1	37.6	-1.5	31.7
Cigars	--	--	--	--	--	37.5	36.4	32.4	36.4	30.6	27.2	27.8	26.9	26.8	26.7	25.9	25.0	-0.9	--
Pipe	--	--	--	--	--	12.8	12.1	10.6	--	9.0	8.3	7.7	7.8	8.6	13.3	12.6	12.9	--	--
Smokeless Tobacco	27.9	28.0	28.7	30.0	26.2	22.1	19.6	17.3	16.0	16.2	13.8	14.1	14.3	15.4	15.0	15.4	15.6	--	12.2
Alcohol	76.5	76.2	73.2	74.3	75.2	68.4	69.2	66.6	71.3	68.4	67.2	65.5	63.5	62.3	61.0	58.7	56.9	-1.8	58.3
Marijuana	25.6	30.5	34.2	40.2	40.1	38.2	37.4	34.1	37.8	36.9	34.8	33.5	31.6	30.1	29.9	28.3	29.1	0.8	29.9
Cocaine	3.4	4.3	4.9	6.9	6.7	6.6	6.0	5.1	6.1	6.5	6.0	6.0	6.1	5.9	5.8	4.9	4.2	-0.7	4.5
Crack	1.9	2.9	3.6	4.8	4.7	5.1	4.1	3.4	3.9	3.5	3.7	3.8	3.8	3.4	3.1	2.7	2.4	-0.3	2.0
Inhalants	15.0	16.1	17.5	17.8	17.5	15.9	12.8	11.4	11.9	10.7	10.9	11.3	11.2	11.1	10.6	9.9	9.2	-0.7	12.8
Amphetamines	17.3	17.2	17.7	18.8	17.6	15.1	13.5	12.2	13.7	13.2	12.3	11.3	10.2	9.0	8.2	7.3	6.7	-0.6	9.0
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	4.5	3.5	3.0	2.5	2.3	--	2.4
Ritalin/Adderall	--	--	--	--	--	6.8	6.6	6.8	7.5	7.5	6.5	6.1	6.5	6.5	10.6	10.0	9.6	--	--
Tranquilizers	13.0	14.6	13.5	16.3	16.3	16.1	15.5	14.9	16.4	17.4	16.5	16.0	15.0	14.3	13.6	12.1	12.0	--	6.8
Narcotics	9.0	9.8	9.7	11.7	12.6	11.9	11.1	10.1	11.7	12.2	11.6	11.0	9.9	9.8	10.9	10.3	10.3	--	--
Psychedelics#	7.7	8.3	11.5	14.1	13.2	12.9	12.6	10.9	--	9.4	7.0	6.1	5.7	5.3	4.8	5.2	5.0	--	5.5
LSD	--	--	--	--	--	--	--	--	--	8.6	6.0	5.1	4.7	4.3	3.9	4.3	4.1	--	2.6
Others	--	--	--	--	--	--	--	--	--	3.2	3.1	2.9	2.9	2.7	2.6	2.7	2.6	--	4.8
Heroin	1.4	2.0	1.9	2.8	2.2	2.5	2.0	1.9	2.1	2.2	2.2	2.1	2.1	2.0	2.0	2.1	1.8	-0.3	1.2
Steroids	2.4	2.8	2.2	2.9	2.4	3.1	2.3	2.7	2.5	3.0	2.8	2.7	2.2	2.2	2.1	2.0	1.6	-0.4	1.4
Injected drugs	--	--	--	--	--	--	--	--	1.6	1.8	1.9	1.9	2.1	2.0	2.0	2.1	2.0	--	--
MDMA	--	--	--	--	--	--	--	--	--	6.9	5.7	4.7	4.6	4.4	4.3	4.4	4.4	--	4.3
Rohypnol	--	--	--	--	--	--	--	--	--	1.8	1.9	1.8	1.8	1.9	1.7	1.8	1.6	--	0.9
GHB	--	--	--	--	--	--	--	--	--	1.3	1.1	1.2	1.2	1.1	1.2	1.2	1.1	--	--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.4	13.9	13.1	-0.8	--

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
 ## Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##	2008
Cigarettes	46.8	48.0	48.9	50.8	52.4	47.9	45.5	41.4	39.2	35.9	32.2	31.7	30.5	30.0	28.5	27.9	27.4			--
Cigars	--	--	--	--	--	32.1	30.4	26.0	28.5	22.3	19.6	21.1	19.9	20.2	20.7	20.3	19.8			--
Pipe	--	--	--	--	--	8.9	8.3	6.6	--	6.2	5.9	5.5	5.8	6.3	11.1	10.3	10.8	0.5		--
Smokeless Tobacco	21.6	21.8	22.2	22.9	20.3	16.4	14.6	12.9	11.8	12.0	10.2	10.7	11.4	12.2	12.0	12.2	12.5			--
Alcohol	68.0	67.7	65.3	65.9	67.3	61.8	63.0	61.1	62.8	59.5	57.6	55.8	54.3	53.7	51.7	50.2	47.9	-2.3		52.5
Marijuana	22.2	27.6	30.8	36.1	35.1	33.7	32.8	29.4	32.4	30.3	28.1	26.8	25.0	23.8	23.5	22.3	23.5	1.2		23.9
Cocaine	2.6	3.5	4.0	5.7	5.5	5.4	5.0	3.8	4.9	4.7	4.5	4.5	4.3	4.3	4.0	3.4	2.8	-0.6		3.0
Crack	1.5	2.3	3.0	4.0	3.8	4.0	3.2	2.4	2.7	2.5	2.6	2.7	2.5	2.3	2.0	1.9	1.5	-0.4		1.3
Inhalants	10.3	11.3	12.4	11.3	11.7	10.7	8.1	7.1	7.2	6.2	6.3	6.8	6.7	6.5	5.8	5.5	5.4			5.9
Amphetamines	13.9	14.4	14.4	15.4	14.5	12.1	10.5	9.6	11.1	10.0	9.2	8.5	7.2	6.8	5.7	5.2	4.7	-0.5		6.4
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	3.1	2.4	1.9	1.6	1.5			1.5
Ritalin/Adderall	--	--	--	--	--	5.2	4.9	5.0	5.3	5.0	4.4	4.0	4.3	4.5	7.4	6.9	6.8			2.9
Tranquilizers	10.4	12.1	11.2	13.5	13.5	13.2	12.8	12.1	13.5	13.2	12.3	12.4	11.3	10.7	9.5	8.6	8.4			4.6
Narcotics	6.9	7.8	7.6	9.3	10.2	9.8	9.0	8.1	9.6	8.8	8.3	8.1	6.9	7.0	7.5	7.1	7.2			--
Psychedelics#	6.4	7.1	10.2	12.3	11.4	10.5	10.5	8.6	--	6.1	4.5	4.0	3.7	3.7	3.2	3.7	3.4	-0.3		3.9
LSD	--	--	--	--	--	--	--	--	--	5.5	3.6	3.2	3.0	2.9	2.4	2.9	2.7			1.8
Others	--	--	--	--	--	--	--	--	--	2.3	2.1	2.0	2.0	2.0	1.8	2.0	1.8			3.3
Heroin	1.2	1.6	1.6	2.3	1.8	1.8	1.6	1.2	1.6	1.4	1.5	1.5	1.4	1.3	1.3	1.4	1.2	-0.2		0.8
Steroids	1.8	2.1	1.7	2.2	1.7	2.2	1.6	1.9	1.9	2.0	1.9	2.0	1.4	1.6	1.3	1.4	1.1	-0.3		0.9
Injected drugs	--	--	--	--	--	--	--	--	1.1	1.2	1.3	1.3	1.3	1.4	1.5	1.7	1.5			--
MDMA	--	--	--	--	--	--	--	--	--	5.1	3.8	3.2	3.0	3.0	2.9	3.0	3.0			2.9
Rohypnol	--	--	--	--	--	--	--	--	--	1.3	1.2	1.2	1.2	1.4	1.1	1.2	1.1			0.4
GHB	--	--	--	--	--	--	--	--	--	0.9	0.8	0.8	0.8	0.9	0.7	0.9	0.7			0.5
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.3	10.0	9.4	-0.6		--

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates ($p < .05$).

Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
Cigarettes	30.4	33.0	34.4	36.7	37.2	33.9	31.5	28.9	27.0	23.8	22.2	22.1	20.8	20.6	19.3	18.7	18.1		12.3
Cigars	--	--	--	--	--	19.0	16.5	14.6	17.8	11.9	11.5	12.4	11.8	11.6	12.3	11.8	11.8		--
Pipe	--	--	--	--	--	4.8	4.3	3.6	--	3.2	3.3	2.9	3.2	3.4	6.8	5.6	5.8		--
Smokeless Tobacco	13.2	13.6	13.8	14.6	12.3	9.5	8.2	7.4	6.9	7.1	6.0	6.4	7.0	7.8	7.3	7.5	7.6		5.0
Alcohol	43.8	44.9	42.7	43.7	43.9	41.3	41.6	39.7	39.7	38.1	36.9	34.1	33.0	33.0	31.1	28.4	27.3	-1.1	28.8
Marijuana	14.3	18.9	21.5	24.9	23.7	21.8	21.1	19.0	21.4	19.2	18.2	17.2	16.0	14.6	14.4	13.5	14.6	1.1	13.8
Cocaine	1.4	1.6	2.2	2.6	2.6	2.9	2.3	1.7	2.4	2.4	2.3	2.4	2.2	2.1	1.9	1.7	1.4	-0.3	1.2
Crack	0.1	1.2	1.6	1.8	1.9	2.1	1.5	1.1	1.5	1.1	1.4	1.4	1.3	1.2	1.0	1.1	0.8	-0.3	0.5
Inhalants	5.0	5.6	5.8	5.1	5.3	4.9	3.4	2.9	3.3	2.9	2.9	3.3	3.0	3.0	2.5	2.6	2.2	-0.4	2.1
Amphetamines	7.5	8.3	7.9	7.8	7.8	6.5	5.6	5.4	6.5	5.9	5.2	4.8	4.0	3.7	2.9	2.7	2.4	-0.3	2.8
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.6	1.2	1.0	1.0	0.9		0.7
Ritalin/Adderall	--	--	--	--	--	2.5	2.1	2.4	2.6	2.2	2.1	2.0	2.1	2.2	3.7	3.5	3.3		--
Tranquilizers	5.7	6.9	6.2	7.0	7.4	7.5	7.1	7.0	8.0	7.6	7.1	7.0	6.4	5.9	5.0	4.5	4.3		1.9
Narcotics	3.4	4.0	4.1	4.4	5.0	5.2	4.4	4.4	5.5	4.6	4.2	4.3	3.6	3.8	3.9	4.0	3.7	-0.3	--
Psychedelics#	3.7	4.1	7.0	6.8	6.5	6.0	5.5	4.2	--	2.5	2.1	2.0	1.8	1.9	1.6	1.9	1.5	-0.4	1.3
LSD	--	--	--	--	--	--	--	--	--	2.2	1.7	1.5	1.4	1.5	1.2	1.5	1.1	-0.4	0.7
Others	--	--	--	--	--	--	--	--	--	1.1	1.1	1.0	1.0	1.0	0.9	1.0	0.8	-0.2	1.0
Heroin	0.1	0.9	1.0	1.3	1.0	1.3	0.9	0.7	1.0	0.8	0.9	0.9	0.9	0.8	0.8	1.0	0.8	-0.2	0.4
Steroids	1.0	1.3	1.1	1.4	0.9	1.4	0.9	0.9	1.0	1.1	1.0	1.1	0.9	1.1	0.9	0.9	0.7	-0.2	0.5
Injected drugs	--	--	--	--	--	--	--	--	0.8	0.7	0.7	0.8	0.9	0.9	1.0	1.2	1.1		--
MDMA	--	--	--	--	--	--	--	--	--	2.4	1.8	1.5	1.5	1.5	1.4	1.6	1.5		1.1
Rohypnol	--	--	--	--	--	--	--	--	--	0.6	0.7	0.7	0.7	0.8	0.7	0.7	0.6		0.2
GHB	--	--	--	--	--	--	--	--	--	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.5		--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.9	5.9	5.2	-0.7	--

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
 ## Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
CIGARETTES																			
Daily Use	19.0	21.9	22.4	24.4	23.9	21.5	20.6	17.9	16.5	14.6	13.7	13.3	12.5	12.2	11.4	10.8	10.3	-0.5	5.9
1/2+ Pack per Day	12.3	14.4	14.6	16.2	15.5	13.4	12.9	10.8	9.8	9.4	8.1	7.6	7.1	7.1	6.6	6.0	5.5	-0.5	2.0
CIGARS	--	--	--	--	--	3.7	2.9	2.9	5.7	2.7	2.4	2.4	2.5	2.5	3.1	3.1	3.2		--
SMOKELESS TOBACCO	4.7	5.2	5.0	5.6	4.1	3.3	2.5	2.3	2.2	2.7	2.2	2.4	2.5	3.2	2.8	2.9	2.9		1.4
ALCOHOL																			
Daily Use	3.5	3.6	3.5	4.1	3.9	4.2	4.5	4.1	4.2	4.0	4.0	3.5	3.6	3.6	3.4	2.8	2.7		1.0
Binge Drinking	27.3	26.8	26.1	27.3	27.8	29.0	28.8	27.1	24.2	24.9	21.8	20.2	19.3	19.9	21.7	19.5	19.2		16.0
MARIJUANA	2.7	4.3	5.1	7.4	6.9	6.3	6.5	5.7	6.3	6.3	5.6	5.4	5.0	4.5	4.6	4.1	4.6	0.5	2.7

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).

Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	64.7	64.5	66.5	67.7	66.9	66.9	65.3	62.3	58.7	54.8	51.2	50.1	46.9	46.8	44.6	43.2	42.0	-1.2
Cigars	--	--	--	--	--	43.9	42.1	39.3	40.7	34.2	31.5	31.8	30.9	30.7	31.0	30.6	29.9	
Pipe	--	--	--	--	--	14.5	13.1	12.4	--	9.4	8.8	9.3	8.1	9.2	16.2	16.7	16.9	
Smokeless Tobacco	31.9	31.0	32.2	31.9	29.1	25.6	23.0	22.9	17.4	17.6	16.3	18.8	15.8	17.2	16.9	17.3	17.9	
Alcohol	82.2	79.7	78.5	78.1	77.5	74.9	73.3	71.9	74.3	72.9	70.2	68.7	66.6	66.7	64.3	62.4	60.6	-1.8
Marijuana	31.1	33.2	36.6	44.1	42.3	43.7	42.1	39.8	41.0	41.1	38.4	35.9	34.3	34.4	32.4	32.4	32.7	
Cocaine	4.2	4.9	5.2	7.5	7.8	8.1	7.6	7.5	7.1	7.8	8.0	7.8	7.1	7.8	6.9	6.3	5.4	-0.9
Crack	2.0	2.7	3.2	4.1	4.5	5.3	4.2	3.8	3.8	4.0	3.8	4.6	3.7	3.8	3.3	3.0	2.8	
Inhalants	14.0	15.7	16.0	17.6	15.4	16.2	12.3	13.0	11.3	10.5	9.9	11.1	9.8	10.1	9.7	9.3	8.6	-0.7
Amphetamines	18.8	18.5	18.2	18.3	18.5	16.8	15.7	15.5	15.1	14.8	14.3	13.6	11.1	10.8	9.1	8.7	8.1	-0.6
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	4.6	4.2	3.3	2.8	2.6	
Ritalin/Adderall	--	--	--	--	--	7.5	7.3	8.0	7.3	7.6	7.0	5.9	6.6	6.7	10.7	11.6	11.1	
Tranquilizers	12.9	13.5	13.9	16.6	16.3	17.5	16.0	16.7	17.0	18.6	16.7	15.9	14.6	14.5	13.4	12.6	11.8	-0.8
Narcotics	9.7	11.3	10.8	13.2	13.9	13.7	13.1	13.3	12.8	14.1	13.1	12.6	11.1	11.3	11.7	11.5	11.3	
Psychedelics#	10.5	10.1	12.7	16.8	14.9	16.4	15.6	14.0	--	11.4	9.0	7.5	6.3	6.3	5.4	6.0	6.1	
LSD	--	--	--	--	--	--	--	--	--	10.7	7.9	6.4	4.9	4.9	4.4	4.8	4.8	
Others	--	--	--	--	--	--	--	--	--	3.6	3.9	3.7	3.8	3.8	3.0	3.5	3.7	
Heroin	1.2	1.5	1.7	1.9	1.9	2.4	2.0	2.5	2.1	2.1	2.1	2.4	2.1	2.3	2.0	2.0	2.2	
Steroids	2.0	2.6	2.5	2.3	2.4	2.7	2.2	2.7	2.3	2.5	2.5	2.3	2.1	1.9	1.8	1.8	1.8	
Injected drugs	--	--	--	--	--	--	--	--	1.5	1.5	1.8	1.9	2.1	2.1	1.9	2.0	2.1	
MDMA	--	--	--	--	--	--	--	--	--	8.1	6.5	5.7	4.9	5.4	4.8	5.0	5.3	
Rohypnol	--	--	--	--	--	--	--	--	--	1.5	1.5	1.9	1.8	2.0	1.7	1.7	1.6	
GHB	--	--	--	--	--	--	--	--	--	1.4	1.2	1.5	1.2	1.2	1.1	1.2	1.3	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.5	13.3	12.7	

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	51.0	50.5	53.3	54.8	54.1	53.5	51.0	47.1	42.5	39.0	35.4	35.1	33.1	33.7	32.4	31.3	31.1	
Cigars	--	--	--	--	--	37.2	35.1	30.9	31.7	24.5	22.9	23.6	22.9	23.1	24.1	23.9	23.4	
Pipe	--	--	--	--	--	9.6	8.7	7.5	--	6.3	6.1	6.5	5.5	6.6	13.3	13.5	13.9	
Smokeless Tobacco	23.5	23.1	23.9	22.9	21.1	18.2	15.9	16.3	12.4	12.5	11.9	13.1	11.8	13.1	13.1	13.4	13.9	
Alcohol	73.6	70.2	70.9	70.0	70.0	68.8	67.2	65.6	65.8	63.5	59.8	58.6	56.0	57.0	55.3	53.1	50.6	-2.5
Marijuana	26.3	28.7	32.8	38.6	36.3	37.5	35.2	32.9	34.1	33.7	29.9	27.5	25.7	26.5	24.8	25.1	25.4	
Cocaine	2.9	3.6	4.3	5.8	6.3	6.7	5.9	5.5	5.4	5.7	5.8	5.7	4.8	5.3	4.6	4.2	3.3	-0.9
Crack	1.6	1.9	2.5	3.2	3.6	4.2	2.9	2.3	2.6	2.9	2.5	3.0	2.3	2.4	2.2	1.9	1.5	-0.4
Inhalants	8.6	10.1	9.9	10.1	9.4	9.6	6.9	7.1	6.0	5.4	5.1	6.0	5.0	5.2	4.7	4.7	4.2	-0.5
Amphetamines	14.5	13.9	14.2	13.9	14.1	12.5	11.6	12.2	11.9	10.8	10.2	9.6	7.2	7.6	5.8	5.6	5.2	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	3.0	2.7	2.0	1.8	1.6	
Ritalin/Adderall	--	--	--	--	--	5.3	4.8	5.4	4.7	4.4	4.3	3.4	3.9	4.2	6.9	7.5	7.4	
Tranquilizers	9.8	10.5	11.0	13.2	13.1	13.6	12.7	13.2	13.6	13.8	11.9	11.9	9.9	10.0	8.9	8.4	7.6	-0.8
Narcotics	7.0	8.0	8.1	10.3	10.8	11.0	10.4	10.4	10.0	10.0	8.9	9.0	7.2	7.6	7.7	7.6	7.5	
Psychedelics#	8.6	8.2	11.4	14.1	12.6	13.0	12.5	10.9	--	6.6	5.2	4.8	4.1	4.2	3.6	4.3	4.0	
LSD	--	--	--	--	--	--	--	--	--	6.1	4.0	3.8	2.9	3.1	2.6	3.1	3.0	
Others	--	--	--	--	--	--	--	--	--	2.4	2.7	2.4	2.5	2.6	2.2	2.7	2.4	
Heroin	0.1	1.1	1.3	1.5	1.6	1.8	1.5	1.7	1.5	1.2	1.4	1.5	1.3	1.6	1.4	1.3	1.4	
Steroids	1.4	1.8	1.6	1.7	1.5	1.7	1.5	1.8	1.6	1.6	1.7	1.6	1.5	1.3	1.3	1.2	1.2	
Injected drugs	--	--	--	--	--	--	--	--	1.1	1.0	1.2	1.1	1.3	1.3	1.4	1.5	1.7	
MDMA	--	--	--	--	--	--	--	--	--	5.6	4.2	3.7	2.9	3.7	3.0	3.2	3.3	
Rohypnol	--	--	--	--	--	--	--	--	--	0.9	1.0	1.2	1.0	1.2	1.1	1.1	1.0	
GHB	--	--	--	--	--	--	--	--	--	0.9	0.8	1.0	0.7	0.8	0.8	0.8	0.9	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.0	9.0	8.1	-0.9

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).

Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*
Cigarettes	33.7	34.4	39.3	40.1	39.2	39.8	37.4	34.1	30.2	27.1	25.2	25.1	23.5	23.8	22.5	21.3	21.4	
Cigars	--	--	--	--	--	21.0	18.6	16.8	19.8	13.4	13.1	13.9	13.0	12.8	13.8	13.6	13.9	
Pipe	--	--	--	--	--	4.5	4.3	3.8	--	3.2	3.2	3.2	3.0	3.5	7.4	7.0	7.5	
Smokeless Tobacco	14.4	14.6	15.4	14.2	12.0	10.2	8.9	9.7	7.0	7.5	7.2	8.1	7.3	8.0	8.1	8.2	8.8	
Alcohol	49.4	47.0	47.7	48.2	45.8	47.8	45.6	43.2	42.1	41.4	38.1	36.5	34.5	35.8	33.8	31.7	29.4	-2.3
Marijuana	16.7	19.6	21.8	25.7	22.3	24.6	22.0	20.5	21.7	21.2	18.4	17.2	15.3	15.7	14.6	14.6	15.3	0.7
Cocaine	1.2	1.6	2.0	3.0	2.9	3.3	2.4	2.2	2.6	2.7	2.5	3.1	2.1	2.7	2.1	1.8	1.4	-0.4
Crack	0.1	1.0	1.3	1.6	1.6	1.9	1.0	1.0	1.2	1.1	1.1	1.8	1.1	1.3	1.1	1.0	0.9	
Inhalants	3.8	4.2	4.3	4.3	3.6	3.9	2.7	2.8	2.3	2.1	2.2	2.7	2.1	2.3	2.2	1.9	1.9	
Amphetamines	7.2	7.0	7.0	6.4	7.0	6.0	5.8	6.6	6.4	5.6	5.3	5.4	3.5	3.9	2.8	2.8	2.5	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.5	1.5	1.1	0.9	0.9	
Ritalin/Adderall	--	--	--	--	--	2.4	1.9	2.2	2.0	2.0	1.8	1.6	1.8	2.0	3.2	3.4	3.4	
Tranquilizers	4.6	5.3	5.7	6.9	7.0	7.1	6.9	7.3	7.7	7.6	6.7	6.5	5.1	5.6	4.3	4.2	3.8	-0.4
Narcotics	3.4	3.5	3.8	4.8	4.7	5.2	4.7	5.3	5.0	4.8	4.4	4.7	3.6	4.2	3.9	3.8	3.9	
Psychedelics#	4.5	4.1	7.6	6.4	6.9	6.9	6.0	4.9	--	2.5	2.3	2.1	1.8	2.1	1.7	1.9	1.8	
LSD	--	--	--	--	--	--	--	--	--	2.1	1.7	1.7	1.3	1.6	1.3	1.4	1.3	
Others	--	--	--	--	--	--	--	--	--	1.1	1.3	1.1	1.1	1.3	1.0	1.0	1.1	
Heroin	0.1	0.6	0.8	0.8	0.8	1.0	0.7	0.9	0.7	0.6	0.8	1.1	0.8	1.0	0.9	0.7	0.8	
Steroids	0.1	1.1	1.0	0.8	0.8	1.0	0.6	0.9	0.7	0.8	1.0	1.0	0.9	0.8	0.7	0.7	0.8	
Injected drugs	--	--	--	--	--	--	--	--	0.7	0.6	0.7	0.8	0.8	0.8	1.1	1.1	1.3	
MDMA	--	--	--	--	--	--	--	--	--	2.3	1.7	1.8	1.3	1.8	1.3	1.5	1.5	
Rohypnol	--	--	--	--	--	--	--	--	--	0.6	0.6	0.7	0.5	0.7	0.7	0.5	0.7	
GHB	--	--	--	--	--	--	--	--	--	0.4	0.5	0.6	0.5	0.6	0.5	0.4	0.5	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.7	4.6	4.4	

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	
CIGARETTES																			
Daily Use	22.0	22.8	26.0	27.3	26.6	27.0	25.2	23.3	20.0	17.9	16.0	16.4	14.8	14.8	13.8	13.2	12.9		
1/2+ Pack per Day	15.0	15.3	17.2	18.9	18.1	17.3	16.2	15.0	12.8	11.9	9.9	10.3	8.8	8.5	8.1	7.3	7.0		
CIGARS	--	--	--	--	--	3.5	3.4	3.3	6.8	2.8	2.8	2.6	2.7	2.6	3.5	3.6	3.7		
SMOKELESS TOBACCO	5.8	6.4	6.3	6.2	4.7	4.1	3.5	3.9	2.9	3.3	2.7	3.2	2.9	3.4	3.6	3.6	3.8		
ALCOHOL																			
Daily Use	4.1	4.5	5.0	5.1	4.5	5.6	4.9	4.9	4.3	4.7	4.2	4.3	3.6	3.5	3.6	3.4	3.0	-0.4	
Binge Drinking	30.6	28.9	29.6	30.1	29.8	32.3	31.3	30.0	25.7	26.5	24.0	23.3	21.2	21.8	23.2	22.5	21.4	-1.1	
MARIJUANA	3.9	5.1	6.1	8.6	7.1	7.6	7.5	6.9	7.0	7.4	6.2	6.2	5.3	4.9	4.6	5.2	5.2		

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
Cigarettes	66.4	65.6	67.9	66.4	68.6	67.2	68.1	65.8	62.9	60.5	55.9	53.9	51.9	50.9	48.4	48.2	46.9	-1.3	44.7
Cigars	--	--	--	--	--	50.1	48.9	45.3	46.7	41.2	39.4	37.3	38.9	37.7	37.9	37.8	37.5	--	--
Pipe	--	--	--	--	--	15.9	15.6	14.0	--	10.9	9.7	10.0	10.5	10.7	20.0	22.6	22.9	--	--
Smokeless Tobacco	34.0	33.9	35.8	31.3	31.4	29.4	26.9	26.3	22.9	21.2	18.7	19.1	18.8	20.4	19.4	20.1	20.7	--	15.6
Alcohol	85.0	82.4	81.4	80.6	80.8	76.1	78.5	75.9	78.6	77.3	74.8	72.4	72.3	70.2	69.2	68.5	66.5	-2.0	71.9
Marijuana	35.3	38.1	40.0	43.4	45.6	46.5	45.7	44.4	45.5	44.8	42.3	40.5	40.1	37.1	36.5	36.5	36.8	--	42.6
Cocaine	5.0	6.1	7.1	7.1	8.9	9.3	8.4	8.7	9.0	8.6	8.7	8.8	8.8	8.6	7.8	7.4	6.6	-0.8	7.2
Crack	2.0	2.8	4.3	4.1	5.6	5.6	4.5	4.2	4.1	4.1	4.0	4.4	3.9	4.0	3.2	3.1	2.9	--	2.8
Inhalants	14.0	15.1	15.5	13.7	15.5	15.3	12.8	12.3	11.6	10.3	9.6	9.5	9.6	10.1	8.5	9.0	8.0	-1.0	9.9
Amphetamines	19.8	18.8	18.0	16.5	19.2	16.6	15.6	15.4	15.5	14.9	14.4	13.3	12.5	11.3	9.0	9.3	8.5	-0.8	10.5
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	5.5	5.0	3.4	2.7	2.7	--	2.8
Ritalin/Adderall	--	--	--	--	--	5.9	7.4	7.4	7.8	7.2	6.9	6.3	7.1	7.0	11.3	11.8	11.6	--	--
Tranquilizers	12.6	13.2	13.2	14.2	16.2	16.4	15.8	15.7	16.5	17.3	16.6	15.6	15.5	14.5	12.9	12.4	12.0	--	8.9
Narcotics	11.3	11.5	11.4	11.7	14.5	14.7	13.6	13.8	14.7	14.5	13.4	12.6	12.5	12.0	12.1	12.4	12.5	--	--
Psychedelics#	11.6	12.0	14.4	15.5	17.2	17.8	17.1	15.4	--	12.8	10.6	8.1	7.3	7.0	6.1	6.4	6.6	--	8.7
LSD	--	--	--	--	--	--	--	--	--	11.9	9.3	6.6	5.5	5.3	4.5	4.8	5.0	--	4.0
Others	--	--	--	--	--	--	--	--	--	4.9	4.6	4.3	4.4	4.6	3.8	4.0	4.1	--	7.8
Heroin	1.3	1.8	2.0	2.1	2.3	2.7	2.1	2.3	2.3	1.9	2.1	2.3	2.0	2.3	1.9	2.0	2.4	0.4	1.3
Steroids	2.4	2.8	2.6	2.1	2.5	2.6	2.5	2.5	2.3	2.4	2.3	2.3	2.1	2.3	1.9	1.9	2.1	--	2.2
Injected drugs	--	--	--	--	--	--	--	--	1.8	1.4	1.7	1.8	1.7	2.2	1.7	1.7	2.0	--	--
MDMA	--	--	--	--	--	--	--	--	--	9.5	7.4	6.4	5.9	5.6	5.1	5.5	5.9	--	6.2
Rohypnol	--	--	--	--	--	--	--	--	--	1.4	1.5	1.6	1.4	1.7	1.5	1.5	1.6	--	--
GHB	--	--	--	--	--	--	--	--	--	1.6	1.4	1.2	1.1	1.3	1.1	1.2	1.3	--	--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.5	12.9	12.5	--	--

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
 ## Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##	2008
Cigarettes	52.2	51.8	54.5	52.7	55.7	53.4	54.6	51.2	46.7	43.1	39.7	38.4	37.5	36.9	35.2	35.8	35.3			--
Cigars	--	--	--	--	--	42.9	40.4	36.8	37.8	29.4	29.1	28.4	29.7	29.1	30.5	30.6	30.2			--
Pipe	--	--	--	--	--	11.1	10.2	9.0	--	6.9	6.4	6.7	7.1	7.8	16.6	18.7	19.0			--
Smokeless Tobacco	23.8	24.6	25.9	21.6	21.4	20.2	18.2	18.3	15.6	14.5	12.9	13.8	13.7	15.4	14.6	15.6	15.9			--
Alcohol	76.1	73.3	72.9	72.1	73.1	70.9	72.4	70.2	70.5	68.2	65.5	62.4	62.2	61.5	60.2	59.8	56.3	-3.5		65.5
Marijuana	28.3	31.9	34.6	37.4	37.1	38.8	37.1	35.4	36.4	33.7	31.6	29.7	28.6	27.5	26.6	27.1	27.5			32.4
Cocaine	3.3	4.1	5.6	5.7	6.9	7.1	6.2	6.5	6.1	6.1	6.0	6.0	6.0	6.1	5.3	4.6	3.5	-1.1		4.4
Crack	1.3	2.0	3.4	3.0	4.2	4.1	2.9	2.8	2.4	2.5	2.3	2.8	2.5	2.5	2.0	1.9	1.6	-0.3		1.6
Inhalants	7.1	8.9	9.0	7.4	8.3	8.1	6.3	6.3	5.4	4.6	4.3	4.6	4.7	4.6	4.0	4.2	3.5	-0.7		3.8
Amphetamines	13.8	13.5	13.1	12.1	13.6	11.9	10.8	11.4	11.1	10.1	9.7	9.0	7.6	7.5	5.4	5.6	4.8	-0.8		6.8
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	3.3	3.1	1.9	1.8	1.6			1.2
Ritalin/Adderall	--	--	--	--	--	4.0	4.3	4.8	4.7	4.0	3.6	3.3	3.8	3.8	7.0	7.2	7.0			3.4
Tranquilizers	9.3	9.7	9.5	11.1	12.3	12.8	11.9	12.3	12.7	11.9	11.5	11.1	9.9	9.8	8.3	7.9	7.4			6.2
Narcotics	7.3	7.8	8.1	8.5	10.7	11.2	9.9	10.4	10.5	9.7	8.7	8.3	7.9	7.5	7.6	8.1	7.8			--
Psychedelics#	9.1	9.3	12.2	12.5	13.6	13.6	12.6	11.3	--	6.5	5.2	4.8	4.3	4.5	4.0	4.4	3.9	-0.5		5.9
LSD	--	--	--	--	--	--	--	--	--	5.6	3.7	3.5	2.8	3.1	2.6	3.0	2.7			2.7
Others	--	--	--	--	--	--	--	--	--	3.1	2.9	3.0	2.8	3.2	2.7	2.9	2.7			5.0
Heroin	0.1	1.2	1.5	1.8	1.7	1.9	1.4	1.8	1.5	1.0	1.2	1.5	1.2	1.5	1.3	1.4	1.5			0.7
Steroids	1.5	1.8	1.6	1.5	1.7	1.9	1.7	1.7	1.5	1.4	1.4	1.5	1.3	1.5	1.3	1.3	1.3			1.5
Injected drugs	--	--	--	--	--	--	--	--	1.1	0.8	0.9	1.2	1.0	1.2	1.3	1.4	1.5			--
MDMA	--	--	--	--	--	--	--	--	--	6.4	4.3	3.9	3.4	3.5	3.2	3.5	3.5			4.3
Rohypnol	--	--	--	--	--	--	--	--	--	1.0	0.8	1.0	0.8	1.0	1.0	0.9	1.0			1.3
GHB	--	--	--	--	--	--	--	--	--	0.9	0.8	0.8	0.6	0.7	0.8	0.9	0.8			1.2
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.5	8.2	7.6	-0.6		--

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).

Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
Cigarettes	35.6	37.3	40.6	39.8	41.6	41.6	40.5	38.9	35.1	30.5	28.8	27.4	26.5	26.9	24.3	24.8	24.4		20.4
Cigars	--	--	--	--	--	25.8	23.0	20.2	23.9	16.8	17.0	16.8	17.6	16.6	17.5	17.7	17.9		--
Pipe	--	--	--	--	--	4.8	5.2	4.4	--	3.3	3.3	3.4	3.7	4.6	9.3	10.1	10.3		--
Smokeless Tobacco	15.4	15.5	16.5	14.4	13.5	12.1	11.2	11.3	9.4	8.3	7.9	8.7	8.6	9.8	9.1	9.8	10.5	0.7	6.5
Alcohol	53.2	53.7	51.2	52.5	50.1	52.0	51.7	50.1	49.9	48.1	46.1	42.2	41.8	42.2	39.7	38.4	35.7	-2.7	43.1
Marijuana	17.8	21.6	24.0	25.4	23.5	24.5	23.5	22.7	23.5	20.5	19.8	18.3	17.8	17.2	15.8	16.2	16.7		19.4
Cocaine	1.5	2.0	2.5	3.0	3.3	3.5	2.4	2.7	2.8	2.9	2.5	2.9	2.9	3.1	2.4	2.0	1.6	-0.4	1.9
Crack	0.1	0.9	1.7	1.5	1.8	2.0	1.1	1.1	1.1	1.1	1.1	1.4	1.2	1.4	1.1	1.0	0.9		0.8
Inhalants	2.9	3.8	3.8	3.1	3.3	3.2	2.6	2.4	2.0	1.9	1.7	1.8	1.9	2.2	1.5	1.6	1.4		1.4
Amphetamines	6.5	7.2	6.5	6.1	6.7	5.8	5.1	5.9	5.7	5.3	4.9	4.5	3.8	4.1	2.5	2.6	2.3	-0.3	2.9
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.7	1.5	1.0	0.9	0.9		0.6
Ritalin/Adderall	--	--	--	--	--	1.7	1.5	1.9	2.0	1.4	1.5	1.4	1.7	1.8	2.9	3.3	3.1		--
Tranquilizers	4.5	4.6	4.9	6.0	6.2	6.6	5.9	6.5	6.7	6.0	5.9	5.4	5.2	5.3	4.0	4.0	3.7		2.6
Narcotics	3.1	3.6	4.0	4.3	4.5	4.6	4.5	4.5	5.2	4.6	4.0	4.0	3.8	4.0	3.8	4.0	4.0		--
Psychedelics#	4.5	4.4	8.2	6.0	7.2	7.0	5.7	4.5	--	2.0	2.2	2.0	1.8	2.1	1.6	1.8	1.6		2.2
LSD	--	--	--	--	--	--	--	--	--	1.5	1.5	1.4	1.2	1.3	1.1	1.3	1.2		1.1
Others	--	--	--	--	--	--	--	--	--	1.1	1.3	1.3	1.2	1.5	1.1	1.1	1.1		1.6
Heroin	0.1	0.7	0.9	1.1	1.0	1.1	0.7	0.9	0.8	0.6	0.6	0.8	0.7	1.0	0.8	0.8	0.8		0.4
Steroids	0.1	0.9	0.8	0.8	1.0	1.1	0.9	0.6	0.7	0.6	0.7	0.8	0.8	1.0	0.7	0.9	0.8		1.0
Injected drugs	--	--	--	--	--	--	--	--	0.6	0.6	0.6	0.7	0.6	0.9	0.9	1.2	1.2		--
MDMA	--	--	--	--	--	--	--	--	--	2.1	1.6	1.4	1.3	1.7	1.4	1.6	1.5		1.8
Rohypnol	--	--	--	--	--	--	--	--	--	0.5	0.4	0.5	0.5	0.7	0.6	0.6	0.6		--
GHB	--	--	--	--	--	--	--	--	--	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.5		--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.3	4.3	4.0		--

NOTES: -- Data not available
 * Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).
 # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
 ## Monitoring the Future Study, the University of Michigan, 2008

Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 1993-2009

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	Change*	National##
CIGARETTES																			
Daily Use	23.2	25.1	27.6	27.0	28.6	28.5	27.6	26.5	23.3	19.9	18.7	18.0	16.4	16.9	14.7	15.0	14.7		11.4
1/2+ Pack per Day	16.0	17.9	18.9	18.6	19.3	20.0	18.1	17.0	15.3	13.3	11.9	10.9	9.9	10.5	8.5	8.6	8.2		5.4
CIGARS	--	--	--	--	--	3.8	3.7	3.4	7.5	2.8	2.9	3.0	3.1	3.1	3.8	4.1	4.2		--
SMOKELESS TOBACCO	6.9	7.0	7.6	6.7	6.1	5.3	5.0	4.9	4.1	3.8	3.4	4.0	3.5	4.4	4.2	4.6	4.8		2.7
ALCOHOL																			
Daily Use	6.0	6.9	6.4	7.5	5.9	8.1	7.1	6.8	6.2	6.5	6.0	5.6	5.4	5.6	4.6	4.1	4.0		2.8
Binge Drinking	34.3	34.8	33.3	35.6	33.2	37.5	36.3	35.4	31.9	31.5	29.3	27.0	25.9	27.3	28.6	26.9	26.4		24.6
MARIJUANA	4.2	6.0	7.4	7.6	8.1	8.5	8.2	7.5	8.2	7.3	7.4	6.7	6.3	6.1	5.3	5.5	5.8		5.4

NOTES: -- Data not available

* Statistically significant changes between 2008 and 2009 prevalence rates (p<.05).

Monitoring the Future Study, the University of Michigan, 2008

Mean Age of First Time Use of Alcohol, Tobacco, and Other Drugs, 2009

DRUG	6th	7th	8th	9th	10th	11th	12th	Total
Cigarettes	9.9	10.7	11.5	12.3	13.0	13.8	14.7	12.8
Cigars	10.0	10.9	11.8	12.8	13.6	14.5	15.5	13.6
Pipe	10.0	11.3	12.1	13.1	13.9	14.8	15.8	14.2
Smokeless Tobacco	10.0	11.0	11.9	12.7	13.6	14.3	15.1	13.5
Alcohol	9.9	10.9	11.8	12.8	13.6	14.3	14.9	13.1
Marijuana	10.7	11.6	12.4	13.2	13.9	14.6	15.2	13.8
Cocaine	10.3	11.4	12.0	13.1	13.9	14.8	15.3	13.9
Crack	10.2	11.3	11.8	12.7	13.1	13.8	14.2	12.9
Inhalants	9.8	10.8	11.6	12.4	13.1	13.7	14.1	12.3
Amphetamines	10.1	11.3	12.3	13.1	14.0	14.6	15.1	13.9
Methamphetamines	10.1	11.3	11.9	12.6	13.5	14.1	14.7	13.2
Ritalin	10.0	11.3	12.3	13.2	14.1	14.9	15.5	14.1
Tranquilizers	10.4	11.4	12.4	13.2	14.0	14.7	15.3	13.5
Narcotics	10.7	11.7	12.6	13.4	14.3	14.9	15.5	14.2
LSD	10.4	11.4	12.4	13.3	14.0	14.9	15.3	13.9
Others Psychedelics	10.1	11.1	11.9	12.8	13.8	14.9	15.7	14.0
Heroin	10.3	11.3	11.9	12.6	13.1	14.0	14.5	13.0
Steroids	10.2	11.0	11.6	12.3	13.1	13.6	14.5	12.6
MDMA	10.4	11.5	12.4	13.4	14.2	15.1	15.7	14.2
Rohypnol	9.8	11.3	11.7	12.5	13.0	13.7	14.0	12.8
GHB	9.5	10.6	11.3	12.1	12.7	13.4	13.8	12.6
Over the counter drugs	9.5	10.8	11.7	12.7	13.5	14.2	14.8	12.9