



## III. PREVALENCE OF USE BY RACE/ETHNICITY

### **Prevalence Rates by Race/Ethnicity: Lifetime, Annual, Monthly, Daily and Special Use**

• Grade 6 .....	90
• Grade 7 .....	94
• Grade 8 .....	98
• Grade 9 .....	102
• Grade 10 .....	106
• Grade 11 .....	110
• Grade 12 .....	114

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**6th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	8.1 *	14.4 *	10.7 *	9.9	8.9
Cigars	3.3	5.5 *	5.2 *	3.8	3.6
Pipe	0.9	1.2	2.1 *	1.1	1.0
Smokeless Tobacco	2.1	1.8	2.0	2.1	2.0
Alcohol	18.6	25.8 *	24.9 *	17.6 *	19.2
Marijuana	1.8 *	7.2 *	4.0 *	3.1 *	2.4
Cocaine	0.3	0.5	1.2 *	0.4	0.4
Crack	0.4	0.8	1.3 *	0.7	0.6
Inhalants	4.6	6.1 *	6.0 *	4.8	4.8
Amphetamines	0.3	0.3	0.9 *	0.5	0.3
Methamphetamines	0.3 *	0.7	1.1 *	0.4	0.4
Ritalin/Adderall	0.8	1.1	1.5 *	0.9	0.9
Tranquilizers	3.2	4.8 *	4.8 *	3.5	3.4
Narcotics	0.7	0.6	1.4 *	0.6	0.7
Psychedelics#	0.3	0.5	1.1 *	0.6	0.4
LSD	0.2 *	0.3	0.9 *	0.5	0.3
Others	0.2	0.4	0.8 *	0.2	0.2
Heroin	0.3	0.4	1.0 *	0.6	0.4
Steroids	0.6	0.5	1.2 *	0.7	0.6
Injected drugs	0.5	1.1 *	0.9	0.6	0.6
MDMA	0.2	0.2	1.0 *	0.3	0.2
Rohypnol	0.1	0.1	0.6 *	0.2	0.2
GHB	0.1 *	0.0	0.7 *	0.2	0.1
Over the counter drugs	3.5	3.8	4.5	3.9	3.6

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Annual Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

## 6th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	4.3	7.0 *	6.1 *	4.7	4.6
Cigars	2.2	3.8 *	3.8 *	2.6	2.5
Pipe	0.7	0.8	1.8 *	0.7	0.8
Smokeless Tobacco	1.4	1.6	1.5	1.5	1.5
Alcohol	12.4	18.4 *	18.3 *	11.8	13.0
Marijuana	1.4 *	5.5 *	3.0 *	2.2	1.8
Cocaine	0.2	0.2	0.8 *	0.3	0.3
Crack	0.3	0.4	0.9 *	0.4	0.4
Inhalants	3.1	4.4 *	4.0	3.2	3.2
Amphetamines	0.2	0.2	0.6 *	0.2	0.3
Methamphetamines	0.2	0.5	0.8 *	0.2	0.2
Ritalin/Adderall	0.5	1.1 *	0.9	0.6	0.5
Tranquilizers	2.2	3.2	3.5 *	2.7	2.4
Narcotics	0.4	0.5	1.1 *	0.4	0.5
Psychedelics#	0.2	0.3	0.6 *	0.3	0.3
LSD	0.1	0.2	0.5 *	0.3	0.2
Others	0.1	0.2	0.5 *	0.1	0.1
Heroin	0.2	0.5	0.8 *	0.3	0.3
Steroids	0.4	0.4	0.8 *	0.3	0.4
Injected drugs	0.4	0.6	0.8 *	0.6	0.4
MDMA	0.1	0.2	0.8 *	0.1	0.2
Rohypnol	0.1	0.2	0.4 *	0.1	0.1
GHB	0.0	0.1	0.3 *	0.1	0.1
Over the counter drugs	2.7	2.8	3.6 *	2.8	2.8

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

6th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	2.1	3.9 *	3.1 *	2.1	2.3
Cigars	1.1	2.1 *	2.1 *	1.1	1.2
Pipe	0.4	0.6	0.7	0.5	0.5
Smokeless Tobacco	0.8	0.7	0.9	0.8	0.8
Alcohol	5.1 *	9.0 *	9.3 *	5.1	5.6
Marijuana	0.9 *	2.9 *	2.2 *	1.4	1.1
Cocaine	0.2	0.2	0.5 *	0.2	0.2
Crack	0.2	0.4	0.6 *	0.2	0.2
Inhalants	1.7	2.9 *	2.1	1.9	1.8
Amphetamines	0.2	0.2	0.4 *	0.2	0.2
Methamphetamines	0.1	0.3	0.4	0.2	0.2
Ritalin/Adderall	0.3	0.6	0.7 *	0.4	0.3
Tranquilizers	1.2	2.0 *	1.7	1.5	1.3
Narcotics	0.2	0.3	0.8 *	0.1	0.3
Psychedelics#	0.1	0.3	0.4 *	0.2	0.1
LSD	0.0 *	0.2	0.4 *	0.2	0.1
Others	0.1	0.2	0.3 *	0.1	0.1
Heroin	0.1	0.2	0.4 *	0.2	0.1
Steroids	0.2	0.3	0.5 *	0.2	0.2
Injected drugs	0.2	0.5	0.8 *	0.3	0.3
MDMA	0.0	0.2	0.4 *	0.1	0.1
Rohypnol	0.0	0.2	0.1	0.0	0.1
GHB	0.0	0.1	0.2 *	0.1	0.0
Over the counter drugs	1.8	1.8	2.2	1.9	1.9

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

#### 6th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	0.7	1.1	1.6 *	1.0	0.8
1/2+ Pack per Day	0.3	0.4	1.1 *	0.5	0.4
CIGARS					
	0.1	0.1	0.2	0.1	0.1
SMOKELESS TOBACCO					
	0.1	0.1	0.2	0.1	0.1
ALCOHOL					
Daily Use	0.2	0.3	0.5 *	0.2	0.2
Binge Drinking	3.6 *	8.4 *	8.7 *	4.0	4.2
MARIJUANA					
	0.2	0.3	0.3	0.2	0.2

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**7th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	15.1 *	20.6 *	19.8 *	18.6 *	16.1
Cigars	7.6	8.4	11.3 *	9.0	8.1
Pipe	2.4	2.7	4.3 *	3.6 *	2.7
Smokeless Tobacco	4.9	3.8	5.2	5.3	4.9
Alcohol	28.4 *	35.3 *	37.2 *	28.5	29.3
Marijuana	6.0 *	14.1 *	10.2 *	8.3 *	6.9
Cocaine	1.0 *	1.6	2.8 *	1.7 *	1.3
Crack	1.1 *	1.4	2.8 *	2.1 *	1.4
Inhalants	7.0	9.3 *	8.4	7.5	7.2
Amphetamines	1.1	1.0	1.7	1.8 *	1.2
Methamphetamines	0.8	1.0	2.2 *	1.2	0.9
Ritalin/Adderall	1.8	1.8	2.4	2.2	1.9
Tranquilizers	5.5	6.6	8.1 *	6.2	5.9
Narcotics	2.1	1.6	2.4	2.7 *	2.2
Psychedelics#	1.1	0.9	1.9 *	1.6	1.2
LSD	0.9	0.8	1.6 *	1.3	1.0
Others	0.5	0.7	1.1 *	0.9	0.6
Heroin	0.8	1.0	1.8 *	1.3 *	0.9
Steroids	1.0	1.4	2.3 *	1.6 *	1.2
Injected drugs	1.0	1.2	2.3 *	1.6	1.2
MDMA	0.8	1.1	1.5 *	1.1	0.9
Rohypnol	0.4	0.7	1.0 *	0.8 *	0.5
GHB	0.3	0.5	0.9 *	0.6 *	0.4
Over the counter drugs	6.0	6.1	7.1	6.5	6.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Annual Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

## 7th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	9.6	9.7	12.8 *	11.5 *	10.0
Cigars	5.6	6.4	8.2 *	6.8 *	5.9
Pipe	2.2	2.3	3.4 *	3.0 *	2.3
Smokeless Tobacco	3.8	2.5 *	4.2	4.1	3.8
Alcohol	21.4	24.2	29.5 *	20.5	22.0
Marijuana	4.9 *	10.3 *	8.2 *	6.4 *	5.5
Cocaine	0.8 *	1.3	2.1 *	1.4 *	1.0
Crack	0.9	1.2	1.9 *	1.4 *	1.0
Inhalants	4.7	5.1	6.1 *	4.8	4.8
Amphetamines	0.8	0.8	1.5 *	1.2	0.9
Methamphetamines	0.6	0.7	1.4 *	1.0	0.7
Ritalin/Adderall	1.3	1.4	1.7	1.6	1.4
Tranquilizers	4.1	4.6	6.4 *	4.5	4.3
Narcotics	1.4	1.2	2.0	1.7	1.5
Psychedelics#	0.8	0.8	1.6 *	1.3 *	0.9
LSD	0.6	0.7	1.4 *	1.0	0.7
Others	0.4	0.4	0.9 *	0.8 *	0.5
Heroin	0.6	0.8	1.2 *	1.1 *	0.7
Steroids	0.7	1.0	1.5 *	1.1	0.8
Injected drugs	0.8	0.7	1.8 *	1.4 *	0.9
MDMA	0.6	0.8	1.2 *	0.8	0.6
Rohypnol	0.3	0.4	0.7	0.6	0.4
GHB	0.2	0.4	0.6 *	0.5 *	0.3
Over the counter drugs	4.7	4.7	5.6	4.3	4.7

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

7th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	5.3	4.7	7.2 *	6.4 *	5.6
Cigars	3.2	3.1	4.5 *	4.3 *	3.4
Pipe	1.3	1.3	1.5	2.0 *	1.4
Smokeless Tobacco	2.2	1.5	2.5	2.7	2.3
Alcohol	10.4	10.7	16.0 *	10.5	10.8
Marijuana	3.0 *	6.5 *	5.3 *	4.5 *	3.5
Cocaine	0.5 *	1.0	1.5 *	0.9	0.6
Crack	0.5	0.8	1.4 *	1.0 *	0.7
Inhalants	2.6	3.3	3.3	3.1	2.7
Amphetamines	0.5	0.3	0.7	1.0 *	0.6
Methamphetamines	0.4	0.5	0.9 *	0.7 *	0.5
Ritalin/Adderall	0.8	1.0	1.1	1.1	0.8
Tranquilizers	2.3	3.0	4.1 *	3.0	2.6
Narcotics	0.8	0.5	1.0	1.2	0.9
Psychedelics#	0.5	0.2	0.8	1.0 *	0.6
LSD	0.4	0.2	0.7	0.7 *	0.5
Others	0.2	0.2	0.3	0.7 *	0.3
Heroin	0.4	0.5	0.8 *	0.7 *	0.4
Steroids	0.4	0.4	1.0 *	0.8 *	0.5
Injected drugs	0.5 *	0.4	1.5 *	1.1 *	0.6
MDMA	0.4	0.3	0.6	0.5	0.4
Rohypnol	0.2	0.2	0.4	0.5 *	0.3
GHB	0.1	0.2	0.3	0.5 *	0.2
Over the counter drugs	3.0	3.5	3.4	2.8	3.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

### 7th Grade

DRUG	White	Black	Hispanic	Other	Indiana
<b>CIGARETTES</b>					
Daily Use	2.1	2.5	3.3 *	2.6	2.3
1/2+ Pack per Day	0.9	1.4	1.8 *	1.4	1.1
<b>CIGARS</b>					
	0.6	0.5	0.6	1.1 *	0.7
<b>SMOKELESS TOBACCO</b>					
	0.4	0.3	0.5	0.4	0.4
<b>ALCOHOL</b>					
Daily Use	0.7	1.1	1.1	1.0	0.8
Binge Drinking	6.9 *	8.7	14.5 *	8.5	7.7
<b>MARIJUANA</b>					
	0.6	1.0	1.0	1.2 *	0.7

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**  
(Values expressed as percentages)

**8th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	23.8 *	25.3	30.8 *	27.8 *	25.0
Cigars	13.2	11.0 *	18.2 *	14.8 *	13.7
Pipe	5.3	3.0 *	8.3 *	6.9 *	5.6
Smokeless Tobacco	8.9 *	3.3 *	8.3	7.7	8.4
Alcohol	40.2 *	46.6 *	49.9 *	41.9	41.6
Marijuana	12.9 *	23.5 *	20.8 *	19.0 *	15.0
Cocaine	1.8 *	1.9	5.7 *	2.7 *	2.2
Crack	1.5 *	1.8	4.2 *	2.8 *	1.9
Inhalants	8.9	8.2	11.0 *	8.6	9.0
Amphetamines	2.6	1.4 *	3.7 *	3.1	2.7
Methamphetamines	1.2 *	1.2	3.1 *	2.0 *	1.5
Ritalin/Adderall	4.1	2.5 *	5.4 *	4.8	4.2
Tranquilizers	8.1	7.9	11.7 *	9.3	8.5
Narcotics	4.6	3.0 *	5.9 *	5.2	4.7
Psychedelics#	2.4	1.5 *	3.5 *	3.5 *	2.6
LSD	2.0	1.3 *	2.8 *	2.9 *	2.1
Others	1.0	0.7	2.0 *	1.6 *	1.1
Heroin	1.2 *	1.5	2.9 *	2.3 *	1.5
Steroids	1.2 *	1.5	1.9 *	2.2 *	1.4
Injected drugs	1.5	1.6	2.8 *	2.2 *	1.7
MDMA	1.8 *	1.9	3.2 *	2.8 *	2.1
Rohypnol	0.9	0.6	1.8 *	1.5 *	1.0
GHB	0.5 *	0.4	1.5 *	1.1 *	0.7
Over the counter drugs	9.2	7.2 *	11.7 *	10.1	9.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Annual Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

## 8th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	16.5	12.9 *	20.4 *	18.3 *	16.8
Cigars	10.1	7.3 *	13.0 *	11.6 *	10.3
Pipe	4.5	2.9 *	6.7 *	5.2	4.7
Smokeless Tobacco	7.4 *	2.7 *	7.1	6.0 *	6.9
Alcohol	32.8 *	36.7 *	40.7 *	33.9	33.8
Marijuana	10.8 *	19.4 *	17.7 *	15.9 *	12.6
Cocaine	1.3 *	1.3	4.2 *	2.0	1.6
Crack	1.1 *	1.3	3.2 *	1.9 *	1.4
Inhalants	6.1	5.0 *	7.6 *	5.8	6.1
Amphetamines	2.0	1.1 *	2.9 *	2.2	2.0
Methamphetamines	0.9 *	0.9	2.1 *	1.5 *	1.1
Ritalin/Adderall	3.0	1.6 *	4.0 *	3.5	3.1
Tranquilizers	6.2	5.4	8.3 *	6.5	6.3
Narcotics	3.4	2.1 *	4.2 *	3.6	3.4
Psychedelics#	1.8	1.0 *	2.6 *	2.3 *	1.9
LSD	1.5	1.0 *	2.3 *	2.0	1.6
Others	0.8	0.6	1.5 *	1.2 *	0.9
Heroin	0.9 *	0.9	2.3 *	1.6 *	1.1
Steroids	0.8 *	1.3	1.4	1.6 *	1.0
Injected drugs	1.2 *	1.2	2.4 *	1.8 *	1.4
MDMA	1.4	1.2	2.5 *	2.0 *	1.5
Rohypnol	0.6	0.6	1.3 *	1.1 *	0.7
GHB	0.4 *	0.3	1.1 *	0.9 *	0.5
Over the counter drugs	7.3	5.6 *	9.2 *	7.3	7.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

8th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	9.7	6.7 *	11.9 *	11.0 *	9.9
Cigars	5.7	4.4 *	7.6 *	6.5	5.9
Pipe	2.6	1.8 *	4.6 *	3.5 *	2.8
Smokeless Tobacco	4.3	1.7 *	4.4	3.8	4.1
Alcohol	16.7 *	18.2	23.4 *	18.7	17.5
Marijuana	6.6 *	11.8 *	11.6 *	9.7 *	7.8
Cocaine	0.7 *	0.8	2.2 *	1.1	0.9
Crack	0.6 *	0.8	1.8 *	1.0	0.7
Inhalants	3.1	2.3 *	4.2 *	3.2	3.2
Amphetamines	1.2	0.7 *	1.7 *	1.6	1.2
Methamphetamines	0.6	0.5	1.0	0.9 *	0.6
Ritalin/Adderall	1.7	0.9 *	2.3	2.2	1.8
Tranquilizers	3.3	3.0	5.2 *	4.2 *	3.6
Narcotics	1.9	1.0 *	2.7 *	2.3	2.0
Psychedelics#	1.0	0.6 *	1.9 *	1.4 *	1.1
LSD	0.8	0.5	1.6 *	1.2 *	0.9
Others	0.4	0.2	0.9 *	0.8 *	0.5
Heroin	0.5 *	0.7	1.3 *	1.1 *	0.6
Steroids	0.6	0.7	1.0	1.0 *	0.7
Injected drugs	0.7 *	1.0	1.7 *	1.2 *	0.9
MDMA	0.7	0.8	1.4 *	1.2 *	0.9
Rohypnol	0.4	0.3	0.8 *	0.7 *	0.5
GHB	0.2 *	0.1	0.8 *	0.6 *	0.3
Over the counter drugs	4.8	3.6 *	6.5 *	5.1	4.9

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

#### 8th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	4.5	2.8 *	5.7 *	5.6 *	4.6
1/2+ Pack per Day	2.0	1.4 *	3.0 *	3.0 *	2.2
CIGARS					
	1.3	1.1	1.7	1.4	1.3
SMOKELESS TOBACCO					
	1.0	0.4 *	0.9	0.9	1.0
ALCOHOL					
Daily Use	1.3	1.3	2.7 *	2.0 *	1.5
Binge Drinking	11.0 *	13.7	20.1 *	15.4 *	12.5
MARIJUANA					
	1.5 *	2.1	2.8 *	2.6 *	1.8

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**  
(Values expressed as percentages)

**9th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	30.0 *	30.1	40.1 *	33.5 *	31.1
Cigars	18.4	14.7 *	24.3 *	20.7 *	19.0
Pipe	8.8	7.4 *	13.3 *	10.0	9.3
Smokeless Tobacco	12.3	4.5 *	12.5	12.1	12.0
Alcohol	48.7 *	53.8 *	58.0 *	50.0	49.7
Marijuana	19.2 *	30.4 *	29.7 *	24.2 *	21.0
Cocaine	2.5 *	4.4 *	7.1 *	4.4 *	3.1
Crack	1.7 *	4.0 *	4.7 *	3.4 *	2.2
Inhalants	8.8	9.5	11.4 *	9.3	9.1
Amphetamines	4.6	3.7	6.5 *	5.3	4.8
Methamphetamines	1.6 *	3.2 *	4.1 *	3.1 *	2.1
Ritalin/Adderall	6.6	5.4	9.2 *	7.8	6.9
Tranquilizers	9.9	9.1	14.7 *	10.2	10.2
Narcotics	7.0	6.2	8.8 *	8.4 *	7.3
Psychedelics#	3.4 *	4.3	6.4 *	5.1 *	3.9
LSD	2.8 *	3.7	5.8 *	4.3 *	3.2
Others	1.6 *	2.5	3.4 *	2.5 *	1.9
Heroin	1.3 *	3.0 *	4.0 *	2.7 *	1.8
Steroids	1.2 *	2.7 *	4.1 *	2.6 *	1.6
Injected drugs	1.4 *	2.6	3.5 *	2.8 *	1.8
MDMA	2.8 *	4.6 *	6.8 *	4.3 *	3.3
Rohypnol	1.1 *	2.5 *	3.4 *	1.9 *	1.4
GHB	0.7 *	2.1 *	2.9 *	1.5 *	1.0
Over the counter drugs	10.8	9.1	13.4 *	12.3 *	11.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Annual Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

## 9th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	21.4	17.4 *	27.2 *	24.1 *	22.0
Cigars	14.5	11.2 *	18.5 *	15.5	14.8
Pipe	7.5	6.3	11.1 *	7.5	7.7
Smokeless Tobacco	10.0	3.4 *	9.7	9.5	9.7
Alcohol	40.6	42.1	47.8 *	40.0	41.0
Marijuana	15.8 *	23.6 *	23.1 *	19.0 *	17.0
Cocaine	1.7 *	2.8	4.9 *	3.0 *	2.2
Crack	1.1 *	2.3 *	3.3 *	2.1 *	1.5
Inhalants	5.3	6.4	7.5 *	5.3	5.5
Amphetamines	3.2	3.0	4.2 *	3.4	3.3
Methamphetamines	1.2 *	2.2	2.9 *	1.8	1.4
Ritalin/Adderall	4.8	3.5	6.2 *	5.2	4.9
Tranquilizers	7.3	6.6	10.5 *	6.9	7.4
Narcotics	4.9	4.4	5.3	5.7	5.0
Psychedelics#	2.3	2.8	4.1 *	3.2 *	2.6
LSD	1.9 *	2.5	3.6 *	2.9 *	2.2
Others	1.1 *	1.9	2.6 *	1.7 *	1.3
Heroin	0.9 *	2.3 *	2.5 *	1.9 *	1.2
Steroids	0.9 *	1.7	2.7 *	1.7 *	1.1
Injected drugs	1.1 *	2.4 *	3.0 *	2.2 *	1.4
MDMA	1.9 *	3.6 *	4.5 *	2.9 *	2.3
Rohypnol	0.7 *	1.9 *	2.3 *	1.3 *	0.9
GHB	0.4 *	1.5 *	1.8 *	1.0	0.7
Over the counter drugs	8.1	5.7 *	9.7 *	8.1	8.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

9th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	13.3	11.1 *	17.1 *	15.8 *	13.8
Cigars	8.2	6.5 *	11.1 *	10.0 *	8.6
Pipe	4.1	3.5	7.5 *	4.6	4.4
Smokeless Tobacco	6.0	2.6 *	6.3	6.3	5.9
Alcohol	21.4	23.0	28.3 *	23.0	22.1
Marijuana	9.4 *	15.8 *	15.8 *	12.1 *	10.5
Cocaine	0.8 *	2.2 *	3.3 *	1.9 *	1.2
Crack	0.6 *	1.8 *	2.4 *	1.5 *	0.9
Inhalants	2.4	3.9 *	4.3 *	2.6	2.6
Amphetamines	1.6	1.5	2.5 *	2.2	1.8
Methamphetamines	0.6 *	1.2	1.9 *	1.5 *	0.8
Ritalin/Adderall	2.4	2.4	4.2 *	3.3 *	2.6
Tranquilizers	3.9	4.2	5.9 *	3.4	4.0
Narcotics	2.5	2.2	3.3	3.3 *	2.7
Psychedelics#	1.0 *	1.7	2.6 *	2.1 *	1.3
LSD	0.8 *	1.7	2.1 *	1.9 *	1.1
Others	0.5 *	0.9	1.6 *	1.1 *	0.7
Heroin	0.5 *	1.7 *	1.7 *	1.3 *	0.8
Steroids	0.5 *	1.3	2.1 *	1.3 *	0.8
Injected drugs	0.7 *	1.7 *	2.7 *	1.5 *	1.0
MDMA	0.8 *	2.1 *	2.4 *	2.0 *	1.1
Rohypnol	0.4 *	1.1 *	1.5 *	0.9 *	0.5
GHB	0.3 *	1.3 *	1.2 *	0.7	0.5
Over the counter drugs	4.8	4.0	6.6 *	5.1	5.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

### 9th Grade

DRUG	White	Black	Hispanic	Other	Indiana
<b>CIGARETTES</b>					
Daily Use	7.0	6.6	9.0 *	9.2 *	7.4
1/2+ Pack per Day	3.6	4.6	4.9 *	5.2 *	3.9
<b>CIGARS</b>					
	2.0	1.8	2.3	2.5 *	2.1
<b>SMOKELESS TOBACCO</b>					
	1.8	0.9	1.9	1.8	1.8
<b>ALCOHOL</b>					
Daily Use	1.6	2.2	3.4 *	2.6 *	1.9
Binge Drinking	14.2 *	18.2 *	23.5 *	17.3 *	15.5
<b>MARIJUANA</b>					
	2.6	4.0 *	4.3 *	3.7 *	2.9

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**  
(Values expressed as percentages)

**10th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	36.9	35.4	43.0 *	39.8 *	37.6
Cigars	25.1	18.2 *	27.8 *	25.6	25.0
Pipe	12.9	8.7 *	13.4	14.0 *	12.9
Smokeless Tobacco	16.4 *	7.3 *	12.6 *	15.1	15.6
Alcohol	56.8	57.4	61.3 *	55.8	56.9
Marijuana	27.4 *	38.9 *	32.8 *	33.0 *	29.1
Cocaine	3.9 *	3.5	7.6 *	5.0 *	4.2
Crack	2.0 *	3.1	4.0 *	3.3 *	2.4
Inhalants	9.1	6.8 *	9.7	10.2 *	9.2
Amphetamines	6.8	3.4 *	7.1	7.2	6.7
Methamphetamines	2.1 *	2.4	3.6 *	3.0 *	2.3
Ritalin/Adderall	9.9	4.2 *	8.9	10.0	9.6
Tranquilizers	12.1	7.6 *	12.7	12.6	12.0
Narcotics	10.5	6.4 *	9.2	11.2	10.3
Psychedelics#	4.8	3.9	6.0 *	6.1 *	5.0
LSD	3.8	3.3	5.1 *	5.0 *	4.1
Others	2.5	2.3	3.4 *	3.1	2.6
Heroin	1.5 *	2.8 *	3.5 *	2.5 *	1.8
Steroids	1.3 *	2.5 *	3.3 *	2.2 *	1.6
Injected drugs	1.7 *	2.7	3.7 *	2.5 *	2.0
MDMA	4.1	4.4	6.0 *	5.2 *	4.4
Rohypnol	1.4	2.1	2.6 *	2.0	1.6
GHB	0.9 *	1.6	2.2 *	1.6 *	1.1
Over the counter drugs	13.2	8.9 *	12.6	14.1	13.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Annual Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

## 10th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	27.4	20.1 *	28.3	29.3 *	27.4
Cigars	20.0	13.0 *	19.7	20.5	19.8
Pipe	10.8	7.1 *	11.0	11.6	10.8
Smokeless Tobacco	13.3 *	5.6 *	10.2 *	11.9	12.5
Alcohol	48.2	45.1 *	50.0	46.6	47.9
Marijuana	22.3 *	30.6 *	25.8 *	26.5 *	23.5
Cocaine	2.5 *	3.2	5.2 *	3.3	2.8
Crack	1.2 *	2.1 *	2.7 *	2.0 *	1.5
Inhalants	5.3	4.0 *	6.2	6.0	5.4
Amphetamines	4.7	2.5 *	5.2	5.1	4.7
Methamphetamines	1.4	2.1	2.5 *	1.9	1.5
Ritalin/Adderall	7.0	3.3 *	6.5	6.9	6.8
Tranquilizers	8.6	5.2 *	9.0	8.2	8.4
Narcotics	7.4	4.6 *	6.3	7.8	7.2
Psychedelics#	3.2	3.3	3.9	4.1 *	3.4
LSD	2.5	2.7	3.4	3.1	2.7
Others	1.7	2.0	2.0	2.4 *	1.8
Heroin	1.0 *	2.2 *	2.2 *	1.7 *	1.2
Steroids	0.8 *	2.2 *	2.1 *	1.6 *	1.1
Injected drugs	1.3 *	2.4 *	3.0 *	2.0 *	1.5
MDMA	2.8	3.0	4.1 *	3.5 *	3.0
Rohypnol	0.9	1.6	1.7 *	1.3	1.1
GHB	0.6 *	1.5 *	1.4 *	0.9	0.7
Over the counter drugs	9.7	6.0 *	8.2	9.5	9.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

10th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	18.1	12.5 *	18.1	20.1 *	18.1
Cigars	12.1	8.5 *	11.3	11.9	11.8
Pipe	5.7	3.6 *	6.4	6.6 *	5.8
Smokeless Tobacco	8.0	3.8 *	6.3 *	7.3	7.6
Alcohol	27.3	23.6 *	28.5	27.9	27.3
Marijuana	13.8 *	18.3 *	16.2	17.3 *	14.6
Cocaine	1.1 *	2.1 *	2.8 *	1.8 *	1.4
Crack	0.6 *	1.4 *	1.4 *	1.3 *	0.8
Inhalants	2.1	1.8	3.0 *	2.6	2.2
Amphetamines	2.4	1.6	2.6	2.5	2.4
Methamphetamines	0.7 *	1.6 *	1.8 *	1.2 *	0.9
Ritalin/Adderall	3.3	2.1 *	3.7	3.4	3.3
Tranquilizers	4.2	2.9 *	5.1	4.7	4.3
Narcotics	3.6	2.7	3.4	4.3 *	3.7
Psychedelics#	1.3	2.0	2.2 *	1.9 *	1.5
LSD	1.0	1.6	1.8 *	1.5 *	1.1
Others	0.7	1.3	1.4 *	1.2 *	0.8
Heroin	0.6 *	1.3	1.7 *	1.1 *	0.8
Steroids	0.5 *	1.5 *	1.4 *	0.9	0.7
Injected drugs	0.8 *	2.1 *	2.3 *	1.6 *	1.1
MDMA	1.2 *	1.8	2.8 *	2.0 *	1.5
Rohypnol	0.5 *	1.0 *	1.3 *	0.8 *	0.6
GHB	0.3 *	0.9 *	1.1 *	0.6	0.5
Over the counter drugs	5.3	3.4 *	4.0 *	5.8	5.2

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

#### 10th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	10.4	5.6 *	9.0	11.5 *	10.3
1/2+ Pack per Day	5.6	2.5 *	5.2	6.5 *	5.5
CIGARS					
	3.3	2.1	2.7	3.7 *	3.2
SMOKELESS TOBACCO					
	3.1 *	1.2 *	2.3	2.7	2.9
ALCOHOL					
Daily Use	2.6	2.6	3.5 *	3.2 *	2.7
Binge Drinking	18.6	17.5	23.5 *	21.1 *	19.2
MARIJUANA					
	4.3	5.4 *	4.6	5.7 *	4.6

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**  
(Values expressed as percentages)

**11th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	41.5	35.6 *	45.9 *	44.2 *	42.0
Cigars	30.1	22.0 *	30.2	29.9	29.9
Pipe	17.0	9.2 *	17.7	17.5	16.9
Smokeless Tobacco	18.6	8.1 *	13.7 *	18.3	17.9
Alcohol	60.6	60.5	62.9	60.1	60.6
Marijuana	31.3 *	42.7 *	36.6 *	35.5 *	32.7
Cocaine	4.8 *	5.0	9.3 *	6.4 *	5.4
Crack	2.3 *	4.4 *	5.2 *	3.6 *	2.8
Inhalants	8.5	7.5	9.7	9.0	8.6
Amphetamines	8.0	5.5 *	8.6	8.8	8.1
Methamphetamines	2.2 *	4.7 *	4.9 *	3.4 *	2.6
Ritalin/Adderall	10.9	7.3 *	12.3	12.2	11.1
Tranquilizers	11.4	8.6 *	14.0 *	13.1 *	11.8
Narcotics	11.2	7.8 *	11.6	12.6 *	11.3
Psychedelics#	5.8	4.8	7.3	7.7 *	6.1
LSD	4.4 *	4.2	6.5 *	6.3 *	4.8
Others	3.5	3.0	4.4	4.3	3.7
Heroin	1.8 *	3.1	4.3 *	3.2 *	2.2
Steroids	1.4 *	3.6 *	3.4 *	2.5 *	1.8
Injected drugs	1.7 *	3.9 *	4.1 *	2.7 *	2.1
MDMA	4.8 *	5.5	8.0 *	6.2 *	5.3
Rohypnol	1.2 *	3.3 *	3.2 *	2.3 *	1.6
GHB	1.0 *	3.1 *	2.7 *	1.7 *	1.3
Over the counter drugs	12.5	10.1	12.8	14.3 *	12.7

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Annual Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

## 11th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	31.2	20.1 *	31.3	32.4	31.1
Cigars	23.8	16.8 *	22.0	22.9	23.4
Pipe	14.0	7.2 *	14.5	14.0	13.9
Smokeless Tobacco	14.5	6.1 *	9.5 *	14.2	13.9
Alcohol	50.8	49.5	53.4	48.7 *	50.6
Marijuana	24.3 *	34.0 *	27.8	27.6 *	25.4
Cocaine	2.9 *	3.4	6.2 *	3.8	3.3
Crack	1.3 *	2.3	3.2 *	2.0	1.5
Inhalants	4.1	4.1	5.5 *	4.4	4.2
Amphetamines	5.3	3.3 *	5.2	5.3	5.2
Methamphetamines	1.4 *	2.7 *	3.2 *	2.2 *	1.6
Ritalin/Adderall	7.4	5.5	7.9	7.6	7.4
Tranquilizers	7.5	5.1 *	8.8	8.1	7.6
Narcotics	7.5	5.5	7.1	7.9	7.5
Psychedelics#	3.7	3.1	5.3 *	4.9 *	4.0
LSD	2.7	3.1	4.4 *	3.9 *	3.0
Others	2.3	1.9	3.0	2.9	2.4
Heroin	1.1 *	2.2	2.5 *	2.2 *	1.4
Steroids	0.9 *	2.2 *	2.3 *	1.9 *	1.2
Injected drugs	1.4 *	3.7 *	3.8 *	2.2	1.7
MDMA	3.0	3.6	5.2 *	3.9	3.3
Rohypnol	0.7 *	2.3 *	2.1 *	1.5 *	1.0
GHB	0.6 *	1.9 *	2.1 *	1.2	0.9
Over the counter drugs	8.0	6.7	8.8	9.0	8.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

11th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	21.1	15.4 *	20.9	23.9 *	21.4
Cigars	14.0	12.6	12.7	14.1	13.9
Pipe	7.4	5.1 *	7.9	8.3	7.5
Smokeless Tobacco	9.1	5.3 *	5.8 *	9.1	8.8
Alcohol	29.1	30.3	31.5	29.5	29.4
Marijuana	14.3 *	25.6 *	17.3	17.3 *	15.3
Cocaine	1.2	2.7 *	2.6 *	1.8	1.4
Crack	0.7 *	1.9 *	1.9 *	1.4 *	0.9
Inhalants	1.7	2.5	2.6	2.1	1.9
Amphetamines	2.4	2.5	2.6	3.1	2.5
Methamphetamines	0.7 *	1.9 *	1.8 *	1.3 *	0.9
Ritalin/Adderall	3.3	3.7	4.5 *	3.8	3.4
Tranquilizers	3.6	3.4	4.6	4.4	3.8
Narcotics	3.8	3.1	4.2	4.6	3.9
Psychedelics#	1.5	2.2	2.8 *	2.3 *	1.8
LSD	1.1 *	1.6	2.3 *	1.9 *	1.3
Others	1.0	1.6	1.9 *	1.3	1.1
Heroin	0.7	1.7 *	1.4 *	1.2	0.8
Steroids	0.6 *	1.6 *	1.4 *	1.3 *	0.8
Injected drugs	1.0 *	3.6 *	2.7 *	1.7	1.3
MDMA	1.3	2.0	2.3 *	2.1 *	1.5
Rohypnol	0.5 *	1.7 *	1.6 *	1.0 *	0.7
GHB	0.4 *	1.4 *	1.4 *	0.8	0.5
Over the counter drugs	4.2	4.8	5.8 *	4.9	4.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

### 11th Grade

DRUG	White	Black	Hispanic	Other	Indiana
<b>CIGARETTES</b>					
Daily Use	12.7	9.5 *	12.1	14.9 *	12.9
1/2+ Pack per Day	7.0	4.2 *	5.5 *	8.3 *	7.0
<b>CIGARS</b>					
	3.5	3.4	3.1	4.4 *	3.7
<b>SMOKELESS TOBACCO</b>					
	4.0 *	2.0 *	2.0 *	3.7	3.8
<b>ALCOHOL</b>					
Daily Use	2.7	4.2 *	4.6 *	3.6 *	3.0
Binge Drinking	20.7	21.4	26.2 *	22.8	21.4
<b>MARIJUANA</b>					
	4.8	8.0 *	5.4	6.3 *	5.2

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**  
(Values expressed as percentages)

**12th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	47.0	34.5 *	53.6 *	47.5	46.9
Cigars	38.7 *	22.4 *	36.7	35.6 *	37.5
Pipe	23.3	10.8 *	22.7	24.0	22.9
Smokeless Tobacco	21.9 *	7.7 *	15.5 *	20.2	20.7
Alcohol	67.4	63.0 *	67.2	63.1 *	66.5
Marijuana	35.7 *	42.5 *	39.1	39.3 *	36.8
Cocaine	5.8 *	4.2 *	11.2 *	8.7 *	6.6
Crack	2.4 *	3.0	5.7 *	4.3 *	2.9
Inhalants	7.9	5.1 *	9.0	8.7	8.0
Amphetamines	8.5	3.9 *	9.2	9.6	8.5
Methamphetamines	2.3 *	2.5	4.3	3.7 *	2.7
Ritalin/Adderall	11.7	4.6 *	12.7 *	12.4	11.6
Tranquilizers	11.9	7.2 *	13.0	13.8 *	12.0
Narcotics	12.5	6.8 *	11.9	14.2 *	12.5
Psychedelics#	6.3	4.0 *	6.9	8.0 *	6.6
LSD	4.6	3.3 *	5.0	6.7 *	5.0
Others	3.9	2.4 *	5.1	4.8	4.1
Heroin	2.0 *	2.7	4.7 *	3.3 *	2.4
Steroids	1.6 *	2.7	3.5 *	3.5 *	2.1
Injected drugs	1.6 *	2.5	3.6 *	2.9 *	2.0
MDMA	5.4 *	4.3 *	8.1 *	7.7 *	5.9
Rohypnol	1.3 *	1.4	3.1 *	2.6 *	1.6
GHB	0.9 *	1.1	2.6 *	2.3 *	1.3
Over the counter drugs	12.4	8.2 *	13.3	13.5	12.5

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

## Annual Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

## 12th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	36.0	19.7 *	35.7	35.3	35.3
Cigars	31.6 *	16.6 *	26.4 *	28.6	30.2
Pipe	19.7	8.1 *	18.9	18.4	19.0
Smokeless Tobacco	17.0 *	4.9 *	12.4 *	14.8	15.9
Alcohol	57.5 *	51.8 *	54.2	52.7 *	56.3
Marijuana	26.9	31.1 *	27.9	28.8	27.5
Cocaine	3.1 *	2.4	6.4 *	4.7 *	3.5
Crack	1.2 *	1.5	3.1 *	2.5 *	1.6
Inhalants	3.3	2.4	5.5 *	3.9	3.5
Amphetamines	4.7	2.2 *	5.4	5.8 *	4.8
Methamphetamines	1.3 *	1.3	2.4 *	2.5 *	1.6
Ritalin/Adderall	7.1	2.8 *	7.4	7.5	7.0
Tranquilizers	7.4	3.8 *	7.7	8.1	7.4
Narcotics	7.8	4.4 *	7.1	8.9 *	7.8
Psychedelics#	3.7	2.3 *	4.5	5.0 *	3.9
LSD	2.5	1.7	3.3	3.9 *	2.7
Others	2.6	1.4 *	3.5	3.3	2.7
Heroin	1.2 *	1.4	2.9 *	2.3 *	1.5
Steroids	1.1 *	1.0	2.0	2.2 *	1.3
Injected drugs	1.1 *	1.9	3.0 *	2.5 *	1.5
MDMA	3.1	2.6	5.2 *	4.6 *	3.5
Rohypnol	0.7 *	0.6	1.9 *	1.7 *	1.0
GHB	0.6 *	0.5	1.6 *	1.5 *	0.8
Over the counter drugs	7.5	5.4 *	8.2	8.4	7.6

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Statistically significant differences from the Indiana rates ( $p < .05$ ).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

12th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	24.7	13.4 *	23.3	25.6	24.4
Cigars	18.6	10.6 *	15.6 *	17.2	17.9
Pipe	10.5	4.6 *	11.2	10.6	10.3
Smokeless Tobacco	11.3 *	3.1 *	7.6 *	9.8	10.5
Alcohol	36.5	30.8 *	34.5	33.6 *	35.7
Marijuana	15.8 *	21.3 *	17.6	19.0 *	16.7
Cocaine	1.3 *	1.4	3.7 *	2.2 *	1.6
Crack	0.7 *	0.8	2.5 *	1.5 *	0.9
Inhalants	1.2	1.0	3.0 *	2.0 *	1.4
Amphetamines	2.2	1.1 *	3.0	2.6	2.3
Methamphetamines	0.7 *	0.6	2.0 *	1.7 *	0.9
Ritalin/Adderall	3.0	1.3 *	4.3 *	3.4	3.1
Tranquilizers	3.6	1.9 *	5.1 *	3.8	3.7
Narcotics	4.0	1.7 *	4.3	4.8 *	4.0
Psychedelics#	1.5	1.1	2.2	2.0	1.6
LSD	1.0	0.9	2.0 *	1.6 *	1.2
Others	1.0	0.7	1.8 *	1.5 *	1.1
Heroin	0.6 *	0.8	1.9 *	1.3 *	0.8
Steroids	0.6 *	0.3	1.7 *	1.6 *	0.8
Injected drugs	0.8 *	1.7	2.3 *	2.1 *	1.2
MDMA	1.2 *	1.1	3.3 *	2.3 *	1.5
Rohypnol	0.5 *	0.1	1.3 *	1.1 *	0.6
GHB	0.4 *	0.0 *	1.5 *	0.9 *	0.5
Over the counter drugs	3.9	2.6 *	5.4 *	4.4	4.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009

(Values expressed as percentages)

#### 12th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	14.8	8.7 *	13.5	16.1 *	14.7
1/2+ Pack per Day	8.2	4.6 *	7.7	9.1 *	8.2
CIGARS					
	4.1	3.5	3.9	4.9 *	4.2
SMOKELESS TOBACCO					
	5.2 *	1.1 *	2.7 *	4.5	4.8
ALCOHOL					
Daily Use	3.8	3.8	4.7	5.0 *	4.0
Binge Drinking	26.5	21.2 *	29.5 *	26.3	26.4
MARIJUANA					
	5.5	7.4 *	6.5	6.9 *	5.8

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).