



## VI. PREVALENCE OF USE BY GENDER

### **Prevalence Rates by Gender:**

#### **Lifetime, Annual, Monthly, Daily and Special Use**

- Grade 6 ..... 120
- Grade 7 ..... 122
- Grade 8 ..... 124
- Grade 9 ..... 126
- Grade 10 ..... 128
- Grade 11 ..... 130
- Grade 12 ..... 132

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**  
(Values expressed as percentages)

**6th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	10.0	7.7	8.9
Cigars*	4.7	2.4	3.6
Pipe*	1.4	0.6	1.0
Smokeless Tobacco*	3.1	0.9	2.0
Alcohol*	21.0	17.4	19.2
Marijuana*	3.0	1.7	2.4
Cocaine*	0.5	0.2	0.4
Crack*	0.7	0.4	0.6
Inhalants*	5.5	4.1	4.8
Amphetamines*	0.4	0.2	0.3
Methamphetamines*	0.5	0.2	0.4
Ritalin/Adderall	1.0	0.7	0.9
Tranquilizers	3.2	3.6	3.4
Narcotics*	0.9	0.5	0.7
Psychedelics#*	0.6	0.2	0.4
LSD*	0.4	0.2	0.3
Others*	0.3	0.1	0.2
Heroin*	0.5	0.2	0.4
Steroids*	0.9	0.3	0.6
Injected drugs*	0.7	0.4	0.6
MDMA*	0.3	0.2	0.2
Rohypnol*	0.2	0.1	0.2
GHB*	0.2	0.0	0.1
Over the counter drugs*	3.3	3.9	3.6

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
\* Differences between males and females are statistically significant (p < .05).

**Annual Use of Alcohol, Tobacco, and Other Drugs, 2009**  
(Values expressed as percentages)

**6th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	5.2	4.0	4.6
Cigars*	3.3	1.7	2.5
Pipe*	1.1	0.5	0.8
Smokeless Tobacco*	2.2	0.7	1.5
Alcohol*	13.6	12.2	13.0
Marijuana*	2.2	1.4	1.8
Cocaine*	0.3	0.2	0.3
Crack*	0.5	0.3	0.4
Inhalants	3.4	3.0	3.2
Amphetamines*	0.3	0.2	0.3
Methamphetamines*	0.3	0.1	0.2
Ritalin/Adderall	0.6	0.5	0.5
Tranquilizers*	2.2	2.6	2.4
Narcotics*	0.6	0.3	0.5
Psychedelics#*	0.4	0.1	0.3
LSD*	0.3	0.1	0.2
Others*	0.2	0.0	0.1
Heroin*	0.3	0.2	0.3
Steroids*	0.6	0.2	0.4
Injected drugs*	0.5	0.3	0.4
MDMA	0.2	0.1	0.2
Rohypnol*	0.1	0.0	0.1
GHB*	0.1	0.0	0.1
Over the counter drugs*	2.4	3.1	2.8

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
\* Differences between males and females are statistically significant (p < .05).

### Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 6th Grade

DRUG	Male	Female	Indiana
Cigarettes*	2.6	2.0	2.3
Cigars*	1.6	0.9	1.2
Pipe*	0.6	0.3	0.5
Smokeless Tobacco*	1.2	0.4	0.8
Alcohol	5.7	5.4	5.6
Marijuana*	1.3	1.0	1.1
Cocaine*	0.3	0.1	0.2
Crack*	0.3	0.2	0.2
Inhalants	1.8	1.8	1.8
Amphetamines	0.2	0.1	0.2
Methamphetamines*	0.2	0.1	0.2
Ritalin/Adderall	0.4	0.3	0.3
Tranquilizers	1.3	1.3	1.3
Narcotics	0.3	0.2	0.3
Psychedelics#	0.2	0.1	0.1
LSD*	0.1	0.0	0.1
Others	0.1	0.1	0.1
Heroin	0.1	0.1	0.1
Steroids*	0.4	0.1	0.2
Injected drugs	0.3	0.2	0.3
MDMA	0.1	0.1	0.1
Rohypnol*	0.1	0.0	0.1
GHB	0.1	0.0	0.0
Over the counter drugs*	1.5	2.2	1.9

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 6th Grade

DRUG	Male	Female	Indiana
CIGARETTES			
Daily Use*	1.0	0.7	0.8
1/2+ Pack per Day*	0.5	0.3	0.4
CIGARS*	0.2	0.1	0.1
SMOKELESS TOBACCO*	0.2	0.0	0.1
ALCOHOL			
Daily Use*	0.3	0.1	0.2
Binge Drinking*	4.5	3.9	4.2
MARIJUANA*	0.3	0.1	0.2

NOTES: \* Differences between males and females are statistically significant (p < .05).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**7th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	17.3	14.9	16.1
Cigars*	10.2	5.9	8.1
Pipe*	3.9	1.5	2.7
Smokeless Tobacco*	7.3	2.4	4.9
Alcohol*	29.9	28.6	29.3
Marijuana*	7.7	6.0	6.9
Cocaine*	1.6	1.0	1.3
Crack	1.4	1.4	1.4
Inhalants	7.1	7.4	7.2
Amphetamines*	1.4	1.1	1.2
Methamphetamines	1.0	0.9	0.9
Ritalin/Adderall	1.8	2.0	1.9
Tranquilizers*	4.8	6.9	5.9
Narcotics	2.2	2.1	2.2
Psychedelics#*	1.5	1.0	1.2
LSD*	1.3	0.8	1.0
Others*	0.7	0.5	0.6
Heroin	1.1	0.8	0.9
Steroids*	1.7	0.6	1.2
Injected drugs	1.3	1.1	1.2
MDMA	1.0	0.8	0.9
Rohypnol*	0.6	0.5	0.5
GHB*	0.5	0.3	0.4
Over the counter drugs*	5.0	7.2	6.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

**Annual Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**7th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	10.5	9.6	10.0
Cigars*	7.3	4.6	5.9
Pipe*	3.2	1.5	2.3
Smokeless Tobacco*	5.5	2.1	3.8
Alcohol	21.6	22.3	22.0
Marijuana*	6.0	4.9	5.5
Cocaine*	1.2	0.8	1.0
Crack	1.0	1.1	1.0
Inhalants*	4.4	5.3	4.8
Amphetamines	0.9	0.9	0.9
Methamphetamines	0.7	0.7	0.7
Ritalin/Adderall*	1.1	1.6	1.4
Tranquilizers*	3.2	5.5	4.3
Narcotics	1.5	1.5	1.5
Psychedelics#*	1.1	0.8	0.9
LSD*	0.9	0.6	0.7
Others	0.5	0.5	0.5
Heroin	0.8	0.6	0.7
Steroids*	1.1	0.5	0.8
Injected drugs	1.0	0.9	0.9
MDMA	0.7	0.6	0.6
Rohypnol	0.5	0.3	0.4
GHB	0.4	0.2	0.3
Over the counter drugs*	3.5	6.0	4.7

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 7th Grade

DRUG	Male	Female	Indiana
Cigarettes*	5.9	5.2	5.6
Cigars*	4.1	2.7	3.4
Pipe*	1.9	0.9	1.4
Smokeless Tobacco*	3.3	1.2	2.3
Alcohol*	10.3	11.2	10.8
Marijuana*	3.9	3.1	3.5
Cocaine	0.7	0.6	0.6
Crack	0.6	0.7	0.7
Inhalants*	2.1	3.4	2.7
Amphetamines	0.5	0.6	0.6
Methamphetamines	0.5	0.4	0.5
Ritalin/Adderall*	0.7	1.0	0.8
Tranquilizers*	1.8	3.4	2.6
Narcotics	0.8	0.9	0.9
Psychedelics#	0.6	0.5	0.6
LSD	0.6	0.4	0.5
Others	0.3	0.3	0.3
Heroin	0.5	0.4	0.4
Steroids*	0.7	0.3	0.5
Injected drugs*	0.8	0.5	0.6
MDMA	0.4	0.4	0.4
Rohypnol	0.3	0.2	0.3
GHB*	0.3	0.1	0.2
Over the counter drugs*	2.1	4.0	3.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 7th Grade

DRUG	Male	Female	Indiana
CIGARETTES			
Daily Use*	2.7	1.9	2.3
1/2+ Pack per Day*	1.4	0.8	1.1
CIGARS*	0.9	0.4	0.7
SMOKELESS TOBACCO*	0.7	0.1	0.4
ALCOHOL			
Daily Use	0.8	0.7	0.8
Binge Drinking	7.6	7.7	7.7
MARIJUANA*	1.0	0.5	0.7

NOTES: \* Differences between males and females are statistically significant (p < .05).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**8th Grade**

DRUG	Male	Female	Indiana
Cigarettes	25.2	24.6	25.0
Cigars*	16.7	10.5	13.7
Pipe*	7.1	4.0	5.6
Smokeless Tobacco*	12.2	4.4	8.4
Alcohol*	39.7	43.3	41.6
Marijuana*	15.6	14.3	15.0
Cocaine*	2.4	1.9	2.2
Crack	1.9	1.8	1.9
Inhalants*	8.1	9.8	9.0
Amphetamines	2.5	2.7	2.7
Methamphetamines	1.4	1.4	1.5
Ritalin/Adderall*	3.7	4.6	4.2
Tranquilizers*	6.3	10.6	8.5
Narcotics*	4.4	4.9	4.7
Psychedelics#*	2.9	2.2	2.6
LSD*	2.5	1.7	2.1
Others	1.2	1.0	1.1
Heroin*	1.6	1.3	1.5
Steroids*	2.0	0.8	1.4
Injected drugs*	1.9	1.5	1.7
MDMA	2.0	2.1	2.1
Rohypnol	1.0	0.9	1.0
GHB*	0.8	0.5	0.7
Over the counter drugs*	7.0	11.6	9.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

**Annual Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**8th Grade**

DRUG	Male	Female	Indiana
Cigarettes	16.7	16.7	16.8
Cigars*	12.3	8.4	10.3
Pipe*	5.7	3.6	4.7
Smokeless Tobacco*	10.0	3.7	6.9
Alcohol*	30.7	36.7	33.8
Marijuana	12.8	12.3	12.6
Cocaine	1.7	1.5	1.6
Crack	1.4	1.3	1.4
Inhalants*	4.9	7.3	6.1
Amphetamines	1.9	2.1	2.0
Methamphetamines	1.1	1.0	1.1
Ritalin/Adderall*	2.6	3.5	3.1
Tranquilizers*	4.4	8.2	6.3
Narcotics*	3.1	3.7	3.4
Psychedelics#*	2.2	1.6	1.9
LSD*	1.9	1.3	1.6
Others*	1.0	0.8	0.9
Heroin*	1.2	0.9	1.1
Steroids*	1.4	0.6	1.0
Injected drugs*	1.5	1.2	1.4
MDMA	1.5	1.5	1.5
Rohypnol	0.8	0.7	0.7
GHB*	0.6	0.3	0.5
Over the counter drugs*	5.0	9.7	7.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 8th Grade

DRUG	Male	Female	Indiana
Cigarettes	9.9	9.7	9.9
Cigars*	7.0	4.7	5.9
Pipe*	3.5	2.2	2.8
Smokeless Tobacco*	6.1	2.0	4.1
Alcohol*	15.9	19.1	17.5
Marijuana	7.9	7.5	7.8
Cocaine*	1.0	0.8	0.9
Crack	0.8	0.7	0.7
Inhalants*	2.5	3.8	3.2
Amphetamines	1.1	1.3	1.2
Methamphetamines	0.7	0.6	0.6
Ritalin/Adderall*	1.4	2.1	1.8
Tranquilizers*	2.4	4.7	3.6
Narcotics	1.8	2.2	2.0
Psychedelics#	1.2	0.9	1.1
LSD*	1.1	0.7	0.9
Others	0.5	0.5	0.5
Heroin*	0.7	0.5	0.6
Steroids*	0.9	0.4	0.7
Injected drugs*	1.0	0.7	0.9
MDMA	0.8	0.9	0.9
Rohypnol	0.5	0.4	0.5
GHB*	0.4	0.2	0.3
Over the counter drugs*	3.1	6.6	4.9

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant ( $p < .05$ ).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 8th Grade

DRUG	Male	Female	Indiana
CIGARETTES			
Daily Use*	5.0	4.2	4.6
1/2+ Pack per Day*	2.6	1.8	2.2
CIGARS*	1.5	1.2	1.3
SMOKELESS TOBACCO*	1.6	0.3	1.0
ALCOHOL			
Daily Use	1.6	1.4	1.5
Binge Drinking*	11.9	12.9	12.5
MARIJUANA*	2.1	1.4	1.8

NOTES: \* Differences between males and females are statistically significant ( $p < .05$ ).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**9th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	32.3	30.0	31.1
Cigars*	24.1	14.2	19.0
Pipe*	11.8	6.9	9.3
Smokeless Tobacco*	18.6	5.7	12.0
Alcohol*	48.6	50.8	49.7
Marijuana*	22.5	19.6	21.0
Cocaine*	3.9	2.4	3.1
Crack*	2.7	1.7	2.2
Inhalants*	8.5	9.5	9.1
Amphetamines	4.9	4.7	4.8
Methamphetamines*	2.5	1.7	2.1
Ritalin/Adderall	6.8	7.0	6.9
Tranquilizers*	8.5	11.8	10.2
Narcotics	7.3	7.2	7.3
Psychedelic <sup>#</sup> *	4.9	2.9	3.9
LSD*	4.2	2.3	3.2
Others*	2.4	1.3	1.9
Heroin*	2.1	1.4	1.8
Steroids*	2.5	0.7	1.6
Injected drugs*	2.1	1.5	1.8
MDMA*	3.7	3.0	3.3
Rohypnol*	1.8	1.1	1.4
GHB*	1.4	0.6	1.0
Over the counter drugs*	9.2	12.9	11.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelic use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

**Annual Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**9th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	22.8	21.3	22.0
Cigars*	18.5	11.3	14.8
Pipe*	9.6	6.0	7.7
Smokeless Tobacco*	14.9	4.7	9.7
Alcohol*	38.4	43.5	41.0
Marijuana*	17.6	16.5	17.0
Cocaine*	2.6	1.7	2.2
Crack*	1.8	1.1	1.5
Inhalants*	4.7	6.3	5.5
Amphetamines	3.2	3.4	3.3
Methamphetamines*	1.6	1.2	1.4
Ritalin/Adderall*	4.5	5.2	4.9
Tranquilizers*	5.6	9.1	7.4
Narcotics	4.9	5.2	5.0
Psychedelic <sup>#</sup> *	3.2	2.0	2.6
LSD*	2.8	1.6	2.2
Others*	1.6	1.0	1.3
Heroin*	1.5	1.0	1.2
Steroids*	1.8	0.5	1.1
Injected drugs*	1.7	1.1	1.4
MDMA*	2.5	2.1	2.3
Rohypnol*	1.1	0.8	0.9
GHB*	0.9	0.5	0.7
Over the counter drugs*	6.0	10.1	8.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelic use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 9th Grade

DRUG	Male	Female	Indiana
Cigarettes*	14.6	13.0	13.8
Cigars*	10.7	6.5	8.6
Pipe*	5.5	3.4	4.4
Smokeless Tobacco*	9.6	2.4	5.9
Alcohol*	21.1	23.1	22.1
Marijuana*	11.2	9.8	10.5
Cocaine*	1.4	0.9	1.2
Crack*	1.2	0.6	0.9
Inhalants*	2.2	3.0	2.6
Amphetamines	1.8	1.8	1.8
Methamphetamines*	1.0	0.6	0.8
Ritalin/Adderall	2.5	2.7	2.6
Tranquilizers*	3.0	5.0	4.0
Narcotics	2.6	2.7	2.7
Psychedelics#	1.7	0.9	1.3
LSD*	1.4	0.8	1.1
Others*	0.9	0.5	0.7
Heroin*	1.0	0.6	0.8
Steroids*	1.2	0.4	0.8
Injected drugs*	1.4	0.6	1.0
MDMA	1.2	1.1	1.1
Rohypnol*	0.7	0.4	0.5
GHB*	0.6	0.3	0.5
Over the counter drugs*	3.5	6.3	5.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 9th Grade

DRUG	Male	Female	Indiana
CIGARETTES			
Daily Use*	8.0	6.8	7.4
1/2+ Pack per Day*	4.4	3.4	3.9
CIGARS*	2.6	1.6	2.1
SMOKELESS TOBACCO*	3.1	0.5	1.8
ALCOHOL			
Daily Use*	2.3	1.5	1.9
Binge Drinking	15.8	15.1	15.5
MARIJUANA*	3.6	2.3	2.9

NOTES: \* Differences between males and females are statistically significant (p < .05).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**10th Grade**

DRUG	Male	Female	Indiana
Cigarettes	37.8	37.3	37.6
Cigars*	32.0	18.2	25.0
Pipe*	16.1	9.7	12.9
Smokeless Tobacco*	24.3	7.1	15.6
Alcohol*	55.1	58.6	56.9
Marijuana*	30.9	27.2	29.1
Cocaine*	5.3	3.2	4.2
Crack*	3.2	1.6	2.4
Inhalants	9.1	9.2	9.2
Amphetamines	6.8	6.6	6.7
Methamphetamines*	3.0	1.7	2.3
Ritalin/Adderall	9.6	9.5	9.6
Tranquilizers*	10.1	13.8	12.0
Narcotics*	11.0	9.7	10.3
Psychedelics#*	6.6	3.5	5.0
LSD*	5.4	2.7	4.1
Others*	3.5	1.8	2.6
Heroin*	2.6	1.1	1.8
Steroids*	2.6	0.6	1.6
Injected drugs*	2.6	1.4	2.0
MDMA*	4.8	3.9	4.4
Rohypnol*	1.9	1.2	1.6
GHB*	1.5	0.7	1.1
Over the counter drugs*	11.6	14.4	13.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

**Annual Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**10th Grade**

DRUG	Male	Female	Indiana
Cigarettes	27.7	27.0	27.4
Cigars*	25.0	14.7	19.8
Pipe*	13.0	8.7	10.8
Smokeless Tobacco*	19.8	5.5	12.5
Alcohol*	45.2	50.5	47.9
Marijuana*	24.3	22.8	23.5
Cocaine*	3.3	2.3	2.8
Crack*	2.0	0.9	1.5
Inhalants*	5.1	5.7	5.4
Amphetamines	4.5	4.9	4.7
Methamphetamines*	2.0	1.1	1.5
Ritalin/Adderall	6.6	6.9	6.8
Tranquilizers*	6.5	10.1	8.4
Narcotics	7.4	7.0	7.2
Psychedelics#*	4.3	2.4	3.4
LSD*	3.6	1.8	2.7
Others*	2.4	1.3	1.8
Heroin*	1.7	0.7	1.2
Steroids*	1.8	0.4	1.1
Injected drugs*	2.1	0.9	1.5
MDMA*	3.2	2.7	3.0
Rohypnol*	1.3	0.8	1.1
GHB*	1.0	0.4	0.7
Over the counter drugs*	7.6	11.0	9.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 10th Grade

DRUG	Male	Female	Indiana
Cigarettes*	19.0	17.2	18.1
Cigars*	15.1	8.6	11.8
Pipe*	7.2	4.4	5.8
Smokeless Tobacco*	12.9	2.5	7.6
Alcohol*	26.7	27.8	27.3
Marijuana*	15.8	13.5	14.6
Cocaine*	1.8	0.9	1.4
Crack*	1.1	0.4	0.8
Inhalants	2.2	2.2	2.2
Amphetamines	2.5	2.3	2.4
Methamphetamines*	1.1	0.6	0.9
Ritalin/Adderall	3.4	3.3	3.3
Tranquilizers*	3.4	5.1	4.3
Narcotics*	3.9	3.4	3.7
Psychedelics#	2.0	1.0	1.5
LSD*	1.6	0.7	1.1
Others*	1.2	0.5	0.8
Heroin*	1.1	0.4	0.8
Steroids*	1.1	0.3	0.7
Injected drugs*	1.6	0.5	1.1
MDMA*	1.8	1.1	1.5
Rohypnol*	0.8	0.4	0.6
GHB*	0.7	0.2	0.5
Over the counter drugs*	4.1	6.2	5.2

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 10th Grade

DRUG	Male	Female	Indiana
CIGARETTES			
Daily Use*	11.1	9.4	10.3
1/2+ Pack per Day*	6.4	4.6	5.5
CIGARS*	3.9	2.5	3.2
SMOKELESS TOBACCO*	5.4	0.5	2.9
ALCOHOL			
Daily Use*	3.6	1.9	2.7
Binge Drinking*	20.5	18.0	19.2
MARIJUANA*	6.0	3.2	4.6

NOTES: \* Differences between males and females are statistically significant (p < .05).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**11th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	44.1	40.0	42.0
Cigars*	39.5	20.8	29.9
Pipe*	21.1	12.8	16.9
Smokeless Tobacco*	28.8	7.8	17.9
Alcohol	60.0	61.2	60.6
Marijuana*	35.3	30.1	32.7
Cocaine*	6.9	4.0	5.4
Crack*	3.6	1.9	2.8
Inhalants*	9.7	7.5	8.6
Amphetamines*	8.9	7.3	8.1
Methamphetamines*	3.4	1.9	2.6
Ritalin/Adderall*	12.1	10.1	11.1
Tranquilizers	11.5	12.0	11.8
Narcotics*	13.1	9.7	11.3
Psychedelics#*	8.4	4.0	6.1
LSD*	6.4	3.3	4.8
Others*	5.4	2.0	3.7
Heroin*	3.0	1.3	2.2
Steroids*	2.9	0.8	1.8
Injected drugs*	2.9	1.3	2.1
MDMA*	6.6	4.0	5.3
Rohypnol*	2.1	1.0	1.6
GHB*	1.9	0.7	1.3
Over the counter drugs	12.4	13.0	12.7

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

**Annual Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**11th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	33.4	28.8	31.1
Cigars*	30.7	16.5	23.4
Pipe*	17.0	10.9	13.9
Smokeless Tobacco*	22.9	5.4	13.9
Alcohol*	49.4	51.8	50.6
Marijuana*	27.4	23.5	25.4
Cocaine*	4.1	2.4	3.3
Crack*	2.1	1.0	1.5
Inhalants*	4.8	3.7	4.2
Amphetamines*	5.6	4.9	5.2
Methamphetamines*	2.1	1.2	1.6
Ritalin/Adderall*	8.0	6.9	7.4
Tranquilizers*	7.0	8.1	7.6
Narcotics*	8.5	6.5	7.5
Psychedelics#*	5.4	2.6	4.0
LSD*	4.0	2.0	3.0
Others*	3.5	1.3	2.4
Heroin*	2.0	0.9	1.4
Steroids*	1.9	0.5	1.2
Injected drugs*	2.6	0.9	1.7
MDMA*	4.1	2.5	3.3
Rohypnol*	1.3	0.7	1.0
GHB*	1.3	0.5	0.9
Over the counter drugs*	7.5	8.7	8.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 11th Grade

DRUG	Male	Female	Indiana
Cigarettes*	23.9	18.9	21.4
Cigars*	18.9	9.3	13.9
Pipe*	9.6	5.4	7.5
Smokeless Tobacco*	15.1	2.8	8.8
Alcohol*	30.6	28.2	29.4
Marijuana*	17.3	13.4	15.3
Cocaine*	1.9	1.0	1.4
Crack*	1.3	0.6	0.9
Inhalants*	2.2	1.5	1.9
Amphetamines	2.7	2.3	2.5
Methamphetamines*	1.1	0.7	0.9
Ritalin/Adderall*	3.8	3.1	3.4
Tranquilizers*	3.4	4.2	3.8
Narcotics*	4.6	3.2	3.9
Psychedelics#	2.4	1.2	1.8
LSD*	1.7	0.9	1.3
Others*	1.5	0.7	1.1
Heroin*	1.1	0.6	0.8
Steroids*	1.2	0.4	0.8
Injected drugs*	2.0	0.6	1.3
MDMA*	1.9	1.2	1.5
Rohypnol*	0.9	0.5	0.7
GHB*	0.7	0.3	0.5
Over the counter drugs*	4.0	4.8	4.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 11th Grade

DRUG	Male	Female	Indiana
CIGARETTES			
Daily Use*	14.8	11.2	12.9
1/2+ Pack per Day*	8.5	5.6	7.0
CIGARS*	5.0	2.4	3.7
SMOKELESS TOBACCO*	7.1	0.7	3.8
ALCOHOL			
Daily Use*	4.3	1.8	3.0
Binge Drinking*	24.0	18.8	21.4
MARIJUANA*	7.1	3.5	5.2

NOTES: \* Differences between males and females are statistically significant (p < .05).

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**12th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	49.3	44.4	46.9
Cigars*	49.0	26.3	37.5
Pipe*	28.2	17.8	22.9
Smokeless Tobacco*	33.2	8.6	20.7
Alcohol	66.1	66.9	66.5
Marijuana*	39.9	33.5	36.8
Cocaine*	8.3	4.8	6.6
Crack*	3.9	2.0	2.9
Inhalants*	9.1	6.9	8.0
Amphetamines*	9.3	7.7	8.5
Methamphetamines*	3.2	2.0	2.7
Ritalin/Adderall*	12.5	10.7	11.6
Tranquilizers	11.9	12.0	12.0
Narcotics*	14.8	10.2	12.5
Psychedelics#*	9.1	4.1	6.6
LSD*	6.8	3.1	5.0
Others*	6.1	2.1	4.1
Heroin*	3.4	1.4	2.4
Steroids*	3.5	0.7	2.1
Injected drugs*	2.9	1.1	2.0
MDMA*	7.2	4.6	5.9
Rohypnol*	2.0	1.2	1.6
GHB*	1.8	0.6	1.3
Over the counter drugs*	13.1	11.8	12.5

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

**Annual Use of Alcohol, Tobacco, and Other Drugs, 2009**

(Values expressed as percentages)

**12th Grade**

DRUG	Male	Female	Indiana
Cigarettes*	38.1	32.3	35.3
Cigars*	40.2	20.7	30.2
Pipe*	22.8	15.3	19.0
Smokeless Tobacco*	26.2	5.9	15.9
Alcohol*	54.9	57.7	56.3
Marijuana*	29.6	25.4	27.5
Cocaine*	4.7	2.4	3.5
Crack*	2.1	1.0	1.6
Inhalants*	4.0	3.0	3.5
Amphetamines	5.1	4.5	4.8
Methamphetamines*	1.9	1.2	1.6
Ritalin/Adderall*	7.5	6.5	7.0
Tranquilizers*	6.9	7.9	7.4
Narcotics*	9.4	6.4	7.8
Psychedelics#*	5.6	2.3	3.9
LSD*	3.9	1.6	2.7
Others*	4.0	1.5	2.7
Heroin*	2.1	0.9	1.5
Steroids*	2.2	0.5	1.3
Injected drugs*	2.3	0.7	1.5
MDMA*	4.2	2.8	3.5
Rohypnol*	1.3	0.6	1.0
GHB*	1.1	0.5	0.8
Over the counter drugs	7.5	7.6	7.6

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant (p < .05).

### Monthly Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 12th Grade

DRUG	Male	Female	Indiana
Cigarettes*	27.2	21.5	24.4
Cigars*	25.6	10.5	17.9
Pipe*	13.1	7.6	10.3
Smokeless Tobacco*	18.5	2.8	10.5
Alcohol*	37.1	34.4	35.7
Marijuana*	19.3	14.1	16.7
Cocaine*	2.1	1.1	1.6
Crack*	1.3	0.6	0.9
Inhalants*	1.7	1.2	1.4
Amphetamines	2.4	2.1	2.3
Methamphetamines*	1.2	0.7	0.9
Ritalin/Adderall*	3.6	2.6	3.1
Tranquilizers*	3.4	3.9	3.7
Narcotics*	4.8	3.3	4.0
Psychedelics#	2.3	0.9	1.6
LSD*	1.7	0.7	1.2
Others*	1.7	0.6	1.1
Heroin*	1.2	0.5	0.8
Steroids*	1.4	0.3	0.8
Injected drugs*	1.8	0.5	1.2
MDMA*	1.8	1.2	1.5
Rohypnol*	0.8	0.4	0.6
GHB*	0.7	0.3	0.5
Over the counter drugs	3.8	4.2	4.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

\* Differences between males and females are statistically significant ( $p < .05$ ).

### Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2009 (Values expressed as percentages)

#### 12th Grade

DRUG	Male	Female	Indiana
CIGARETTES			
Daily Use*	16.4	12.9	14.7
1/2+ Pack per Day*	9.6	6.7	8.2
CIGARS*	5.7	2.7	4.2
SMOKELESS TOBACCO*	9.0	0.7	4.8
ALCOHOL			
Daily Use*	5.7	2.4	4.0
Binge Drinking*	30.4	22.6	26.4
MARIJUANA*	8.0	3.7	5.8

NOTES: \* Differences between males and females are statistically significant ( $p < .05$ ).