



## V. PREVALENCE OF USE BY REGION

### **Prevalence Rates by Region: Lifetime, Annual, Monthly, Daily and Special Use**

- Grade 6 ..... 136
- Grade 7 ..... 140
- Grade 8 ..... 144
- Grade 9 ..... 148
- Grade 10 ..... 152
- Grade 11 ..... 156
- Grade 12 ..... 160

## Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	8.9	9.8	9.3	4.8 ▼	10.2	7.8 ▼	13.3 ▲	7.3 ▼	11.1 ▲
Cigars	3.6	3.6	3.8	2.7	4.6 ▲	3.1	4.9 ▲	2.9 ▼	4.6 ▲
Pipe	1.0	1.3	0.7	0.8	1.3	1.0	1.4	0.8	1.1
Smokeless Tobacco	2.0	1.3 ▼	1.4 ▼	1.1 ▼	3.6 ▲	1.5 ▼	4.0 ▲	1.7	3.7 ▲
Alcohol	19.2	21.8 ▲	20.5	12.9 ▼	18.3	18.2	19.8	17.6 ▼	21.9 ▲
Marijuana	2.4	3.5 ▲	1.7 ▼	1.0 ▼	2.0	2.8	4.6 ▲	1.4 ▼	2.6
Cocaine	0.4	0.6	0.4	0.1	0.6	0.4	0.2	0.2	0.6
Crack	0.6	0.7	0.6	0.3	0.8	0.5	0.5	0.3 ▼	0.8
Inhalants	4.8	5.5	5.1	3.1 ▼	6.1 ▲	4.3	6.1	4.2	5.1
Amphetamines	0.3	0.6 ▲	0.2	0.0	0.4	0.3	0.2	0.3	0.5
Methamphetamines	0.4	0.6	0.3	0.1	0.4	0.3	0.5	0.3	0.5
Ritalin/Adderall	0.9	0.9	0.7	0.1 ▼	1.1	0.8	1.4 ▲	0.7	1.1
Tranquilizers	3.4	4.1 ▲	2.9	2.1 ▼	3.8	3.5	4.2	2.7 ▼	3.8
Narcotics	0.7	0.8	0.4	0.5	1.2 ▲	0.7	1.0	0.3 ▼	1.1 ▲
Psychedelics#	0.4	0.7 ▲	0.3	0.1	0.4	0.4	0.5	0.3	0.6
LSD	0.3	0.5	0.2	0.0	0.3	0.3	0.4	0.2	0.5
Others	0.2	0.4	0.2	0.1	0.2	0.2	0.4	0.1	0.3
Heroin	0.4	0.5	0.2	0.1	0.5	0.4	0.3	0.2	0.7 ▲
Steroids	0.6	0.7	0.7	0.4	0.8	0.5	0.6	0.5	0.9
Injected Drugs	0.6	0.6	0.4	0.2	0.7	0.5	0.4	0.5	1.0 ▲
MDMA	0.2	0.4	0.2	0.3	0.3	0.3	0.4	0.1 ▼	0.3
Rohypnol	0.2	0.3	0.1	0.1	0.2	0.1	0.1	0.1	0.2
GHB	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2
Over the counter drugs	3.6	3.7	3.1	1.6 ▼	3.7	3.5	5.2 ▲	3.6	4.3

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	North	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	4.6	5.3	4.9	2.5 ▼	5.8 ▲	3.9 ▼	7.2 ▲	3.5 ▼	5.9 ▲	
Cigars	2.5	2.7	2.7	1.4 ▼	2.9	2.1	3.8 ▲	1.9 ▼	3.3 ▲	
Pipe	0.8	1.0	0.8	0.6	0.7	0.7	1.2	0.6	1.1	
Smokeless Tobacco	1.5	1.0 ▼	1.0 ▼	0.8	2.5 ▲	1.1 ▼	3.3 ▲	1.1 ▼	2.7 ▲	
Alcohol	13.0	15.7 ▲	14.2	9.2 ▼	11.4	11.9 ▼	13.2	11.7 ▼	15.0 ▲	
Marijuana	1.8	2.9 ▲	1.3 ▼	0.8 ▼	1.4	2.0	3.4 ▲	1.2 ▼	1.8	
Cocaine	0.3	0.3	0.4	0.1	0.2	0.3	0.3	0.1	0.3	
Crack	0.4	0.4	0.4	0.2	0.5	0.4	0.3	0.2	0.6	
Inhalants	3.2	3.8	3.7	2.0 ▼	3.9	2.8	4.1	2.8	3.6	
Amphetamines	0.3	0.3	0.3	0.0	0.3	0.3	0.3	0.2	0.5 ▲	
Methamphetamines	0.2	0.3	0.3	0.1	0.2	0.3	0.3	0.2	0.2	
Ritalin/Adderall	0.5	0.6	0.4	0.1	0.5	0.6	0.8	0.5	0.5	
Tranquilizers	2.4	3.1 ▲	2.2	1.3 ▼	2.7	2.4	2.8	2.0	2.8	
Narcotics	0.5	0.4	0.3	0.2	0.6	0.5	0.7	0.3 ▼	0.8 ▲	
Psychedelics#	0.3	0.4	0.3	0.0	0.3	0.3	0.4	0.1	0.2	
LSD	0.2	0.3	0.2	0.0	0.2	0.2	0.4	0.1	0.2	
Others	0.1	0.2	0.2	0.0	0.1	0.1	0.3	0.1	0.1	
Heroin	0.3	0.4	0.2	0.1	0.2	0.3	0.4	0.1 ▼	0.4	
Steroids	0.4	0.3	0.5	0.4	0.5	0.4	0.5	0.3	0.6	
Injected Drugs	0.4	0.4	0.3	0.2	0.7	0.4	0.3	0.3	0.7 ▲	
MDMA	0.2	0.3	0.2	0.2	0.1	0.2	0.3	0.0	0.1	
Rohypnol	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	
GHB	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	
Over the counter drugs	2.8	2.5	2.6	1.5 ▼	2.5	2.7	4.1 ▲	2.7	3.4 ▲	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.

▲ indicates that local prevalence rates are significantly higher than state rates ( $p < .05$ ).

▼ indicates that local prevalence rates are significantly lower than state rates ( $p < .05$ ).

## Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	North	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	2.3	2.6	2.5	1.5	2.6	2.0	3.4 ▲	1.5 ▼	3.3 ▲	
Cigars	1.2	1.3	1.2	0.9	1.3	1.2	1.5	0.9	1.6	
Pipe	0.5	0.5	0.3	0.2	0.4	0.5	0.9 ▲	0.4	0.5	
Smokeless Tobacco	0.8	0.5 ▼	0.6	0.4	1.6 ▲	0.6	1.5 ▲	0.6	1.6 ▲	
Alcohol	5.6	7.9 ▲	5.5	4.2	5.0	4.9 ▼	6.1	4.6 ▼	6.6 ▲	
Marijuana	1.1	1.6 ▲	1.0	0.4 ▼	0.9	1.4	2.0 ▲	0.6 ▼	1.1	
Cocaine	0.2	0.2	0.3	0.1	0.2	0.2	0.3	0.1	0.2	
Crack	0.2	0.3	0.4 ▲	0.2	0.2	0.2	0.3	0.1 ▼	0.3	
Inhalants	1.8	2.0	1.9	0.8 ▼	2.1	1.7	2.8 ▲	1.5	1.9	
Amphetamines	0.2	0.2	0.2	0.0	0.4	0.2	0.1	0.1	0.3	
Methamphetamines	0.2	0.2	0.3	0.1	0.2	0.2	0.1	0.1	0.1	
Ritalin/Adderall	0.3	0.3	0.3	0.0	0.4	0.4	0.7 ▲	0.3	0.4	
Tranquilizers	1.3	1.6	1.2	0.7	1.5	1.2	2.0	1.1	1.6	
Narcotics	0.3	0.4	0.1	0.2	0.3	0.3	0.4	0.1 ▼	0.5	
Psychedelics#	0.1	0.1	0.2	0.0	0.1	0.2	0.1	0.1	0.2	
LSD	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.1	0.1	
Others	0.1	0.1	0.2	0.0	0.0	0.1	0.0	0.1	0.1	
Heroin	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
Steroids	0.2	0.3	0.4 ▲	0.2	0.3	0.2	0.2	0.1	0.2	
Injected Drugs	0.3	0.3	0.4	0.0	0.3	0.2	0.2	0.2	0.4	
MDMA	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.1	
Rohypnol	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	
GHB	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	
Over the counter drugs	1.9	1.7	2.1	1.1	1.7	1.7	2.8 ▲	1.7	2.2	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
<b>CIGARETTES</b>									
Daily Use	0.8	1.2 ▲	0.8	0.2 ▼	1.0	0.7	1.2	0.6	1.2 ▲
1/2+ Pack per Day	0.4	0.6	0.3	0.2	0.5	0.4	0.4	0.4	0.5
<b>CIGARS</b>									
	0.1	0.2	0.1	0.0	0.1	0.1	0.3	0.2	0.1
<b>SMOKELESS TOBACCO</b>									
	0.1	0.1	0.0	0.0	0.2	0.1	0.4 ▲	0.1	0.2
<b>ALCOHOL</b>									
Daily Use	0.2	0.3	0.2	0.1	0.2	0.2	0.4	0.2	0.2
Binge Drinking	4.2	6.0 ▲	3.8	3.1	3.6	4.2	5.1	3.0 ▼	5.3 ▲
<b>MARIJUANA</b>									
	0.2	0.2	0.2	0.0	0.2	0.3 ▲	0.2	0.1	0.1

NOTES: ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
 ▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	16.1	18.9 ▲	16.7	14.6	18.9 ▲	11.3 ▼	23.5 ▲	15.8	21.7 ▲
Cigars	8.1	9.3 ▲	8.9	7.2	9.8 ▲	5.5 ▼	12.7 ▲	7.3	11.0 ▲
Pipe	2.7	3.6 ▲	2.3	2.6	3.3	1.8 ▼	4.3 ▲	2.7	3.9 ▲
Smokeless Tobacco	4.9	4.0 ▼	4.4	3.6 ▼	6.6 ▲	3.0 ▼	7.1 ▲	6.2 ▲	8.7 ▲
Alcohol	29.3	33.9 ▲	29.0	27.6	33.3 ▲	23.9 ▼	34.0 ▲	29.7	35.8 ▲
Marijuana	6.9	9.8 ▲	5.9 ▼	6.3	6.7	4.9 ▼	12.9 ▲	6.0	8.8 ▲
Cocaine	1.3	1.8 ▲	1.2	1.5	1.5	1.0	2.0 ▲	1.1	1.2
Crack	1.4	2.3 ▲	1.0	1.8	1.5	1.0 ▼	1.5	1.4	1.6
Inhalants	7.2	8.4 ▲	7.0	7.8	8.5 ▲	6.0 ▼	8.6 ▲	6.7	8.6 ▲
Amphetamines	1.2	1.7 ▲	0.9	1.1	1.4	0.9 ▼	2.1 ▲	1.2	1.5
Methamphetamines	0.9	1.4 ▲	0.6	1.1	1.2	0.6 ▼	1.5 ▲	1.0	1.1
Ritalin/Adderall	1.9	2.4	1.7	1.9	2.4	1.4 ▼	2.7 ▲	1.8	2.6 ▲
Tranquilizers	5.9	6.9 ▲	5.4	5.7	7.4 ▲	4.7 ▼	8.4 ▲	5.2	7.0 ▲
Narcotics	2.2	2.4	1.6 ▼	2.4	2.8	1.3 ▼	3.8 ▲	2.1	3.7 ▲
Psychedelics#	1.2	1.9 ▲	0.8 ▼	1.1	1.1	0.9 ▼	1.6	1.4	1.8 ▲
LSD	1.0	1.6 ▲	0.6 ▼	1.0	0.9	0.8	1.5	1.0	1.4
Others	0.6	1.0 ▲	0.3 ▼	0.5	0.8	0.5	0.9	0.7	0.7
Heroin	0.9	1.5 ▲	0.8	0.8	1.1	0.6 ▼	1.4	0.8	1.2
Steroids	1.2	1.5	0.9	1.3	1.4	0.8 ▼	1.5	1.3	1.5
Injected Drugs	1.2	1.4	1.0	1.1	1.5	1.0	1.2	1.4	1.4
MDMA	0.9	1.2	0.4 ▼	0.9	1.1	0.6 ▼	1.5 ▲	1.1	1.2
Rohypnol	0.5	1.0 ▲	0.2 ▼	0.8	0.7	0.3 ▼	0.8	0.7	0.5
GHB	0.4	0.7 ▲	0.1 ▼	0.5	0.3	0.3	0.6	0.4	0.3
Over the counter drugs	6.1	7.2 ▲	6.0	5.1	6.1	5.2 ▼	8.2 ▲	5.6	7.8 ▲

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	10.0	11.8 ▲	10.0	8.4 ▼	12.3 ▲	6.6 ▼	16.1 ▲	10.0	14.3 ▲
Cigars	5.9	7.4 ▲	5.9	5.3	7.5 ▲	4.2 ▼	9.4 ▲	4.9 ▼	7.9 ▲
Pipe	2.3	3.1 ▲	1.9	2.1	2.8	1.6 ▼	3.8 ▲	2.4	3.4 ▲
Smokeless Tobacco	3.8	3.4	3.4	2.9 ▼	5.2 ▲	2.3 ▼	5.8 ▲	4.6 ▲	6.6 ▲
Alcohol	22.0	26.5 ▲	21.3	19.9	24.9 ▲	17.5 ▼	25.3 ▲	22.4	27.7 ▲
Marijuana	5.5	7.5 ▲	4.9	5.0	5.1	4.0 ▼	11.0 ▲	4.7	6.8 ▲
Cocaine	1.0	1.6 ▲	0.7	1.1	1.1	0.8	1.8 ▲	0.8	0.8
Crack	1.0	1.9 ▲	0.7	1.3	1.0	0.8 ▼	1.0	1.1	1.2
Inhalants	4.8	6.0 ▲	4.5	4.8	6.3 ▲	3.8 ▼	5.6	4.7	5.9 ▲
Amphetamines	0.9	1.4 ▲	0.5 ▼	1.0	1.0	0.7 ▼	1.6 ▲	0.9	1.1
Methamphetamines	0.7	1.2 ▲	0.3 ▼	0.8	1.0	0.4 ▼	1.2 ▲	0.7	0.8
Ritalin/Adderall	1.4	1.9 ▲	1.2	1.2	1.8	1.0 ▼	2.0 ▲	1.4	1.5
Tranquilizers	4.3	5.3 ▲	4.2	4.2	5.7 ▲	3.4 ▼	6.2 ▲	3.6	5.0
Narcotics	1.5	1.9	1.0 ▼	1.7	1.9	0.9 ▼	2.4 ▲	1.7	2.5 ▲
Psychedelics#	0.9	1.6 ▲	0.5 ▼	0.7	0.9	0.7	1.3	1.0	1.1
LSD	0.7	1.4 ▲	0.4 ▼	0.7	0.7	0.6	1.1	0.8	0.7
Others	0.5	1.0 ▲	0.2 ▼	0.2	0.6	0.3	0.8	0.5	0.6
Heroin	0.7	1.4 ▲	0.4	0.7	0.8	0.5 ▼	1.2 ▲	0.7	0.7
Steroids	0.8	1.4 ▲	0.5	0.7	1.1	0.5 ▼	0.9	0.9	1.0
Injected Drugs	0.9	1.3	0.7	0.7	1.4	0.8	1.2	1.0	1.1
MDMA	0.6	1.1 ▲	0.3 ▼	0.3	0.6	0.5	0.9	0.8	0.8
Rohypnol	0.4	0.9 ▲	0.2	0.5	0.5	0.2 ▼	0.7	0.5	0.3
GHB	0.3	0.8 ▲	0.1	0.2	0.3	0.3	0.4	0.3	0.1 ▼
Over the counter drugs	4.7	5.8 ▲	4.9	3.8	4.8	3.9 ▼	6.1 ▲	4.1	6.2 ▲

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
 ▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	5.6	6.6 ▲	5.6	4.6	7.7 ▲	3.5 ▼	9.1 ▲	5.2	7.8 ▲
Cigars	3.4	4.3 ▲	3.5	3.1	4.5 ▲	2.2 ▼	5.8 ▲	3.0	4.4 ▲
Pipe	1.4	1.6	1.2	1.4	1.4	0.9 ▼	2.3 ▲	1.3	2.2 ▲
Smokeless Tobacco	2.3	2.2	1.9	2.1	2.9	1.3 ▼	3.2 ▲	2.5	4.3 ▲
Alcohol	10.8	13.9 ▲	10.2	9.7	11.7	8.0 ▼	14.2 ▲	10.7	14.6 ▲
Marijuana	3.5	4.6 ▲	3.0	3.3	3.1	2.4 ▼	7.7 ▲	3.3	4.3 ▲
Cocaine	0.6	1.1 ▲	0.5	0.8	0.5	0.5	1.1 ▲	0.5	0.7
Crack	0.7	1.1 ▲	0.5	0.9	0.5	0.6	0.6	0.6	0.8
Inhalants	2.7	3.6 ▲	2.7	3.0	3.2	2.0 ▼	3.6 ▲	2.2	3.6 ▲
Amphetamines	0.6	0.9 ▲	0.3	0.5	0.7	0.4	0.9	0.8	0.6
Methamphetamines	0.5	0.8 ▲	0.2	0.5	0.6	0.3	0.6	0.5	0.4
Ritalin/Adderall	0.8	1.2	0.8	0.9	1.3	0.5 ▼	1.3	0.7	1.0
Tranquilizers	2.6	3.2 ▲	2.5	2.6	3.6 ▲	2.0 ▼	3.8 ▲	2.3	2.7
Narcotics	0.9	1.1	0.5	0.7	1.1	0.5 ▼	1.4 ▲	0.9	1.5 ▲
Psychedelics#	0.6	0.8	0.2 ▼	0.3	0.6	0.4	0.9 ▲	0.7	0.9 ▲
LSD	0.5	0.7	0.2 ▼	0.2	0.4	0.4	0.8	0.6	0.7
Others	0.3	0.5	0.1	0.2	0.4	0.2	0.5	0.3	0.4
Heroin	0.4	0.8 ▲	0.4	0.4	0.5	0.3 ▼	0.6	0.4	0.6
Steroids	0.5	0.9 ▲	0.5	0.6	0.8	0.3 ▼	0.6	0.4	0.4
Injected Drugs	0.6	1.1 ▲	0.5	0.5	1.0 ▲	0.4	0.6	0.6	0.6
MDMA	0.4	0.8 ▲	0.1 ▼	0.2	0.5	0.3	0.3	0.6	0.6
Rohypnol	0.3	0.6 ▲	0.1	0.3	0.4	0.1	0.4	0.2	0.2
GHB	0.2	0.5 ▲	0.1	0.2	0.2	0.1	0.3	0.2	0.2
Over the counter drugs	3.0	3.9 ▲	3.3	2.5	3.3	2.4 ▼	4.1 ▲	2.6	3.8 ▲

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
<b>CIGARETTES</b>									
Daily Use	2.3	3.0 ▲	2.0	2.3	3.3 ▲	1.4 ▼	3.5 ▲	2.3	3.4 ▲
1/2+ Pack per Day	1.1	1.4	0.7	1.4	1.5	0.6 ▼	1.8 ▲	1.0	1.6 ▲
CIGARS	0.7	0.8	0.7	1.0	1.0	0.3 ▼	1.1 ▲	0.5	0.9
SMOKELESS TOBACCO	0.4	0.3	0.4	0.4	0.4	0.2 ▼	0.8 ▲	0.4	1.2 ▲
<b>ALCOHOL</b>									
Daily Use	0.8	1.1 ▲	0.5	1.2 ▲	0.8	0.5 ▼	1.5 ▲	0.7	1.1 ▲
Binge Drinking	7.7	10.4 ▲	7.7	7.3	8.3	5.3 ▼	10.3 ▲	7.6	10.1 ▲
MARIJUANA	0.7	0.9	0.7	0.8	0.6	0.4 ▼	2.3 ▲	0.6	1.1 ▲

NOTES: ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	North Central	Northeast	West	Central	East	Southwest	Southeast					
Cigarettes	25.0	25.2	24.0	23.2	26.9	▲	21.8	▼	35.0	▲	30.0	▲			
Cigars	13.7	13.1	14.1	11.8	▼	15.3	▲	11.8	▼	19.8	▲	12.8	16.6	▲	
Pipe	5.6	6.6	▲	5.8	4.1	▼	6.0	4.9	▼	7.5	▲	4.7	▼	6.7	▲
Smokeless Tobacco	8.4	5.3	▼	8.0	7.5	13.4	▲	5.5	▼	11.1	▲	8.4	13.3	▲	
Alcohol	41.6	44.9	▲	38.8	▼	37.3	▼	38.2	▼	47.0	▲	40.8	48.3	▲	
Marijuana	15.0	16.8	▲	12.8	▼	11.1	▼	15.6	20.7	▲	13.5	▼	15.7	▲	
Cocaine	2.2	2.8	▲	2.3	1.5	▼	2.1	2.1	2.3	2.3	1.9	2.5	2.5	▲	
Crack	1.9	2.0	1.8	1.8	1.8	1.7	1.8	1.8	2.3	2.3	1.8	2.2	2.2	▲	
Inhalants	9.0	9.8	9.0	9.0	6.9	▼	10.0	▲	7.9	▼	11.8	▲	8.9	10.1	▲
Amphetamines	2.7	2.8	2.8	2.8	1.6	▼	3.1	2.3	▼	3.8	▲	2.5	3.2	▲	
Methamphetamines	1.5	1.6	1.5	1.4	1.4	1.5	1.4	1.4	2.1	▲	2.1	1.2	1.7	▲	
Ritalin/Adderall	4.2	4.6	4.2	4.2	2.4	▼	5.3	▲	3.5	▼	5.8	▲	4.2	4.9	▲
Tranquilizers	8.5	9.2	8.1	8.1	5.8	▼	8.6	8.0	11.7	▲	11.7	▲	8.2	9.7	▲
Narcotics	4.7	4.5	4.6	4.6	2.6	▼	5.1	4.1	▼	6.4	▲	4.6	6.3	▲	
Psychedelics#	2.6	2.6	2.5	2.5	1.6	▼	2.8	2.3	3.4	▲	3.4	▲	2.6	3.1	▲
LSD	2.1	2.1	2.0	2.0	1.4	▼	2.3	2.0	2.7	2.7	2.2	2.2	2.5	▲	
Others	1.1	1.4	1.3	0.8	0.8	1.5	0.9	0.9	1.6	1.6	0.9	1.3	1.3	▲	
Heroin	1.5	1.7	1.8	1.2	1.2	1.3	1.5	1.5	2.1	2.1	1.2	1.6	1.6	▲	
Steroids	1.4	1.3	1.2	0.9	0.9	1.5	1.4	1.4	1.8	1.8	1.3	1.8	1.8	▲	
Injected Drugs	1.7	1.6	1.9	1.2	1.2	1.7	1.7	1.7	2.6	▲	1.5	1.9	1.9	▲	
MDMA	2.1	3.0	▲	1.9	1.0	▼	2.2	2.0	2.4	2.4	1.6	▼	2.3	▲	
Rohypnol	1.0	1.2	1.3	0.7	0.7	1.3	0.8	▼	1.3	0.7	0.7	1.3	1.3	▲	
GHB	0.7	0.8	0.9	0.5	0.5	0.8	0.5	0.5	0.7	0.7	0.5	0.8	0.8	▲	
Over the counter drugs	9.4	9.7	8.9	6.2	▼	10.1	8.7	▼	13.1	▲	8.8	11.0	11.0	▲	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	North	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	16.8	16.0	16.3	15.3	18.3 ▲	14.4 ▼	23.8 ▲	16.9	20.3 ▲	
Cigars	10.3	9.1 ▼	10.9	9.5	11.8 ▲	9.0 ▼	14.6 ▲	10.0	12.3 ▲	
Pipe	4.7	5.7 ▲	4.5	3.5 ▼	5.0	4.2 ▼	6.3 ▲	4.1	5.5 ▲	
Smokeless Tobacco	6.9	4.6 ▼	6.4	6.4	10.9 ▲	4.4 ▼	9.1 ▲	7.1	11.0 ▲	
Alcohol	33.8	36.9 ▲	31.2 ▼	30.1 ▼	34.4	30.8 ▼	38.5 ▲	34.1	39.3 ▲	
Marijuana	12.6	14.2 ▲	10.5 ▼	8.7 ▼	11.7	13.2	16.7 ▲	11.8	12.8	
Cocaine	1.6	2.2 ▲	1.6	1.3	1.5	1.6	1.8	1.4	1.7	
Crack	1.4	1.7	1.3	1.3	1.3	1.4	1.4	1.3	1.4	
Inhalants	6.1	7.0 ▲	5.7	4.6 ▼	6.8	5.3 ▼	7.4 ▲	6.3	7.2 ▲	
Amphetamines	2.0	2.1	2.0	1.5	2.4	1.8	2.6	1.8	2.6 ▲	
Methamphetamines	1.1	1.3	1.1	0.7	1.3	1.0	1.2	1.0	1.2	
Ritalin/Adderall	3.1	3.3	3.2	1.5 ▼	4.2 ▲	2.7	3.2	3.2	3.2	
Tranquilizers	6.3	6.9	6.3	3.9 ▼	6.4	5.9	8.3 ▲	6.3	7.2 ▲	
Narcotics	3.4	3.7	3.3	1.5 ▼	3.7	2.9 ▼	4.8 ▲	3.5	4.4 ▲	
Psychedelics#	1.9	2.0	1.9	1.1 ▼	2.1	1.7	2.0	2.1	2.2	
LSD	1.6	1.7	1.6	0.9 ▼	1.7	1.5	1.5	1.8	1.8	
Others	0.9	1.0	1.1	0.5	1.1	0.7	1.3	0.8	0.9	
Heroin	1.1	1.2	1.5 ▲	0.9	0.9	1.1	1.3	0.9	1.2	
Steroids	1.0	0.9	0.8	0.5 ▼	1.1	1.0	1.3	1.0	1.3	
Injected Drugs	1.4	1.5	1.8	0.9	1.5	1.3	1.9	1.2	1.3	
MDMA	1.5	2.1 ▲	1.7	0.7 ▼	1.6	1.4	1.7	1.4	1.5	
Rohypnol	0.7	1.0	1.0	0.5	1.0	0.5 ▼	0.9	0.6	0.9	
GHB	0.5	0.5	0.6	0.3	0.6	0.4	0.5	0.4	0.6	
Over the counter drugs	7.4	7.6	7.5	4.9 ▼	7.9	6.7 ▼	10.6 ▲	7.1	8.4 ▲	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northwest	North Central	West	Central	East	Southwest	Southeast
Cigarettes	9.9	9.5	10.4	8.9	11.1 ▲	7.9 ▼	14.5 ▲	9.5	12.8 ▲	
Cigars	5.9	5.1	6.2	4.8 ▼	7.0 ▲	5.0 ▼	8.7 ▲	5.9	7.0 ▲	
Pipe	2.8	3.4	3.0	1.8 ▼	2.9	2.6	3.7 ▲	2.5	3.2	
Smokeless Tobacco	4.1	2.6 ▼	4.0	3.1 ▼	7.0 ▲	2.5 ▼	5.2 ▲	4.1	6.9 ▲	
Alcohol	17.5	20.3 ▲	16.3	14.4 ▼	18.2	15.3 ▼	19.7 ▲	18.4	20.8 ▲	
Marijuana	7.8	9.0 ▲	6.5 ▼	5.3 ▼	6.8	8.3 ▲	10.1 ▲	7.1	7.8	
Cocaine	0.9	1.1	0.9	0.6	0.9	0.9	1.2	0.7	1.0	
Crack	0.7	0.9	0.7	0.5	0.6	0.7	1.0	0.6	0.9	
Inhalants	3.2	3.5	3.1	1.9 ▼	3.4	2.8	3.4	3.5	3.6	
Amphetamines	1.2	1.4	1.3	0.7 ▼	1.2	1.0	1.9 ▲	1.2	1.6 ▲	
Methamphetamines	0.6	0.8	0.6	0.6	0.6	0.5	1.1 ▲	0.6	0.8	
Ritalin/Adderall	1.8	1.7	2.0	0.8 ▼	2.4 ▲	1.5	2.2	1.9	1.9	
Tranquilizers	3.6	4.0	3.7	2.3 ▼	4.0	3.1 ▼	4.6 ▲	3.5	4.3 ▲	
Narcotics	2.0	2.1	2.0	0.8 ▼	2.0	1.6 ▼	2.7 ▲	2.2	2.5 ▲	
Psychedelics#	1.1	1.2	1.3	0.6 ▼	1.3	0.9	1.5	1.1	1.3	
LSD	0.9	1.1	1.1	0.5	0.9	0.8	1.2	0.9	1.0	
Others	0.5	0.6	0.7	0.2	0.6	0.4	0.9	0.3	0.6	
Heroin	0.6	0.6	0.9	0.4	0.5	0.5	1.0 ▲	0.5	0.9 ▲	
Steroids	0.7	0.6	0.7	0.4	0.6	0.6	1.0	0.6	0.9 ▲	
Injected Drugs	0.9	1.1	1.3 ▲	0.6	0.9	0.8	1.2	0.4 ▼	1.0	
MDMA	0.9	1.1	1.1	0.5	1.1	0.8	1.1	0.6 ▼	1.0	
Rohypnol	0.5	0.5	0.6	0.3	0.3	0.4	0.6	0.3	0.7 ▲	
GHB	0.3	0.3	0.6 ▲	0.3	0.3	0.3	0.4	0.3	0.4	
Over the counter drugs	4.9	4.8	5.3	3.3 ▼	5.1	4.3 ▼	7.1 ▲	4.5	6.2 ▲	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
<b>CIGARETTES</b>									
Daily Use	4.6	4.3	5.1	3.9	5.2	3.6 ▼	6.9 ▲	4.9	5.8 ▲
1/2+ Pack per Day	2.2	1.7	2.1	1.9	2.3	1.8 ▼	3.3 ▲	2.3	3.1 ▲
<b>CIGARS</b>									
	1.3	1.1	1.5	0.7 ▼	1.6	1.0 ▼	2.2 ▲	1.5	1.7 ▲
<b>SMOKELESS TOBACCO</b>									
	1.0	0.4 ▼	1.2	0.5	1.7 ▲	0.5 ▼	0.8	0.9	2.0 ▲
<b>ALCOHOL</b>									
Daily Use	1.5	1.8	1.5	1.0	1.9 ▲	1.2	2.1 ▲	1.3	1.9 ▲
Binge Drinking	12.5	14.3 ▼	11.7	10.5 ▼	12.8	10.8 ▼	15.5 ▲	12.1	15.5 ▲
<b>MARIJUANA</b>									
	1.8	2.2 ▲	1.4	1.0 ▼	2.0	1.7	2.6 ▲	1.7	1.9

NOTES: ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	North Central	Northwest	West	Central	East	Southwest	Southeast
Cigarettes	31.1	33.7 ▲	30.8	29.1 ▼	30.3	27.8 ▼	40.6 ▲	28.6 ▼	37.5 ▲	
Cigars	19.0	19.8	19.0	16.1 ▼	19.4	17.5 ▼	24.3 ▲	17.7	23.4 ▲	
Pipe	9.3	12.8 ▲	7.8 ▼	6.3 ▼	9.2	10.1 ▲	10.4	7.4 ▼	10.8 ▲	
Smokeless Tobacco	12.0	9.4 ▼	11.0	7.5 ▼	14.5 ▲	10.5 ▼	15.9 ▲	13.2 ▲	18.6 ▲	
Alcohol	49.7	55.1 ▲	47.9	47.9	49.7	44.9 ▼	55.4 ▲	49.8	55.7 ▲	
Marijuana	21.0	27.7 ▲	18.2 ▼	19.2 ▼	19.6	20.7	28.2 ▲	17.5 ▼	22.2	
Cocaine	3.1	4.1 ▲	3.4	2.1 ▼	3.1	3.1	3.1	3.0	3.4	
Crack	2.2	2.4	2.4	1.7	2.3	2.5	2.1	2.0	2.2	
Inhalants	9.1	10.4 ▲	9.1	6.6 ▼	8.6	9.1	11.6 ▲	9.0	9.7	
Amphetamines	4.8	5.5	4.6	3.0 ▼	5.1	4.9	6.8 ▲	4.5	5.2	
Methamphetamines	2.1	2.5	2.0	1.6	1.9	2.1	1.7	2.6	2.2	
Ritalin/Adderall	6.9	8.8 ▲	7.5	4.8 ▼	6.8	7.3	8.3 ▲	5.8 ▼	6.6	
Tranquilizers	10.2	12.2 ▲	10.2	8.1 ▼	9.6	10.3	11.9 ▲	10.2	10.6	
Narcotics	7.3	7.9	6.7	5.1 ▼	7.3	7.6	9.7 ▲	6.8	8.3	
Psychedelics#	3.9	4.3	3.1 ▼	3.3	3.8	4.3	3.8	3.5	4.5	
LSD	3.2	3.8	2.6 ▼	2.8	3.1	3.4	3.3	2.9	3.9 ▲	
Others	1.9	1.9	1.4	1.6	1.7	2.4 ▲	1.4	1.8	2.0	
Heroin	1.8	2.2	1.6	1.4	1.7	1.9	1.6	1.8	1.9	
Steroids	1.6	1.7	1.4	1.5	1.5	1.7	1.6	1.9	1.7	
Injected Drugs	1.8	2.0	1.9	1.4	1.5	1.9	1.6	1.9	2.0	
MDMA	3.3	5.3 ▲	2.6 ▼	2.7 ▼	2.5 ▼	3.8	3.6	2.7 ▼	3.3	
Rohypnol	1.4	1.7	1.5	1.1	1.3	1.7	1.3	1.1	1.4	
GHB	1.0	1.5 ▲	0.9	0.7	0.8	1.1	0.6	1.1	1.0	
Over the counter drugs	11.1	12.3	10.6	8.8 ▼	11.5	11.3	13.0 ▲	10.7	11.9	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	North Central	Northwest	West	Central	East	Southwest	Southeast
Cigarettes	22.0	23.4	20.7	19.8 ▼	20.5	20.4 ▼	28.8 ▲	21.2	27.0 ▲	
Cigars	14.8	15.4	15.3	11.7 ▼	14.5	14.3	18.6 ▲	14.3	17.4 ▲	
Pipe	7.7	10.8 ▲	6.7 ▼	4.8 ▼	8.1	9.0 ▲	8.2	6.2 ▼	7.8	
Smokeless Tobacco	9.7	7.9 ▲	8.5 ▼	6.0 ▼	11.5 ▲	8.7 ▼	12.9 ▲	10.8 ▲	14.4 ▲	
Alcohol	41.0	45.6 ▲	38.5 ▼	39.6	40.7	37.2 ▼	46.1 ▲	41.9	46.1 ▲	
Marijuana	17.0	22.5 ▲	14.7 ▼	15.4 ▼	15.9	16.9	22.5 ▲	14.5 ▼	17.1	
Cocaine	2.2	3.1 ▲	2.2	1.4 ▼	2.1	2.1	2.3	2.2	2.1	
Crack	1.5	1.6	1.6	1.1	1.4	1.7	1.6	1.4	1.3	
Inhalants	5.5	6.3	5.6	4.0 ▼	5.5	5.7	6.5	5.8	5.2	
Amphetamines	3.3	4.1 ▲	3.0	1.9 ▼	3.2	3.7	4.1	3.2	3.5	
Methamphetamines	1.4	1.6	1.3	0.9 ▼	1.1	1.6	1.4	1.8	1.3	
Ritalin/Adderall	4.9	6.8 ▲	5.6	3.2 ▼	5.0	5.2	5.5	4.0 ▼	3.9 ▼	
Tranquilizers	7.4	8.7 ▲	7.6	5.4 ▼	7.1	7.5	8.6	7.5	7.6	
Narcotics	5.0	5.1	4.5	3.4 ▼	4.7	5.7 ▲	6.4 ▲	5.1	5.6	
Psychedelics#	2.6	3.1	1.8 ▼	2.2	2.1	3.0 ▲	2.6	2.6	2.8	
LSD	2.2	2.7	1.5 ▼	1.9	1.6	2.6	2.1	2.2	2.4	
Others	1.3	1.4	1.0	0.9	1.2	1.7 ▲	1.2	1.4	1.2	
Heroin	1.2	1.7 ▲	1.0	0.8 ▼	1.3	1.5	1.2	1.2	1.0	
Steroids	1.1	1.1	1.0	0.8	0.9	1.2	1.4	1.5 ▲	1.1	
Injected Drugs	1.4	1.6	1.4	1.0	1.3	1.5	1.2	1.5	1.6	
MDMA	2.3	3.8 ▲	1.7 ▼	1.8	1.5 ▼	2.8 ▲	1.9	2.2	2.0	
Rohypnol	0.9	1.1	0.9	0.5 ▼	0.7	1.2 ▲	1.0	0.9	0.7	
GHB	0.7	0.9	0.6	0.5	0.4	0.8	0.5	0.9	0.5	
Over the counter drugs	8.1	9.3 ▲	7.8	6.3 ▼	7.9	8.6	8.0	8.1	8.6	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates ( $p < .05$ ).  
▼ indicates that local prevalence rates are significantly lower than state rates ( $p < .05$ ).

## Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	North	Northwest	North Central	North	Northwest	North Central	West	Central	East	Southwest	Southeast
Cigarettes	13.8	14.5	12.3 ▼	12.0 ▼	12.7	12.9	18.2 ▲	13.7	17.4 ▲					
Cigars	8.6	9.4	7.9	6.7 ▼	8.2	8.2	11.4 ▲	8.2	10.6 ▲					
Pipe	4.4	6.6 ▲	3.6 ▼	2.8 ▼	4.5	5.0 ▲	4.8	3.5 ▼	4.5					
Smokeless Tobacco	5.9	4.7 ▼	4.9 ▼	3.8 ▼	7.0 ▲	5.1 ▼	7.8 ▲	6.8 ▲	9.6 ▲					
Alcohol	22.1	25.8 ▲	19.0 ▼	21.8	19.3 ▼	19.8 ▼	24.4 ▲	23.6 ▲	26.9 ▲					
Marijuana	10.5	14.0 ▲	9.1 ▼	9.5	9.0 ▼	10.6	13.6 ▲	9.0 ▼	10.6					
Cocaine	1.2	1.8 ▲	1.2	0.8 ▼	1.0	1.3	1.1	1.0	1.0					
Crack	0.9	1.2	0.7	0.7	0.8	1.1	1.2	0.8	0.7					
Inhalants	2.6	2.9	2.6	1.7 ▼	2.3	2.6	3.4	3.1	2.6					
Amphetamines	1.8	2.0	1.4	1.2 ▼	1.5	2.2 ▲	2.0	1.8	1.8					
Methamphetamines	0.8	0.9	0.8	0.6	0.5	1.0	0.6	1.1	0.7					
Ritalin/Adderall	2.6	3.9 ▲	3.2	1.9 ▼	2.4	3.0	2.4	2.2	1.8 ▼					
Tranquilizers	4.0	4.8	3.7	3.4	3.5	4.1	4.4	4.1	4.1					
Narcotics	2.7	2.5	2.2	1.9 ▼	2.3	3.2 ▲	3.2	2.8	3.0					
Psychedelics#	1.3	1.6	0.8 ▼	1.1	1.1	1.6 ▲	1.4	1.4	0.9					
LSD	1.1	1.3	0.8	0.9	0.9	1.5 ▲	1.0	1.2	0.7					
Others	0.7	0.8	0.5	0.5	0.6	0.9	0.8	0.7	0.5					
Heroin	0.8	0.9	0.5	0.5	0.7	1.0	0.8	0.9	0.6					
Steroids	0.8	0.9	0.7	0.6	0.6	0.8	1.0	1.1	0.7					
Injected Drugs	1.0	1.2	0.8	0.8	0.9	1.1	1.0	0.9	1.1					
MDMA	1.1	2.0 ▲	0.8	0.7 ▼	0.6 ▼	1.6 ▲	1.0	1.0	0.9					
Rohypnol	0.5	0.4	0.4	0.4	0.5	0.8 ▲	0.6	0.6	0.4					
GHB	0.5	0.5	0.3	0.3	0.3	0.6	0.3	0.6	0.4					
Over the counter drugs	5.0	5.8	5.0	4.0 ▼	4.6	5.0	5.6	5.1	4.9					

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
<b>CIGARETTES</b>									
Daily Use	7.4	7.6	6.8	5.5 ▼	6.7	7.1	11.6 ▲	6.7	9.9 ▲
1/2+ Pack per Day	3.9	3.7	3.8	2.7 ▼	3.8	3.6	6.0 ▲	3.5	5.6 ▲
CIGARS	2.1	1.9	2.3	1.5 ▼	2.2	1.8	3.1 ▲	2.1	2.8 ▲
SMOKELESS TOBACCO	1.8	1.4	1.5	1.0 ▼	1.9	1.5	2.4 ▲	2.1	2.9 ▲
<b>ALCOHOL</b>									
Daily Use	1.9	2.7 ▲	2.0	1.6	1.5	1.7	1.6	2.2	2.1
Binge Drinking	15.5	19.2 ▲	13.5 ▼	15.9	14.0	13.1 ▼	18.4 ▲	15.6	18.4 ▲
MARIJUANA	2.9	3.7 ▲	2.9	2.7	2.3	2.9	4.6 ▲	2.0 ▼	3.3

NOTES: ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
 ▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	37.6	40.8 ▲	36.4	35.1 ▼	38.6	33.9 ▼	41.9 ▲	36.6	43.4 ▲
Cigars	25.0	27.4 ▲	25.3	21.8 ▼	26.4	22.7 ▼	27.1	24.9	27.6 ▲
Pipe	12.9	18.3 ▲	11.3	9.8 ▼	14.0	13.8 ▲	11.9	10.3 ▼	13.8
Smokeless Tobacco	15.6	14.0 ▼	13.5 ▼	10.6 ▼	21.5 ▲	12.5 ▼	18.9 ▲	16.6	19.6 ▲
Alcohol	56.9	62.1 ▲	52.4 ▼	56.7	56.6	52.8 ▼	55.9	57.4	63.4 ▲
Marijuana	29.1	34.2 ▲	25.7 ▼	26.8 ▼	28.4	29.2	32.0 ▲	26.7 ▼	31.7 ▲
Cocaine	4.2	6.3 ▲	4.3	3.1 ▼	4.1	4.0	4.2	3.6 ▼	5.0 ▲
Crack	2.4	2.6	2.2	1.9	2.2	2.6	2.6	2.2	2.8
Inhalants	9.2	10.5 ▲	9.3	6.8 ▼	9.6	8.0 ▼	11.5 ▲	10.0	10.1
Amphetamines	6.7	8.3 ▲	6.8	4.2 ▼	6.5	6.7	7.5	6.9	7.5
Methamphetamines	2.3	2.8	2.1	1.4 ▼	2.3	2.1	3.0	2.5	2.7
Ritalin/Adderall	9.6	12.6 ▲	11.3 ▲	6.9 ▼	8.9	9.2	9.5	10.2	8.8
Tranquilizers	12.0	14.4 ▲	11.7	9.3 ▼	11.9	11.4	12.7	12.1	13.5 ▲
Narcotics	10.3	12.0 ▲	10.0	7.2 ▼	10.0	10.3	11.0	10.4	12.2 ▲
Psychedelics#	5.0	5.7	3.9 ▼	4.4	4.8	5.2	5.1	5.1	5.6
LSD	4.1	4.4	3.1 ▼	3.3 ▼	4.0	4.2	4.1	4.1	4.9 ▲
Others	2.6	3.1	2.1	2.2	2.3	2.8	3.2	2.7	2.6
Heroin	1.8	2.3 ▲	2.0	1.0 ▼	1.6	1.8	2.7 ▲	1.7	2.1
Steroids	1.6	1.6	1.3	1.0 ▼	1.5	1.4	2.6 ▲	1.7	2.3 ▲
Injected Drugs	2.0	2.2	2.2	1.4 ▼	1.9	2.0	2.7	1.7	2.4
MDMA	4.4	7.1 ▲	3.3 ▼	3.2 ▼	3.0 ▼	5.2 ▲	5.3	3.4 ▼	4.6
Rohypnol	1.6	1.8	1.3	0.9 ▼	1.6	1.6	2.8 ▲	1.3	2.1 ▲
GHB	1.1	1.3	0.9	0.8	1.0	1.1	2.2 ▲	0.9	1.2
Over the counter drugs	13.1	15.2 ▲	13.1	11.4 ▼	11.8 ▼	12.7	14.3	12.5	15.1 ▲

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	27.4	29.4 ▲	26.3	24.2 ▼	28.6	24.7 ▼	30.3 ▲	27.9	31.1 ▲
Cigars	19.8	22.1 ▲	20.3	16.8 ▼	21.0	18.0 ▼	21.4	19.8	21.3 ▲
Pipe	10.8	15.7 ▲	9.2 ▼	8.0 ▼	11.6	11.6	9.6	8.7 ▼	11.7
Smokeless Tobacco	12.5	11.6	10.9 ▼	8.9 ▼	17.1 ▲	10.1 ▼	15.0 ▲	13.6 ▲	15.1 ▲
Alcohol	47.9	52.9 ▲	43.3 ▼	47.7	47.6	43.7 ▼	46.5	49.7 ▲	53.4 ▲
Marijuana	23.5	27.7 ▲	20.7 ▼	21.7 ▼	22.9	24.0	25.3	22.2 ▼	24.8
Cocaine	2.8	4.5 ▲	2.8	2.1 ▼	2.7	2.6	2.4	2.3 ▼	3.5 ▲
Crack	1.5	1.6	1.5	1.2	1.4	1.7	1.6	1.1 ▼	1.7
Inhalants	5.4	6.4 ▲	5.6	3.8 ▼	5.4	4.9	6.7 ▲	5.9	5.7
Amphetamines	4.7	6.1 ▲	5.1	3.0 ▼	4.3	4.6	5.3	4.7	5.2
Methamphetamines	1.5	2.0	1.6	0.9 ▼	1.7	1.4	2.1	1.6	1.6
Ritalin/Adderall	6.8	9.2 ▲	8.2 ▲	4.9 ▼	6.2	6.6	6.2	7.3	5.9 ▼
Tranquilizers	8.4	10.7 ▲	8.4	6.5 ▼	8.3	7.8	9.0	8.4	9.1
Narcotics	7.2	8.1	6.6	5.0 ▼	7.2	7.1	7.2	7.7	8.5 ▲
Psychedelics#	3.4	3.9	2.6 ▼	3.1	3.1	3.4	3.2	3.7	3.5
LSD	2.7	3.0	2.1 ▼	2.3	2.6	2.7	2.8	2.8	3.1
Others	1.8	2.4 ▲	1.4	1.7	1.6	1.9	2.1	2.0	1.5
Heroin	1.2	1.7 ▲	1.3	0.7 ▼	1.0	1.2	1.8	1.2	1.3
Steroids	1.1	1.1	0.9	0.8	1.0	0.9	1.8 ▲	1.1	1.5 ▲
Injected Drugs	1.5	1.7	1.7	1.0 ▼	1.3	1.6	2.1	1.4	1.8
MDMA	3.0	5.4 ▲	2.1 ▼	2.2 ▼	2.0 ▼	3.6 ▲	3.6	2.3 ▼	2.9
Rohypnol	1.1	1.3	0.8	0.6 ▼	1.1	1.2	1.6	1.0	1.3
GHB	0.7	0.9	0.5	0.5	0.7	0.7	1.4 ▲	0.7	0.9
Over the counter drugs	9.4	11.1 ▲	9.4	8.3 ▼	8.4	9.0	9.9	9.1	10.5 ▲

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
 ▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	18.1	20.9 ▲	17.1	15.4 ▼	18.5	16.6 ▼	20.3 ▲	17.9	21.0 ▲
Cigars	11.8	13.4 ▲	11.7	10.1 ▼	12.6	10.8 ▼	13.1	11.7	12.9 ▲
Pipe	5.8	8.7 ▲	5.0	4.7 ▼	6.2	6.1	4.6	4.5 ▼	6.2
Smokeless Tobacco	7.6	7.5	6.0 ▼	5.7 ▼	10.6 ▲	5.8 ▼	8.6	8.4 ▲	9.5 ▲
Alcohol	27.3	32.8 ▲	23.5 ▼	26.0	27.8	23.6 ▼	27.1	29.4 ▲	30.1 ▲
Marijuana	14.6	18.4 ▲	12.5 ▼	13.4 ▼	13.6	15.1	16.7 ▲	13.6	15.1
Cocaine	1.4	2.1 ▲	1.3	0.9 ▼	1.1	1.4	1.7	1.1	1.8 ▲
Crack	0.8	0.9	0.9	0.6	0.7	1.0	0.9	0.6	0.8
Inhalants	2.2	2.9 ▲	2.2	1.6 ▼	2.2	1.9	2.8	2.2	2.5
Amphetamines	2.4	3.1 ▲	2.7	1.6 ▼	2.0	2.6	3.1	2.3	2.4
Methamphetamines	0.9	1.1	0.9	0.4 ▼	0.9	0.8	1.2	1.0	0.8
Ritalin/Adderall	3.3	4.7 ▲	4.3 ▲	2.4 ▼	2.9	3.3	3.6	3.4	2.7 ▼
Tranquilizers	4.3	5.4 ▲	4.4	3.3 ▼	4.6	4.1	4.9	4.0	4.5
Narcotics	3.7	4.4 ▲	3.6	2.4 ▼	3.6	3.8	3.4	3.8	4.0
Psychedelics#	1.5	1.9	1.2	1.0 ▼	1.3	1.5	2.0	1.6	1.5
LSD	1.1	1.5	1.0	0.7 ▼	1.1	1.1	1.6	1.2	1.3
Others	0.8	1.3 ▲	0.7	0.6	0.7	0.8	1.5 ▲	0.9	0.6
Heroin	0.8	1.2 ▲	0.8	0.4 ▼	0.6	0.8	1.5 ▲	0.8	0.6
Steroids	0.7	0.7	0.5	0.4 ▼	0.7	0.6	1.5 ▲	0.6	0.9
Injected Drugs	1.1	1.3	1.2	0.6 ▼	1.1	1.2	1.6	0.9	1.1
MDMA	1.5	3.2 ▲	1.1	0.9 ▼	1.0 ▼	1.8	2.1 ▲	1.0 ▼	1.2
Rohypnol	0.6	0.8	0.4	0.3 ▼	0.5	0.7	1.1 ▲	0.5	0.7
GHB	0.5	0.6	0.3	0.2 ▼	0.5	0.4	0.9 ▲	0.5	0.5
Over the counter drugs	5.2	6.4 ▲	5.0	4.5	4.7	4.5 ▼	5.6	5.4	6.0 ▲

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
<b>CIGARETTES</b>									
Daily Use	10.3	11.0	9.5	8.0 ▼	10.6	9.3 ▼	12.7 ▲	10.1	12.8 ▲
1/2+ Pack per Day	5.5	6.4 ▲	4.9	3.9 ▼	5.6	4.9	8.1 ▲	5.1	7.4 ▲
<b>CIGARS</b>									
	3.2	3.8 ▲	3.2	2.7	3.8 ▲	2.6	4.2 ▲	2.9	3.9 ▲
<b>SMOKELESS TOBACCO</b>									
	2.9	2.3	1.8 ▼	2.1 ▼	5.1 ▲	1.9 ▼	2.8	3.0	4.5 ▲
<b>ALCOHOL</b>									
Daily Use	2.7	3.5 ▲	2.3	2.6	3.2 ▲	2.3	3.0	2.5	3.0
Binge Drinking	19.2	23.1 ▲	16.7 ▼	17.6 ▼	19.3	16.9 ▼	19.4	21.3 ▲	20.7 ▲
<b>MARIJUANA</b>									
	4.6	5.9 ▲	3.5 ▼	4.5	4.4	4.5	5.7 ▲	3.9	5.1 ▲

NOTES: ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
 ▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	42.0	44.0	42.0	39.1 ▼	41.9	38.1 ▼	46.4 ▲	41.1	50.7 ▲
Cigars	29.9	29.2	31.4	27.3 ▼	28.5	28.4 ▼	30.8	30.7	35.3 ▲
Pipe	16.9	23.2 ▲	16.0	13.5 ▼	16.6	18.9 ▲	14.1 ▼	13.3 ▼	18.3
Smokeless Tobacco	17.9	15.4 ▼	17.2	13.6 ▼	18.6	15.7 ▼	21.3 ▲	20.2 ▲	26.0 ▲
Alcohol	60.6	65.7 ▲	59.3	60.0	59.6	56.4 ▼	62.7	61.8	64.4 ▲
Marijuana	32.7	38.7 ▲	29.7 ▼	32.7	31.1	32.4	37.2 ▲	27.7 ▼	35.4 ▲
Cocaine	5.4	6.6 ▲	5.3	5.0	5.2	5.4	6.1	4.0 ▼	6.3
Crack	2.8	2.9	3.0	2.8	2.9	2.7	3.0	1.8 ▼	3.6 ▲
Inhalants	8.6	9.7	7.8	6.6 ▼	9.7	7.3 ▼	12.2 ▲	8.5	10.7 ▲
Amphetamines	8.1	9.7 ▲	8.6	6.3 ▼	7.9	8.6	8.9	6.8 ▼	8.9
Methamphetamines	2.6	2.2	3.2	2.4	3.0	2.5	2.5	2.2	3.4 ▲
Ritalin/Adderall	11.1	13.7 ▲	12.5 ▲	9.5 ▼	9.9	12.2 ▲	11.3	9.1 ▼	10.7
Tranquilizers	11.8	14.5 ▲	11.3	10.5 ▼	10.5	11.6	12.8	11.2	13.1
Narcotics	11.3	11.2	11.2	9.5 ▼	10.2	12.3	13.4 ▲	10.9	12.6
Psychedelics#	6.1	6.9	5.0 ▼	6.6	5.6	6.5	5.4	5.3	7.1
LSD	4.8	4.9	3.8 ▼	5.4	4.5	5.1	4.5	4.2	5.6
Others	3.7	4.5	2.8 ▼	3.7	3.6	4.2	3.2	3.1	3.7
Heroin	2.2	2.1	2.4	1.8	2.2	2.6	3.0	1.3 ▼	2.5
Steroids	1.8	2.0	1.7	1.5	2.0	1.7	2.4	1.7	2.0
Injected Drugs	2.1	2.3	1.8	2.1	1.8	2.3	1.7	1.7	2.9 ▲
MDMA	5.3	7.9 ▲	4.4	4.8	4.1 ▼	6.4 ▲	5.4	3.7 ▼	5.1
Rohypnol	1.6	2.0	1.8	1.4	1.5	1.5	2.1	1.0 ▼	1.8
GHB	1.3	1.6	1.3	1.0	1.0	1.4	2.2 ▲	0.9	1.3
Over the counter drugs	12.7	14.3 ▲	11.8	11.7	11.0 ▼	13.1	14.8 ▲	12.4	13.5

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	North Central	Northwest	West	Central	East	Southwest	Southeast
Cigarettes	31.1	31.1	31.5	29.2 ▼	30.1	28.5 ▼	32.8	31.1	38.6 ▲	
Cigars	23.4	23.1	24.9	21.3 ▼	21.2 ▼	22.3	23.2	24.9	27.1 ▲	
Pipe	13.9	20.1 ▲	12.8	11.2 ▼	13.2	15.5 ▲	11.1 ▼	10.8 ▼	14.9	
Smokeless Tobacco	13.9	12.8	13.5	10.8 ▼	13.1	11.9 ▼	16.1 ▲	16.0 ▲	20.2 ▲	
Alcohol	50.6	56.4 ▲	48.7	51.2	48.2 ▼	46.3 ▼	50.3	52.2	54.8 ▲	
Marijuana	25.4	30.6 ▲	23.5	26.0	23.1 ▼	24.8	27.8	22.1 ▼	27.2	
Cocaine	3.3	4.4 ▲	3.4	3.0	3.3	3.1	3.3	2.5 ▼	3.7	
Crack	1.5	1.7	1.6	1.5	1.6	1.5	2.1	1.0 ▼	2.0	
Inhalants	4.2	4.4	3.7	3.2 ▼	4.6	3.6 ▼	6.1 ▲	4.6	5.3 ▲	
Amphetamines	5.2	6.6 ▲	5.9	4.1 ▼	4.8	5.0	6.1	4.8	5.6	
Methamphetamines	1.6	1.4	2.3 ▲	1.6	1.6	1.4	1.9	1.3	2.3 ▲	
Ritalin/Adderall	7.4	9.7 ▲	9.2 ▲	6.5	5.8 ▼	7.9	7.3	6.2 ▼	6.7	
Tranquilizers	7.6	9.5 ▲	7.3	7.3	6.2 ▼	7.2	8.8	7.5	8.0	
Narcotics	7.5	7.9	7.4	6.5 ▼	6.2 ▼	7.8	9.2 ▲	7.4	8.3	
Psychedelics#	4.0	4.6	2.9 ▼	4.5	3.5	4.2	3.7	3.5	4.3	
LSD	3.0	3.3	2.3	3.6	2.5	3.1	2.7	2.5	3.6	
Others	2.4	3.0	1.8	2.6	2.6	2.6	2.2	2.1	2.1	
Heroin	1.4	1.4	1.8	1.1	1.5	1.6	1.5	0.7 ▼	1.9	
Steroids	1.2	1.2	1.2	0.9	1.4	1.1	1.6	1.2	1.3	
Injected Drugs	1.7	1.9	1.7	1.8	1.7	1.8	1.2	1.2 ▼	2.4 ▲	
MDMA	3.3	5.7 ▲	2.5 ▼	3.3	2.4 ▼	3.9 ▲	3.1	2.3 ▼	2.7	
Rohypnol	1.0	1.1	1.1	0.9	1.0	0.9	1.3	0.6 ▼	1.3	
GHB	0.9	1.0	0.8	0.8	0.9	0.8	1.4 ▲	0.5	1.1	
Over the counter drugs	8.1	9.7 ▲	7.6	7.9	7.1	8.2	8.9	7.8	8.4	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
 ▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northwest	North Central	West	Central	East	Southwest	Southeast
Cigarettes	21.4	21.4	21.3	19.6 ▼	20.3	19.8 ▼	24.3 ▲	20.6	27.7 ▲	
Cigars	13.9	13.9	15.2	12.1 ▼	11.9 ▼	13.0	15.9	14.9	16.4 ▲	
Pipe	7.5	10.6 ▲	7.3	6.0 ▼	7.2	8.5 ▲	6.1	5.0 ▼	8.8 ▲	
Smokeless Tobacco	8.8	8.7	8.2	6.5 ▼	7.9	6.8 ▼	10.3	10.4 ▲	14.2 ▲	
Alcohol	29.4	35.2 ▲	27.8	30.6	25.8 ▼	25.2 ▼	28.7	31.3 ▲	32.9 ▲	
Marijuana	15.3	19.8 ▲	14.3	16.5	13.3 ▼	14.6	17.8 ▲	12.7 ▼	15.6	
Cocaine	1.4	2.0 ▲	1.6	1.2	1.4	1.4	1.3	0.9 ▼	2.0 ▲	
Crack	0.9	1.1	1.1	0.7	1.0	1.0	1.1	0.5 ▼	1.0	
Inhalants	1.9	1.8	1.8	1.6	1.7	1.5	3.0 ▲	1.9	2.5 ▲	
Amphetamines	2.5	3.2 ▲	2.7	1.8 ▼	2.4	2.2	3.2	2.4	2.9	
Methamphetamines	0.9	1.0	1.3	0.8	0.8	0.9	1.0	0.7	0.9	
Ritalin/Adderall	3.4	4.8 ▲	4.6 ▲	2.9	3.2	3.5	3.7	2.2 ▼	3.3	
Tranquilizers	3.8	5.2 ▲	4.1	3.4	2.7 ▼	3.4	4.9	3.7	4.2	
Narcotics	3.9	4.2	4.3	3.2	3.2	3.7	4.6	3.6	5.2 ▲	
Psychedelics#	1.8	2.1	2.0	1.8	1.7	1.6	1.7	1.5	2.1	
LSD	1.3	1.4	1.3	1.4	0.9	1.3	1.4	1.1	1.6	
Others	1.1	1.4	1.4	1.2	1.4	0.8	0.9	1.0	1.1	
Heroin	0.8	0.9	1.0	0.5	0.8	1.0	1.2	0.4 ▼	1.1	
Steroids	0.8	0.8	0.9	0.6	0.8	0.7	0.8	0.8	0.9	
Injected Drugs	1.3	1.5	1.4	1.4	1.3	1.4	0.9	0.7 ▼	1.8	
MDMA	1.5	2.9 ▲	1.4	1.3	0.9 ▼	1.6	1.2	1.0 ▼	1.5	
Rohypnol	0.7	0.9	0.7	0.6	0.8	0.6	0.9	0.3 ▼	0.9	
GHB	0.5	0.6	0.7	0.5	0.6	0.5	0.8	0.3	0.8	
Over the counter drugs	4.4	5.8 ▲	4.7	4.1	3.5	3.9	5.4	4.0	5.1	

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
<b>CIGARETTES</b>									
Daily Use	12.9	13.0	12.8	11.8	12.0	12.1	16.2 ▲	11.3 ▼	17.3 ▲
1/2+ Pack per Day	7.0	6.4	7.4	5.7 ▼	7.1	6.4	8.9 ▲	6.7	9.8 ▲
CIGARS	3.7	3.6	3.9	3.7	3.4	2.9	4.7 ▲	3.2	5.1 ▲
SMOKELESS TOBACCO	3.8	2.7 ▼	3.5	2.8 ▼	3.8	2.6 ▼	5.1 ▲	4.5 ▲	7.4 ▲
<b>ALCOHOL</b>									
Daily Use	3.0	3.6	2.7	3.4	2.6	2.4	3.2	2.4	4.7 ▲
Binge Drinking	21.4	25.7 ▲	20.5	21.8	18.5 ▼	18.6 ▼	21.1	21.6	25.7 ▲
MARIJUANA	5.2	6.1 ▲	5.0	5.8 ▲	4.2	5.1	6.7 ▲	4.0 ▼	5.7

NOTES: ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
 ▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	46.9	47.8	46.2	42.1 ▼	51.2 ▲	42.3 ▼	49.7	48.3	51.1 ▲
Cigars	37.5	37.3	35.7	34.1 ▼	42.3 ▲	34.7 ▼	40.0	37.9	40.0 ▲
Pipe	22.9	31.5 ▲	19.7 ▼	15.6 ▼	26.8 ▲	25.3 ▲	19.0 ▼	18.1 ▼	24.3
Smokeless Tobacco	20.7	17.0 ▼	18.3 ▼	16.8 ▼	27.2 ▲	16.3 ▼	24.6 ▲	23.2 ▲	25.0 ▲
Alcohol	66.5	71.3 ▲	61.4 ▼	64.0 ▼	66.7	62.8 ▼	65.8	68.9 ▲	70.6 ▲
Marijuana	36.8	41.1 ▲	31.1 ▼	32.2 ▼	37.5	37.3	40.6 ▲	35.3	39.2 ▲
Cocaine	6.6	7.2	6.6	5.1 ▼	6.7	6.2	6.8	5.6 ▼	8.7 ▲
Crack	2.9	3.1	2.6	2.2	3.7 ▲	2.7	3.6	2.5	3.8 ▲
Inhalants	8.0	9.2 ▲	8.0	5.9 ▼	9.2 ▲	6.4 ▼	10.0 ▲	8.7	8.5
Amphetamines	8.5	9.3	7.5	5.3 ▼	9.8 ▲	8.5	11.3 ▲	8.4	9.4
Methamphetamines	2.7	2.1	2.6	1.7 ▼	3.2	2.5	2.4	3.1	3.4 ▲
Ritalin/Adderall	11.6	13.8 ▲	12.3	8.3 ▼	11.9	11.2	11.4	12.3	11.5
Tranquilizers	12.0	13.5 ▲	10.0 ▼	9.1 ▼	13.4	11.5	13.1	12.8	12.8
Narcotics	12.5	11.5	10.3 ▼	8.2 ▼	13.5	13.1	14.5	12.8	14.9 ▲
Psychedelics#	6.6	6.8	4.4 ▼	5.5 ▼	7.2	6.6	5.5	6.6	8.2 ▲
LSD	5.0	4.5	3.3 ▼	4.3	5.7	5.1	4.1	4.7	6.6 ▲
Others	4.1	4.4	2.2 ▼	3.0 ▼	4.6	4.3	3.5	4.6	4.7
Heroin	2.4	2.8	1.8	1.3 ▼	3.1 ▲	2.5	2.6	1.7 ▼	3.4 ▲
Steroids	2.1	2.5	1.4 ▼	1.9	2.7	1.8	1.8	2.0	2.6
Injected Drugs	2.0	2.4	1.8	1.4	2.6	1.8	2.2	1.5 ▼	2.6 ▲
MDMA	5.9	9.3 ▲	4.5 ▼	4.0 ▼	4.9	6.4	5.8	5.0 ▼	6.7
Rohypnol	1.6	1.6	1.2	1.0 ▼	2.0	1.8	1.4	1.4	1.9
GHB	1.3	1.2	0.9	0.6 ▼	1.6	1.3	0.9	1.4	1.6
Over the counter drugs	12.5	13.2	11.0	11.1	12.6	12.3	13.4	13.3	12.7

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Annual Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northwest	North Central	West	Central	East	Southwest	Southeast	
Cigarettes	35.3	35.7	34.4	31.0	38.8	▲	30.1	▼	37.0	37.6	▲
Cigars	30.2	29.5	27.2	▼	28.2	▼	33.3	▲	31.9	31.4	▲
Pipe	19.0	26.2	▲	15.6	▼	13.0	▼	22.1	▲	15.7	▼
Smokeless Tobacco	15.9	13.7	▼	14.1	▼	12.9	▼	19.9	▲	20.1	▲
Alcohol	56.3	61.2	▲	50.0	▼	53.8	▼	56.1	54.8	59.4	▲
Marijuana	27.5	31.7	▲	22.1	▼	23.6	▼	27.2	29.4	26.8	▲
Cocaine	3.5	4.2	3.3	2.4	▼	3.5	3.1	4.2	2.8	▼	5.1
Crack	1.6	1.5	1.4	1.0	▼	2.2	▲	1.9	1.2	1.2	▲
Inhalants	3.5	4.5	▲	3.0	2.6	▼	3.6	2.9	▼	4.2	4.3
Amphetamines	4.8	5.5	4.3	2.6	▼	5.3	4.9	6.6	▲	4.9	5.2
Methamphetamines	1.6	1.6	1.5	0.9	▼	2.1	1.4	1.0	1.8	1.9	1.9
Ritalin/Adderall	7.0	8.4	▲	6.7	4.8	▼	7.0	7.2	6.4	7.6	6.9
Tranquilizers	7.4	8.7	▲	5.5	▼	8.6	▲	6.9	8.8	8.3	7.8
Narcotics	7.8	7.6	5.7	▼	4.6	▼	8.8	8.2	9.6	▲	9.4
Psychedelics#	3.9	4.6	2.7	▼	3.0	▼	4.1	3.9	3.4	3.8	5.1
LSD	2.7	3.1	1.7	▼	2.2	3.2	2.6	1.9	2.5	2.5	3.9
Others	2.7	3.0	1.8	▼	1.7	▼	2.8	2.7	2.4	3.1	3.4
Heroin	1.5	2.1	▲	1.1	0.8	▼	2.0	1.2	2.0	1.1	▼
Steroids	1.3	1.7	0.9	1.1	1.6	1.1	1.1	1.0	1.1	1.1	1.9
Injected Drugs	1.5	1.6	1.5	1.3	2.0	2.0	1.2	1.8	1.1	▼	2.0
MDMA	3.5	6.1	▲	2.5	▼	3.2	3.7	3.4	2.7	▼	3.9
Rohypnol	1.0	1.2	0.8	0.6	1.1	1.1	1.0	0.5	0.9	1.2	1.2
GHB	0.8	0.9	0.7	0.4	▼	1.0	0.7	0.7	0.8	1.1	1.1
Over the counter drugs	7.6	7.9	5.9	▼	6.4	▼	7.3	7.7	8.9	8.3	8.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
 ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
 ▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
Cigarettes	24.4	24.1	23.4	21.2 ▼	26.6 ▲	20.2 ▼	27.0 ▲	25.6	29.3 ▲
Cigars	17.9	17.1	16.9	15.8 ▼	20.7 ▲	16.6 ▼	17.7	18.8	19.6 ▲
Pipe	10.3	14.0 ▲	8.9	7.4 ▼	11.6 ▲	11.8 ▲	8.0 ▼	7.8 ▼	11.0
Smokeless Tobacco	10.5	9.1 ▼	9.4	7.3 ▼	13.2 ▲	7.5 ▼	14.3 ▲	12.4 ▲	13.2 ▲
Alcohol	35.7	40.5 ▲	30.4 ▼	32.2 ▼	34.7	33.1 ▼	33.2	39.3 ▲	39.0 ▲
Marijuana	16.7	20.3 ▲	12.5 ▼	14.0 ▼	16.3	16.9	17.0	16.0	18.7 ▲
Cocaine	1.6	1.9	1.5	1.1	1.9	1.3	1.2	1.3	2.5 ▲
Crack	0.9	1.1	0.9	0.5	1.6 ▲	0.7	1.0	0.7	1.2
Inhalants	1.4	1.6	1.3	1.3	2.1 ▲	1.1	1.7	1.3	1.6 ▲
Amphetamines	2.3	2.6	2.0	0.9 ▼	2.6	2.1	3.6 ▲	2.3	2.7
Methamphetamines	0.9	1.0	0.7	0.4 ▼	1.6 ▲	0.7	0.4	1.1	1.2
Ritalin/Adderall	3.1	3.8	3.1	2.1 ▼	3.4	3.0	2.8	3.4	2.9
Tranquilizers	3.7	4.5	2.9	2.6 ▼	4.6 ▲	3.4	4.3	3.9	3.5
Narcotics	4.0	4.0	2.9 ▼	2.2 ▼	4.7	4.1	4.8	4.3	4.9 ▲
Psychedelics#	1.6	1.7	1.0 ▼	1.0 ▼	1.9	1.5	1.2	1.7	2.3 ▲
LSD	1.2	1.4	0.8	0.7 ▼	1.7 ▲	1.1	0.7	1.0	1.7 ▲
Others	1.1	1.2	0.5 ▼	0.7 ▼	1.4	1.1	0.8	1.3	1.6
Heroin	0.8	1.2	0.5	0.4 ▼	1.4 ▲	0.7	0.8	0.7	1.2
Steroids	0.8	1.2	0.5	0.7	1.2	0.6	0.7	0.6	1.2 ▲
Injected Drugs	1.2	1.3	1.4	0.9	1.6	1.0	1.2	0.8 ▼	1.6
MDMA	1.5	2.6 ▲	1.1	1.0	1.5	1.7	1.4	1.1 ▼	1.6
Rohypnol	0.6	0.9	0.5	0.4	1.0 ▲	0.5	0.1 ▼	0.6	0.8
GHB	0.5	0.8	0.5	0.3	0.7	0.4	0.3	0.4	0.7
Over the counter drugs	4.0	4.5	3.3	3.5	4.0	3.9	5.1	4.2	4.2

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.  
▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).

## Percentage Reporting Daily and Special Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 2009

DRUG	Indiana	Northwest	North Central	Northeast	West	Central	East	Southwest	Southeast
<b>CIGARETTES</b>									
Daily Use	14.7	14.5	13.0	12.1 ▼	16.4 ▲	12.1 ▼	18.6 ▲	14.8	18.8 ▲
1/2+ Pack per Day	8.2	6.8 ▼	7.7	6.5 ▼	9.4 ▲	6.9 ▼	11.2 ▲	8.0	11.1 ▲
<b>CIGARS</b>									
	4.2	3.7	3.4	3.9	5.3 ▲	3.1 ▼	5.6 ▲	4.2	5.2 ▲
<b>SMOKELESS TOBACCO</b>									
	4.8	3.9	3.9	3.1 ▼	6.1 ▲	2.9 ▼	7.5 ▲	6.0 ▲	6.6 ▲
<b>ALCOHOL</b>									
Daily Use	4.0	4.3	2.7 ▼	3.7	4.7 ▲	2.8 ▼	4.3	4.6 ▲	5.4 ▲
Binge Drinking	26.4	28.4 ▲	22.2 ▼	24.1 ▼	25.6	24.0 ▼	24.4	29.0 ▲	30.8 ▲
<b>MARIJUANA</b>									
	5.8	7.0 ▲	4.7	5.1	5.8	5.5	7.7 ▲	5.1	6.9 ▲

NOTES: ▲ indicates that local prevalence rates are significantly higher than state rates (p<.05).  
▼ indicates that local prevalence rates are significantly lower than state rates (p<.05).