



II. STATEWIDE PREVALENCE OF USE

Statewide Prevalence Rates by Grade: Lifetime and Monthly Use

• Grade 6	62
• Grade 7	64
• Grade 8	66
• Grade 9	68
• Grade 10	70
• Grade 11	72
• Grade 12	74

Mean Age of First Time Use of Alcohol, Tobacco, and Other Drugs	76
--	-----------

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Change*	
Cigarettes	29.2	28.8	27.6	27.7	27.3	26.3	23.3	21.8	20.6	17.7	17.6	17.7	14.6	11.9	11.1	9.8	8.9	8.1	7.3	-0.8	
Smokeless tobacco	8.5	9.0	7.7	7.1	6.7	4.6	3.7	4.0	3.5	2.9	3.2	3.0	2.9	2.7	2.4	2.5	2.0	2.8	2.5	-0.3	
Cigars	--	--	--	--	--	9.7	8.4	7.7	10.5	6.9	6.8	7.0	6.0	5.4	4.8	4.5	3.6	2.2	1.9	-0.3	
Pipe	--	--	--	--	--	3.2	3.1	2.9	--	2.1	2.2	2.4	2.0	1.8	1.3	1.2	1.0	1.3	1.3	0.3	
Alcohol	37.8	36.1	32.4	29.3	32.3	25.7	26.9	25.8	29.6	29.4	29.4	29.7	26.1	25.2	22.5	21.2	19.2	18.3	17.4	-0.9	
Marijuana	2.2	2.9	3.6	5.1	4.7	5.0	4.2	3.8	4.5	4.8	4.6	4.5	3.9	2.9	3.0	2.5	2.4	2.8	3.1	0.3	
Cocaine	0.1	0.5	0.6	0.8	0.8	0.9	0.7	0.7	0.8	0.7	0.8	0.7	0.8	0.6	0.5	0.4	0.4	0.6	0.6	0.6	
Crack	0.1	0.6	0.6	1.0	0.9	1.0	0.9	0.8	1.1	1.0	1.0	1.0	1.1	0.8	0.7	0.5	0.6	0.6	0.6	0.6	
Inhalants	7.8	8.4	8.1	8.1	10.1	7.9	7.3	6.4	6.9	6.1	7.2	8.1	7.3	6.5	6.2	5.6	4.8	1.9	1.8	1.8	
Amphetamines	1.5	1.6	1.3	1.5	1.5	1.3	0.9	0.9	1.0	0.8	0.7	0.7	0.6	0.5	0.4	0.4	0.3	0.5	0.4	0.4	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	0.7	0.5	0.4	0.4	0.4	0.5	0.5	0.5	
Heroin	0.1	0.5	0.4	0.8	0.7	0.9	0.6	0.6	0.8	0.7	0.7	0.7	0.6	0.5	0.4	0.3	0.4	0.5	0.4	0.4	
Steroids	1.2	1.5	1.0	1.4	1.4	1.3	1.4	1.2	1.1	0.9	1.0	1.1	0.9	0.8	0.7	0.6	0.6	0.6	0.6	0.6	
Ecstasy	--	--	--	--	--	--	--	--	--	0.7	0.6	0.7	0.5	0.4	0.3	0.2	0.2	0.5	0.4	0.4	
Tranquilizers	4.3	4.4	4.0	4.2	5.1	4.7	4.1	3.7	4.0	4.3	4.4	4.4	4.1	3.9	4.0	3.6	3.4	0.5	0.5	0.5	
Hallucinogens	--	--	--	--	--	--	--	--	--	0.8	0.7	0.7	0.5	0.5	0.3	0.3	0.3	0.4	0.4	0.4	
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.2	1.1	1.1
Prescription drugs	--	--	--	--	--	1.4	1.0	1.2	1.3	1.1	1.1	1.1	1.1	0.9	1.0	0.9	0.9	1.1	1.0	1.0	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.7	4.1	3.6	1.4	1.1	-0.3	

NOTES: -- Data not available
* Statistically significant changes between 2010 and 2011 prevalence rates (p<.05).

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 6th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Change*	
Cigarettes	8.5	10.0	9.3	9.7	9.7	9.5	8.2	7.0	5.7	6.0	4.8	5.1	5.4	4.2	3.3	2.8	2.6	2.3	3.3	2.6	-0.7
Smokeless tobacco	3.5	4.0	3.3	3.1	3.1	3.1	1.9	1.4	1.4	1.4	1.2	1.4	1.3	1.1	1.1	0.9	1.0	0.8	1.2	1.0	-0.2
Cigars	--	--	--	--	--	3.9	3.3	2.9	3.8	3.8	2.4	2.5	2.5	2.2	1.8	1.6	1.5	1.2	0.9	0.7	-0.2
Pipe	--	--	--	--	--	1.5	1.0	0.8	--	0.8	0.9	0.8	0.7	0.7	0.7	0.5	0.6	0.5	0.7	0.6	0.6
Alcohol	13.6	13.7	11.4	10.7	11.5	9.5	9.9	9.2	9.5	9.5	9.5	9.9	9.8	8.1	7.6	6.9	6.3	5.6	6.2	5.3	-0.9
Binge drinking#	8.0	8.1	7.2	7.6	7.6	8.7	8.2	7.9	6.7	6.6	5.3	5.9	4.5	4.2	4.9	4.2	4.2	4.2	5.5	5.5	5.8
Marijuana	1.2	1.7	1.9	3.0	2.7	2.2	2.2	1.8	2.4	2.2	2.3	2.5	1.8	1.4	1.4	1.3	1.1	1.1	1.5	1.5	1.6
Cocaine	0.1	0.3	0.3	0.6	0.5	0.5	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.4	0.3	0.3
Crack	0.1	0.3	0.3	0.6	0.5	0.6	0.3	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.2	0.4	0.3	0.3
Inhalants	3.8	4.1	3.6	3.8	4.9	3.6	3.4	2.7	3.1	2.5	3.2	3.6	3.1	2.9	2.3	2.3	2.3	1.8	1.0	0.9	0.9
Amphetamines	0.1	0.9	0.6	1.0	0.9	0.6	0.5	0.3	0.4	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	0.3	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3
Heroin	0.1	0.3	0.2	0.5	0.4	0.4	0.3	0.3	0.4	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.3	0.2	0.2
Steroids	0.1	0.6	0.4	0.7	0.7	0.6	0.5	0.4	0.5	0.4	0.4	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.3	0.2	0.2
Ecstasy	--	--	--	--	--	--	--	--	--	0.4	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.3	0.2	0.2
Tranquilizers	2.0	2.2	1.6	1.9	2.4	2.0	1.8	1.6	1.7	1.7	1.8	1.9	1.7	1.5	1.5	1.4	1.3	1.3	0.3	0.3	0.3
Hallucinogens	--	--	--	--	--	--	--	--	--	0.4	0.3	0.3	0.3	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.3
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7	0.6
Prescription drugs	--	--	--	--	--	0.7	0.5	0.5	0.6	0.4	0.4	0.5	0.4	0.3	0.4	0.4	0.4	0.3	0.7	0.6	0.6
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.4	2.3	1.9	0.8	0.7	0.7

NOTES: -- Data not available

* Statistically significant changes between 2010 and 2011 prevalence rates ($p < .05$).

Binge drinking during the past two weeks.

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Change*		
Cigarettes	38.6	40.1	39.8	40.2	38.5	35.1	34.0	31.2	29.1	26.3	23.4	24.6	22.0	19.7	17.9	16.4	16.1	13.9	13.2	13.2	-0.7	
Smokeless tobacco	13.9	14.9	14.6	12.7	11.5	8.1	7.3	5.9	5.2	5.3	4.8	6.1	4.8	5.0	4.3	4.4	4.9	4.9	5.1	5.1	5.1	0.0
Cigars	--	--	--	--	--	15.1	14.3	12.3	14.9	11.5	9.8	10.6	9.6	8.3	8.6	8.3	8.1	8.1	4.5	4.3	4.3	0.0
Pipe	--	--	--	--	--	5.1	5.0	5.0	--	3.6	3.6	3.8	3.2	2.9	3.0	2.8	2.7	2.8	3.2	3.2	3.2	0.4
Alcohol	48.7	47.4	44.4	44.0	42.4	36.2	37.5	36.5	39.5	39.4	37.7	38.3	34.0	33.3	32.7	29.8	29.3	28.0	26.1	26.1	26.1	-1.9
Marijuana	5.3	7.7	9.5	12.8	10.2	9.9	9.4	8.8	9.8	9.3	8.7	8.7	8.0	6.8	7.7	6.4	6.9	6.8	7.3	7.3	7.3	0.5
Cocaine	1.0	1.2	1.3	2.1	1.6	1.6	1.6	1.2	1.2	1.5	1.6	1.6	1.3	1.5	1.2	1.2	1.3	1.0	1.0	1.1	1.1	0.1
Crack	0.1	1.3	1.3	1.9	1.4	1.7	1.6	1.4	1.5	1.8	1.6	1.9	1.6	1.5	1.3	1.3	1.4	1.0	1.0	1.1	1.1	0.0
Inhalants	9.8	12.0	12.3	13.5	12.9	10.6	8.8	7.9	7.8	7.6	8.8	10.3	8.9	9.0	7.9	7.5	7.2	3.6	3.2	3.2	3.2	-0.4
Amphetamines	3.9	4.5	4.6	5.7	3.5	3.0	2.5	2.4	2.1	2.4	2.1	2.0	1.5	1.4	1.2	1.1	1.2	0.9	1.0	1.0	1.0	0.0
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.2	1.2	1.0	0.9	0.9	0.9	0.9	1.0	1.0	0.0
Heroin	1.0	1.2	1.1	1.2	1.3	1.1	1.0	0.9	1.0	1.1	1.2	1.2	1.0	1.1	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.0
Steroids	2.2	2.4	1.7	2.0	1.8	1.6	2.1	1.5	1.3	1.6	1.5	1.6	1.3	1.2	1.2	1.1	1.2	0.8	1.0	1.0	1.0	0.0
Ecstasy	--	--	--	--	--	--	--	--	--	1.8	1.8	1.5	1.2	1.2	1.0	0.9	0.9	1.0	1.1	1.1	1.1	0.0
Tranquilizers	6.5	6.8	6.7	8.5	7.4	7.1	6.2	6.4	6.0	6.8	6.5	7.2	6.0	6.0	5.6	5.5	5.9	0.9	0.9	0.9	0.9	0.0
Hallucinogens	--	--	--	--	--	--	--	--	--	1.7	1.6	1.5	1.2	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.0
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.6	2.7	2.7	0.0
Prescription drugs	--	--	--	--	--	2.5	2.1	2.4	1.9	2.0	1.9	1.9	1.9	1.8	2.2	1.9	1.9	2.4	2.4	2.4	2.4	0.0
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.5	6.4	6.1	2.7	2.8	2.8	2.8	0.0

NOTES: -- Data not available
* Statistically significant changes between 2010 and 2011 prevalence rates (p<.05).

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 7th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Change*
Cigarettes	14.5	16.9	17.7	19.0	16.3	14.0	12.3	11.0	9.9	9.1	8.1	8.9	7.5	6.7	6.2	5.4	5.6	6.4	6.0	6.0
Smokeless tobacco	6.7	7.5	7.1	6.7	5.2	3.9	2.7	2.2	2.1	2.3	2.1	2.8	2.2	2.3	2.0	2.0	2.3	2.1	2.1	2.2
Cigars	--	--	--	--	--	6.9	5.8	5.3	6.0	4.6	3.7	4.5	3.7	3.2	3.6	3.3	3.4	1.9	1.6	-0.3
Pipe	--	--	--	--	--	2.4	1.8	2.1	--	1.5	1.5	1.6	1.2	1.2	1.5	1.3	1.4	1.6	1.5	1.5
Alcohol	21.8	21.5	19.6	21.3	18.4	16.8	16.8	16.5	16.1	15.2	14.7	15.3	12.7	12.9	12.2	11.2	10.8	11.6	10.2	-1.4
Binge drinking#	12.7	13.0	12.3	13.5	12.0	12.3	12.4	12.4	9.7	10.0	8.0	8.9	6.8	7.0	8.3	7.5	7.7	7.7	7.7	7.9
Marijuana	2.7	4.8	5.4	7.9	5.7	5.5	5.1	5.2	5.2	4.7	4.6	4.5	4.1	3.6	3.9	3.2	3.5	3.8	4.1	4.1
Cocaine	0.1	0.8	0.7	1.3	1.0	0.9	0.7	0.7	0.6	0.8	0.9	0.8	0.7	0.8	0.7	0.6	0.6	0.6	0.6	0.6
Crack	0.1	0.7	0.7	1.2	0.9	0.9	0.8	0.7	0.7	0.7	0.9	0.9	0.8	0.8	0.6	0.6	0.7	0.6	0.7	0.7
Inhalants	4.7	6.1	5.6	7.0	6.6	4.8	3.7	3.3	3.1	3.0	3.7	4.8	3.7	3.6	3.1	3.0	2.7	1.7	1.4	-0.3
Amphetamines	2.2	2.7	2.4	3.3	2.3	1.7	1.2	1.2	1.1	1.1	1.0	1.1	0.7	0.8	0.6	0.6	0.6	0.5	0.5	0.5
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	0.6	0.6	0.5	0.4	0.5	0.5	0.5	0.5
Heroin	0.1	0.8	0.6	0.9	0.8	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.5	0.5	0.4	0.5	0.4	0.4	0.4	0.4
Steroids	0.1	1.3	0.9	1.0	0.8	0.6	1.0	0.7	0.7	0.8	0.7	0.8	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5
Ecstasy	--	--	--	--	--	--	--	--	--	1.0	0.9	0.8	0.6	0.6	0.6	0.4	0.4	0.5	0.5	0.5
Tranquilizers	3.1	3.7	3.3	5.0	4.1	4.0	3.2	3.3	3.0	3.2	2.9	3.3	2.7	2.8	2.5	2.3	2.6	2.6	2.6	0.5
Hallucinogens	--	--	--	--	--	--	--	--	--	0.8	0.8	0.8	0.7	0.5	0.5	0.4	0.5	0.4	0.5	0.5
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.5	1.5
Prescription drugs	--	--	--	--	--	1.4	1.0	1.2	0.8	0.8	0.9	0.8	0.8	0.8	1.0	0.8	0.8	1.5	1.4	1.4
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.4	3.5	3.0	1.6	1.6	1.6

NOTES: -- Data not available

* Statistically significant changes between 2010 and 2011 prevalence rates ($p < .05$).

Binge drinking during the past two weeks.

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	National ^{###} Change* 2010	
Cigarettes	50.0	51.3	52.4	53.7	52.6	49.5	45.7	43.7	39.9	37.4	35.1	34.7	32.1	30.2	28.1	25.5	25.0	22.4	20.6	-1.8	20.0
Smokeless tobacco	18.9	20.1	19.2	17.9	16.7	12.4	10.9	10.9	8.2	7.7	7.3	8.3	7.3	8.3	7.2	7.9	8.4	9.1	8.6	-0.5	9.9
Cigars	--	--	--	--	--	24.4	22.5	21.3	22.1	17.4	16.4	16.1	15.8	14.6	14.7	14.2	13.7	9.7	8.1	-1.6	--
Pipe	--	--	--	--	--	8.0	8.6	7.8	--	5.5	5.5	5.6	5.2	4.9	5.8	5.5	5.6	6.3	6.0	--	--
Alcohol	60.9	61.7	60.2	59.1	59.4	51.5	53.0	51.0	53.3	52.6	51.7	52.0	49.0	46.5	45.4	44.0	41.6	41.7	37.7	-4.0	35.8
Marijuana	12.0	16.0	20.2	24.3	23.0	22.1	19.7	19.0	19.5	20.0	19.1	18.6	17.6	15.6	16.1	14.4	15.0	15.3	14.6	-0.7	17.3
Cocaine	2.0	2.5	2.9	3.6	3.5	3.2	2.6	2.6	2.7	2.6	2.9	2.7	2.9	2.5	2.4	2.1	2.2	2.0	2.0	2.0	2.6
Crack	1.5	2.0	2.4	3.0	2.9	2.9	2.4	2.4	2.5	2.3	2.7	2.4	2.6	2.2	2.0	1.8	1.9	1.7	1.7	1.5	1.5
Inhalants	14.5	15.3	18.1	17.4	17.6	13.9	12.0	11.2	10.3	9.3	10.7	11.0	11.3	10.4	10.5	9.5	9.0	6.5	5.4	-1.1	14.5
Amphetamines	9.0	9.1	10.6	10.0	9.1	6.6	5.8	5.6	5.5	5.0	4.7	4.3	3.7	3.2	3.0	2.6	2.7	2.5	2.3	2.3	5.7
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	2.4	2.0	1.6	1.5	1.5	1.5	1.5	1.5	1.8
Heroin	1.4	1.7	1.8	2.2	1.8	1.9	1.3	1.6	1.7	1.4	1.8	1.5	1.6	1.5	1.3	1.4	1.5	1.3	1.2	1.3	1.3
Steroids	2.6	2.7	2.6	2.1	2.3	2.5	2.1	2.5	2.2	2.1	2.2	2.2	1.8	1.5	1.5	1.5	1.4	1.3	1.3	1.1	1.1
Ecstasy	--	--	--	--	--	--	--	--	--	3.4	3.3	2.7	2.5	2.3	2.3	2.0	2.1	2.3	2.2	3.3	3.3
Tranquilizers	10.3	10.7	11.4	11.9	12.5	11.5	10.1	10.3	10.2	10.2	10.7	10.2	9.8	8.9	9.1	8.6	8.5	2.1	1.9	4.4	4.4
Hallucinogens	--	--	--	--	--	--	--	--	--	3.8	3.2	2.6	2.7	2.3	2.2	2.0	2.1	2.3	2.3	3.4	3.4
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.3	5.6	-0.7	--
Prescription drugs	--	--	--	--	--	4.2	3.9	4.2	4.0	3.5	3.6	3.1	3.5	3.1	4.5	4.1	4.2	5.3	4.8	-0.5	--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.2	9.7	9.4	5.0	-0.4	--

NOTES: -- Data not available
 * Statistically significant changes between 2010 and 2011 prevalence rates (p<.05).
 ### Monitoring the Future Study, the University of Michigan, 2011

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 8th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	National ^{##} Change* 2010		
Cigarettes	21.1	24.2	26.3	27.1	25.8	24.1	19.7	18.2	16.1	14.7	14.0	13.4	12.5	11.6	10.8	9.7	9.9	10.8	10.0	-0.8	7.1	
Smokeless tobacco	9.0	10.6	9.3	8.6	7.2	5.6	4.6	4.5	3.5	3.4	3.2	3.8	3.3	3.8	3.3	3.7	4.1	3.9	3.9	4.1	4.1	
Cigars	--	--	--	--	--	12.0	9.6	9.7	10.0	6.6	6.8	6.7	6.5	5.9	6.4	6.2	5.9	3.9	3.2	3.2	-0.7	--
Pipe	--	--	--	--	--	3.5	3.5	3.1	--	2.2	2.2	2.3	2.1	2.0	3.1	2.7	2.8	3.1	3.0	3.0	--	--
Alcohol	30.9	32.0	31.3	31.3	30.3	27.2	27.7	26.4	24.7	24.9	24.3	23.5	21.1	20.9	19.9	18.8	17.5	19.3	16.7	16.7	-2.6	13.8
Binge drinking [#]	18.5	18.6	18.4	19.0	18.9	19.7	19.5	18.6	14.8	15.5	13.4	13.4	11.6	11.0	13.2	12.2	12.5	12.0	11.1	11.1	-0.9	7.2
Marijuana	6.5	9.9	13.1	15.2	13.8	12.8	11.3	11.3	11.3	11.1	10.6	9.8	9.3	8.2	8.3	7.1	7.8	8.9	8.3	8.3	-0.6	8.0
Cocaine	0.1	1.3	1.4	1.7	1.9	1.5	1.1	1.1	1.3	1.2	1.3	1.2	1.4	1.1	1.1	0.9	0.9	1.1	1.0	1.0	0.6	0.6
Crack	0.1	1.0	1.1	1.4	1.4	1.3	1.1	1.0	1.2	0.9	1.2	1.0	1.2	1.0	0.9	0.8	0.7	0.9	0.9	0.9	0.4	0.4
Inhalants	6.5	7.5	8.4	8.0	8.2	5.7	4.8	4.4	4.0	3.4	4.2	4.7	4.3	4.1	3.7	3.3	3.2	2.7	2.3	2.3	-0.4	3.6
Amphetamines	5.1	5.2	5.9	5.6	5.3	3.3	2.8	2.8	2.8	2.4	2.4	2.1	1.9	1.4	1.4	1.2	1.2	1.2	1.2	1.2	1.8	1.8
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.1	0.9	0.7	0.7	0.6	0.8	0.9	0.9	0.7	0.7
Heroin	0.1	1.0	0.9	1.1	1.1	1.0	0.6	0.7	0.8	0.7	0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.7	0.7	0.7	0.4	0.4
Steroids	1.2	1.3	1.0	1.0	1.0	1.1	0.9	0.9	1.0	0.9	1.0	0.9	0.8	0.7	0.7	0.6	0.7	0.7	0.7	0.7	0.3	0.3
Ecstasy	--	--	--	--	--	--	--	--	--	1.6	1.5	1.3	1.1	1.0	0.9	0.8	0.9	1.1	1.1	1.1	1.1	1.1
Tranquilizers	5.6	5.7	5.8	6.0	6.5	5.7	5.2	5.1	5.2	4.8	5.1	4.9	4.7	4.1	3.9	3.7	3.6	1.1	1.0	1.0	1.2	1.2
Hallucinogens	--	--	--	--	--	--	--	--	--	1.5	1.3	1.2	1.2	0.9	0.9	0.9	0.9	1.1	1.2	1.2	1.0	1.0
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.4	3.0	-0.4	--
Prescription drugs	--	--	--	--	--	2.0	1.7	2.0	1.7	1.3	1.4	1.3	1.5	1.3	1.9	1.7	1.8	3.0	2.7	2.7	-0.3	--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.2	5.1	4.9	2.9	2.7	2.7	--	--

NOTES: -- Data not available

* Statistically significant changes between 2010 and 2011 prevalence rates ($p < .05$).

Binge drinking during the past two weeks.

Monitoring the Future Study, the University of Michigan, 2011

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Change*	
Cigarettes	56.5	57.4	58.7	61.4	57.3	55.8	53.7	50.6	47.2	43.6	39.8	40.7	36.8	36.3	33.5	32.0	31.1	28.6	27.2	-1.4	
Smokeless tobacco	24.3	25.8	26.2	24.2	21.3	18.7	15.0	14.2	11.9	12.4	10.5	12.2	10.7	11.6	10.8	11.6	12.0	13.7	13.1		
Cigars	--	--	--	--	--	31.0	28.7	26.8	29.8	23.1	20.7	21.3	20.6	20.4	19.4	19.3	19.0	15.6	14.9		
Pipe	--	--	--	--	--	10.9	10.1	9.7	--	7.6	7.1	7.3	6.5	6.9	9.1	9.1	9.3	10.4	10.4		
Alcohol	70.2	69.9	68.7	69.7	65.9	61.8	61.4	59.8	62.6	59.9	58.4	58.4	55.2	55.5	51.7	50.6	49.7	48.8	47.7	-1.1	
Marijuana	18.4	23.9	26.1	35.0	28.9	30.7	27.8	26.7	28.4	28.1	25.2	24.0	22.9	22.5	21.2	21.3	21.0	22.4	23.0		
Cocaine	2.5	3.7	3.7	4.9	4.8	5.3	4.2	3.9	3.8	4.3	4.3	4.7	4.2	4.4	3.7	3.6	3.1	3.0	2.9		
Crack	1.8	2.5	2.7	4.0	3.5	4.2	3.3	3.0	3.0	3.1	3.2	3.3	3.0	3.0	2.4	2.5	2.2	2.2	1.9		
Inhalants	13.3	17.4	17.3	18.3	16.7	15.7	12.3	11.6	11.1	9.9	9.8	11.3	10.9	11.4	9.8	9.7	9.1	8.2	6.9	-1.3	
Amphetamines	13.5	14.8	14.3	16.7	13.3	12.0	9.9	10.1	10.0	9.7	8.6	8.6	7.0	6.8	5.3	5.1	4.8	4.9	4.3	-0.6	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	3.5	3.0	2.2	2.0	2.1	2.0	1.9		
Heroin	1.5	2.0	1.9	2.4	2.1	2.1	1.7	1.6	1.8	1.8	2.0	2.0	2.1	1.9	1.5	1.8	1.8	1.8	1.6		
Steroids	2.8	3.0	2.6	2.5	2.3	2.5	2.4	2.8	2.5	2.4	2.6	2.7	2.3	1.8	1.7	1.7	1.6	1.6	1.5		
Ecstasy	--	--	--	--	--	--	--	--	--	5.4	4.2	4.1	3.6	3.7	3.2	3.3	3.3	3.7	3.4		
Tranquilizers	11.1	13.8	13.4	15.3	15.0	14.9	13.7	14.0	14.2	14.4	13.2	13.6	12.3	12.4	10.9	10.4	10.2	3.6	3.3	-0.3	
Hallucinogens	--	--	--	--	--	--	--	--	--	6.3	4.5	4.3	3.9	3.4	2.9	3.4	3.2	3.9	3.6		
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.9	9.4	
Prescription drugs	--	--	--	--	--	6.8	5.0	6.2	6.3	5.3	5.1	4.9	5.4	5.4	7.3	7.4	6.9	8.8	8.2	-0.6	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12.3	11.7	11.1	7.9	7.2	-0.7	

NOTES: -- Data not available
* Statistically significant changes between 2010 and 2011 prevalence rates (p<.05).

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 9th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Change*		
Cigarettes	26.2	29.4	30.8	34.4	30.5	28.9	25.4	24.9	21.8	19.1	17.9	18.2	16.4	16.5	14.7	14.7	13.8	15.2	14.4	14.4	-0.8	
Smokeless tobacco	12.2	13.3	13.2	12.5	9.8	8.3	6.5	6.5	5.4	5.2	4.9	5.6	5.2	5.7	5.3	6.0	5.9	6.6	6.2	6.2	-0.4	
Cigars	--	--	--	--	--	15.5	13.2	12.6	14.1	9.2	8.3	9.1	8.6	8.8	8.7	8.6	8.6	6.3	6.0	6.0	6.0	
Pipe	--	--	--	--	--	4.5	4.1	4.2	--	2.9	2.7	3.2	2.7	3.0	4.4	4.4	4.4	5.2	4.8	4.8	-0.4	
Alcohol	38.2	39.6	38.5	40.8	36.0	36.7	36.2	35.3	33.2	30.5	30.8	29.4	26.6	28.5	24.8	24.5	22.1	24.4	23.8	23.8	23.8	
Binge drinking#	23.3	23.6	23.3	25.5	23.1	25.7	24.3	24.3	19.7	19.8	17.9	17.3	14.8	15.6	16.9	16.2	15.5	15.2	15.3	15.3	15.3	
Marijuana	10.6	15.2	15.9	22.8	17.2	18.4	16.2	15.6	16.1	14.6	13.9	12.1	11.5	11.4	10.3	10.4	10.5	12.7	13.0	13.0	13.0	
Cocaine	0.1	1.6	1.7	2.4	2.2	2.4	1.4	1.6	1.6	1.6	1.8	2.0	1.7	1.7	1.4	1.4	1.2	1.4	1.4	1.4	1.4	
Crack	0.1	1.4	1.3	2.1	1.5	1.9	1.2	1.3	1.2	1.1	1.2	1.4	1.3	1.1	0.9	0.9	0.9	1.1	1.0	1.0	1.0	
Inhalants	5.2	7.3	6.9	7.2	6.1	5.8	4.4	4.2	3.7	3.0	3.0	3.9	3.6	3.6	2.9	3.0	2.6	2.8	2.2	2.2	-0.6	
Amphetamines	6.4	7.8	7.2	8.9	6.8	5.9	4.8	5.1	5.2	4.3	3.6	3.8	3.0	3.0	2.0	2.1	1.8	2.1	1.9	1.9	1.9	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.5	1.2	0.8	0.9	0.8	0.9	0.9	0.9	0.9	
Heroin	0.1	1.1	0.9	1.3	1.0	0.9	0.6	0.7	0.8	0.7	0.9	0.9	0.9	0.8	0.7	0.8	0.8	0.9	0.8	0.8	0.8	
Steroids	1.3	1.4	1.2	1.2	1.1	1.1	0.9	1.0	1.1	1.0	1.2	1.1	0.9	0.9	0.8	0.8	0.8	0.9	0.8	0.8	-0.1	
Ecstasy	--	--	--	--	--	--	--	--	--	1.9	1.5	1.6	1.3	1.5	1.2	1.3	1.1	1.7	1.4	1.4	1.4	
Tranquilizers	5.2	7.1	6.2	7.7	7.9	7.5	7.2	7.4	7.3	6.7	5.9	6.3	5.1	5.7	4.4	4.3	4.0	1.7	1.6	1.6	1.6	
Hallucinogens	--	--	--	--	--	--	--	--	--	2.0	1.5	1.6	1.4	1.3	1.1	1.3	1.1	1.7	1.5	1.5	1.5	
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.0	4.7	4.7	4.7
Prescription drugs	--	--	--	--	--	3.0	2.0	2.5	2.4	1.9	1.8	1.9	2.0	2.0	2.8	3.0	2.6	4.6	4.3	4.3	4.3	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.6	5.7	5.0	4.0	3.5	-0.5	

NOTES: -- Data not available

* Statistically significant changes between 2010 and 2011 prevalence rates ($p < .05$).

Binge drinking during the past two weeks.

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	National ^{###} Change* 2010		
Cigarettes	60.8	61.5	61.8	63.6	64.1	61.4	60.5	57.4	55.5	51.5	47.2	46.7	43.9	43.0	40.6	39.1	37.6	34.8	32.8	-2.0	33.0	
Smokeless tobacco	27.9	28.0	28.7	30.0	26.2	22.1	19.6	17.3	16.0	16.2	13.8	14.1	14.3	15.4	15.0	15.4	15.6	17.5	17.2		16.8	
Cigars	--	--	--	--	--	37.5	36.4	32.4	36.4	30.6	27.2	27.8	26.9	26.8	26.7	25.9	25.0	22.2	20.9		-1.3	
Pipe	--	--	--	--	--	12.8	12.1	10.6	--	9.0	8.3	7.7	7.8	8.6	13.3	12.6	12.9	15.2	15.0		--	
Alcohol	76.5	76.2	73.2	74.3	75.2	68.4	69.2	66.6	71.3	68.4	67.2	65.5	63.5	62.3	61.0	58.7	56.9	58.5	55.5		-3.0	58.2
Marijuana	25.6	30.5	34.2	40.2	40.1	38.2	37.4	34.1	37.8	36.9	34.8	33.5	31.6	30.1	29.9	28.3	29.1	30.9	30.3		33.4	
Cocaine	3.4	4.3	4.9	6.9	6.7	6.6	6.0	5.1	6.1	6.5	6.0	6.0	6.1	5.9	5.8	4.9	4.2	4.1	3.8		3.7	
Crack	1.9	2.9	3.6	4.8	4.7	5.1	4.1	3.4	3.9	3.5	3.7	3.8	3.8	3.4	3.1	2.7	2.4	2.3	2.0		-0.3	1.8
Inhalants	15.0	16.1	17.5	17.8	17.5	15.9	12.8	11.4	11.9	10.7	10.9	11.3	11.2	11.1	10.6	9.9	9.2	8.7	7.4		-1.3	12.0
Amphetamines	17.3	17.2	17.7	18.8	17.6	15.1	13.5	12.2	13.7	13.2	12.3	11.3	10.2	9.0	8.2	7.3	6.7	6.6	5.9		-0.7	10.6
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	4.5	3.5	3.0	2.5	2.3	2.2	2.2		2.5	
Heroin	1.4	2.0	1.9	2.8	2.2	2.5	2.0	1.9	2.1	2.2	2.2	2.1	2.1	2.0	2.0	2.1	1.8	1.8	1.9		1.3	
Steroids	2.4	2.8	2.2	2.9	2.4	3.1	2.3	2.7	2.5	3.0	2.8	2.7	2.2	2.2	2.1	2.0	1.6	1.7	1.7		1.6	
Ecstasy	--	--	--	--	--	--	--	--	--	6.9	5.7	4.7	4.6	4.4	4.3	4.4	4.4	4.9	4.4		-0.5	6.4
Tranquilizers	13.0	14.6	13.5	16.3	16.3	16.1	15.5	14.9	16.4	17.4	16.5	16.0	15.0	14.3	13.6	12.1	12.0	4.8	4.3		-0.5	7.3
Hallucinogens	--	--	--	--	--	--	--	--	--	8.6	6.0	5.1	4.7	4.3	3.9	4.3	4.1	5.2	5.1		6.1	
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.7	12.6		-1.1
Prescription drugs	--	--	--	--	--	6.8	6.6	6.8	7.5	7.5	6.5	6.1	6.5	6.5	10.6	10.0	9.6	12.2	11.2		-1.0	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.4	13.9	13.1	9.8	8.8		-1.0	

NOTES: -- Data not available
 * Statistically significant changes between 2010 and 2011 prevalence rates (p<.05).
 ### Monitoring the Future Study, the University of Michigan, 2011

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 10th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	National ^{##} Change* 2010		
Cigarettes	30.4	33.0	34.4	36.7	37.2	33.9	31.5	28.9	27.0	23.8	22.2	22.1	20.8	20.6	19.3	18.7	18.1	18.6	17.2	-1.4	13.6	
Smokeless tobacco	13.2	13.6	13.8	14.6	12.3	9.5	8.2	7.4	6.9	7.1	6.0	6.4	7.0	7.8	7.3	7.5	7.6	8.1	7.9		7.5	
Cigars	--	--	--	--	--	19.0	16.5	14.6	17.8	11.9	11.5	12.4	11.8	11.6	12.3	11.8	11.8	9.3	8.7		-0.6	--
Pipe	--	--	--	--	--	4.8	4.3	3.6	--	3.2	3.3	2.9	3.2	3.4	6.8	5.6	5.8	6.8	6.6		--	--
Alcohol	43.8	44.9	42.7	43.7	43.9	41.3	41.6	39.7	39.7	38.1	36.9	34.1	33.0	33.0	31.1	28.4	27.3	30.3	28.4		-1.9	28.9
Binge drinking [#]	27.3	26.8	26.1	27.3	27.8	29.0	28.8	27.1	24.2	24.9	21.8	20.2	19.3	19.9	21.7	19.5	19.2	18.7	18.1		16.3	16.7
Marijuana	14.3	18.9	21.5	24.9	23.7	21.8	21.1	19.0	21.4	19.2	18.2	17.2	16.0	14.6	14.4	13.5	14.6	16.8	16.4		16.7	16.7
Cocaine	1.4	1.6	2.2	2.6	2.6	2.9	2.3	1.7	2.4	2.4	2.3	2.4	2.2	2.1	1.9	1.7	1.4	1.6	1.6		0.9	0.9
Crack	0.1	1.2	1.6	1.8	1.9	2.1	1.5	1.1	1.5	1.1	1.4	1.4	1.3	1.2	1.0	1.1	0.8	1.1	1.0		0.5	0.5
Inhalants	5.0	5.6	5.8	5.1	5.3	4.9	3.4	2.9	3.3	2.9	2.9	3.3	3.0	3.0	2.5	2.6	2.2	2.5	2.1		-0.4	2.0
Amphetamines	7.5	8.3	7.9	7.8	7.8	6.5	5.6	5.4	6.5	5.9	5.2	4.8	4.0	3.7	2.9	2.7	2.4	2.6	2.4		3.3	3.3
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.6	1.2	1.0	1.0	0.9	1.0	0.9		0.7	0.7
Heroin	0.1	0.9	1.0	1.3	1.0	1.3	0.9	0.7	1.0	0.8	0.9	0.9	0.9	0.8	0.8	1.0	0.8	0.9	0.9		0.4	0.4
Steroids	1.0	1.3	1.1	1.4	0.9	1.4	0.9	0.9	1.0	1.1	1.0	1.1	0.9	1.1	0.9	0.9	0.7	0.9	0.8		0.5	0.5
Ecstasy	--	--	--	--	--	--	--	--	--	2.4	1.8	1.5	1.5	1.5	1.4	1.6	1.5	2.0	1.7		-0.3	1.9
Tranquilizers	5.7	6.9	6.2	7.0	7.4	7.5	7.1	7.0	8.0	7.6	7.1	7.0	6.4	5.9	5.0	4.5	4.3	1.9	2.0		2.2	2.2
Hallucinogens	--	--	--	--	--	--	--	--	--	2.2	1.7	1.5	1.4	1.5	1.2	1.5	1.1	2.0	1.9		1.6	1.6
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.2		5.8	--
Prescription drugs	--	--	--	--	--	2.5	2.1	2.4	2.6	2.2	2.1	2.0	2.1	2.2	3.7	3.5	3.3	5.9	5.2		-0.7	--
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.9	5.9	5.2	4.1	3.6		-0.5	--

NOTES: -- Data not available

* Statistically significant changes between 2010 and 2011 prevalence rates ($p < .05$).

Binge drinking during the past two weeks.

Monitoring the Future Study, the University of Michigan, 2011

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Change*	
Cigarettes	64.7	64.5	66.5	67.7	66.9	66.9	65.3	62.3	58.7	54.8	51.2	50.1	46.9	46.8	44.6	43.2	42.0	39.8	38.1	-1.7	
Smokeless tobacco	31.9	31.0	32.2	31.9	29.1	25.6	23.0	22.9	17.4	17.6	16.3	18.8	15.8	17.2	16.9	17.3	17.9	20.7	20.0		
Cigars	--	--	--	--	--	43.9	42.1	39.3	40.7	34.2	31.5	31.8	30.9	30.7	31.0	30.6	29.9	28.1	27.0	-1.1	
Pipe	--	--	--	--	--	14.5	13.1	12.4	--	9.4	8.8	9.3	8.1	9.2	16.2	16.7	16.9	19.9	20.1		
Alcohol	82.2	79.7	78.5	78.1	77.5	74.9	73.3	71.9	74.3	72.9	70.2	68.7	66.6	66.7	64.3	62.4	60.6	61.9	60.6	-1.3	
Marijuana	31.1	33.2	36.6	44.1	42.3	43.7	42.1	39.8	41.0	41.1	38.4	35.9	34.3	34.4	32.4	32.4	32.7	34.6	35.4		
Cocaine	4.2	4.9	5.2	7.5	7.8	8.1	7.6	7.5	7.1	7.8	8.0	7.8	7.1	7.8	6.9	6.3	5.4	5.2	5.1		
Crack	2.0	2.7	3.2	4.1	4.5	5.3	4.2	3.8	3.8	4.0	3.8	4.6	3.7	3.8	3.3	3.0	2.8	2.7	2.5		
Inhalants	14.0	15.7	16.0	17.6	15.4	16.2	12.3	13.0	11.3	10.5	9.9	11.1	9.8	10.1	9.7	9.3	8.6	9.1	7.9	-1.2	
Amphetamines	18.8	18.5	18.2	18.3	18.5	16.8	15.7	15.5	15.1	14.8	14.3	13.6	11.1	10.8	9.1	8.7	8.1	8.2	7.8		
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	4.6	4.2	3.3	2.8	2.6	2.6	2.7		
Heroin	1.2	1.5	1.7	1.9	1.9	2.4	2.0	2.5	2.1	2.1	2.1	2.4	2.1	2.3	2.0	2.0	2.2	2.3	2.2		
Steroids	2.0	2.6	2.5	2.3	2.4	2.7	2.2	2.7	2.3	2.5	2.5	2.3	2.1	1.9	1.8	1.8	1.8	1.9	2.0		
Ecstasy	--	--	--	--	--	--	--	--	--	8.1	6.5	5.7	4.9	5.4	4.8	5.0	5.3	6.2	5.7	-0.5	
Tranquilizers	12.9	13.5	13.9	16.6	16.3	17.5	16.0	16.7	17.0	18.6	16.7	15.9	14.6	14.5	13.4	12.6	11.8	5.7	5.2	-0.5	
Hallucinogens	--	--	--	--	--	--	--	--	--	10.7	7.9	6.4	4.9	4.9	4.4	4.8	4.8	6.3	6.5		
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	15.8	14.9	-0.9
Prescription drugs	--	--	--	--	--	7.5	7.3	8.0	7.3	7.6	7.0	5.9	6.6	6.7	10.7	11.6	11.1	14.1	13.3	-0.8	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.5	13.3	12.7	10.0	9.5	

NOTES: -- Data not available
* Statistically significant changes between 2010 and 2011 prevalence rates (p<.05).

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 11th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Change*
Cigarettes	33.7	34.4	39.3	40.1	39.2	39.8	37.4	34.1	30.2	27.1	25.2	25.1	23.5	23.8	22.5	21.3	21.4	21.9	20.7	-1.2
Smokeless tobacco	14.4	14.6	15.4	14.2	12.0	10.2	8.9	9.7	7.0	7.5	7.2	8.1	7.3	8.0	8.1	8.2	8.8	9.2	8.8	
Cigars	--	--	--	--	--	21.0	18.6	16.8	19.8	13.4	13.1	13.9	13.0	12.8	13.8	13.6	13.9	11.8	11.1	
Pipe	--	--	--	--	--	4.5	4.3	3.8	--	3.2	3.2	3.2	3.0	3.5	7.4	7.0	7.5	8.4	8.3	
Alcohol	49.4	47.0	47.7	48.2	45.8	47.8	45.6	43.2	42.1	41.4	38.1	36.5	34.5	35.8	33.8	31.7	29.4	32.3	31.7	
Binge drinking#	30.6	28.9	29.6	30.1	29.8	32.3	31.3	30.0	25.7	26.5	24.0	23.3	21.2	21.8	23.2	22.5	21.4	20.9	20.8	
Marijuana	16.7	19.6	21.8	25.7	22.3	24.6	22.0	20.5	21.7	21.2	18.4	17.2	15.3	15.7	14.6	14.6	15.3	17.9	18.6	
Cocaine	1.2	1.6	2.0	3.0	2.9	3.3	2.4	2.2	2.6	2.7	2.5	3.1	2.1	2.7	2.1	1.8	1.4	1.9	1.8	
Crack	0.1	1.0	1.3	1.6	1.6	1.9	1.0	1.0	1.2	1.1	1.1	1.8	1.1	1.3	1.1	1.0	0.9	1.1	1.2	
Inhalants	3.8	4.2	4.3	4.3	3.6	3.9	2.7	2.8	2.3	2.1	2.2	2.7	2.1	2.3	2.2	1.9	1.9	2.1	1.8	-0.3
Amphetamines	7.2	7.0	7.0	6.4	7.0	6.0	5.8	6.6	6.4	5.6	5.3	5.4	3.5	3.9	2.8	2.8	2.5	2.8	2.6	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.5	1.5	1.1	0.9	0.9	1.2	1.3	
Heroin	0.1	0.6	0.8	0.8	0.8	1.0	0.7	0.9	0.7	0.6	0.8	1.1	0.8	1.0	0.9	0.7	0.8	1.1	1.1	
Steroids	0.1	1.1	1.0	0.8	0.8	1.0	0.6	0.9	0.7	0.8	1.0	1.0	0.9	0.8	0.7	0.7	0.8	0.9	1.0	
Ecstasy	--	--	--	--	--	--	--	--	--	2.3	1.7	1.8	1.3	1.8	1.3	1.5	1.5	2.1	1.8	-0.3
Tranquilizers	4.6	5.3	5.7	6.9	7.0	7.1	6.9	7.3	7.7	7.6	6.7	6.5	5.1	5.6	4.3	4.2	3.8	2.1	2.0	
Hallucinogens	--	--	--	--	--	--	--	--	--	2.1	1.7	1.7	1.3	1.6	1.3	1.4	1.3	2.1	2.2	
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.7	5.9	-0.8
Prescription drugs	--	--	--	--	--	2.4	1.9	2.2	2.0	2.0	1.8	1.6	1.8	2.0	3.2	3.4	3.4	6.2	5.6	-0.6
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.7	4.6	4.4	3.6	3.3	

NOTES: -- Data not available

* Statistically significant changes between 2010 and 2011 prevalence rates ($p < .05$).

Binge drinking during the past two weeks.

Percentage Reporting Lifetime Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	National ^{###} Change* 2010		
Cigarettes	66.4	65.6	67.9	66.4	68.6	67.2	68.1	65.8	62.9	60.5	55.9	53.9	51.9	50.9	48.4	48.2	46.9	43.7	42.1	-1.6	42.2	
Smokeless tobacco	34.0	33.9	35.8	31.3	31.4	29.4	26.9	26.3	22.9	21.2	18.7	19.1	18.8	20.4	19.4	20.1	20.7	22.2	23.6	1.4	17.6	
Cigars	--	--	--	--	--	50.1	48.9	45.3	46.7	41.2	39.4	37.3	38.9	37.7	37.9	37.8	37.5	36.0	35.9	--	--	
Pipe	--	--	--	--	--	15.9	15.6	14.0	--	10.9	9.7	10.0	10.5	10.7	20.0	22.6	22.9	27.5	27.1	--	--	
Alcohol	85.0	82.4	81.4	80.6	80.8	76.1	78.5	75.9	78.6	77.3	74.8	72.4	72.3	70.2	69.2	68.5	66.5	67.8	65.4	-2.4	71.0	
Marijuana	35.3	38.1	40.0	43.4	45.6	46.5	45.7	44.4	45.5	44.8	42.3	40.5	40.1	37.1	36.5	36.5	36.8	38.6	38.6	43.8	43.8	
Cocaine	5.0	6.1	7.1	7.1	8.9	9.3	8.4	8.7	9.0	8.6	8.7	8.8	8.8	8.6	7.8	7.4	6.6	6.0	5.9	5.5	5.5	
Crack	2.0	2.8	4.3	4.1	5.6	5.6	4.5	4.2	4.1	4.1	4.0	4.4	3.9	4.0	3.2	3.1	2.9	2.7	2.6	2.4	2.4	
Inhalants	14.0	15.1	15.5	13.7	15.5	15.3	12.8	12.3	11.6	10.3	9.6	9.5	9.6	10.1	8.5	9.0	8.0	8.2	7.8	9.0	9.0	
Amphetamines	19.8	18.8	18.0	16.5	19.2	16.6	15.6	15.4	15.5	14.9	14.4	13.3	12.5	11.3	9.0	9.3	8.5	8.3	8.3	11.1	11.1	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	5.5	5.0	3.4	2.7	2.7	2.5	2.8	2.3	2.3	
Heroin	1.3	1.8	2.0	2.1	2.3	2.7	2.1	2.3	2.3	1.9	2.1	2.3	2.0	2.3	1.9	2.0	2.4	2.3	2.4	1.6	1.6	
Steroids	2.4	2.8	2.6	2.1	2.5	2.6	2.5	2.5	2.3	2.4	2.3	2.3	2.1	2.3	1.9	1.9	2.1	2.0	2.1	2.0	2.0	
Ecstasy	--	--	--	--	--	--	--	--	--	9.5	7.4	6.4	5.9	5.6	5.1	5.5	5.9	6.5	6.7	7.3	7.3	
Tranquilizers	12.6	13.2	13.2	14.2	16.2	16.4	15.8	15.7	16.5	17.3	16.6	15.6	15.5	14.5	12.9	12.4	12.0	5.2	5.4	8.5	8.5	
Hallucinogens	--	--	--	--	--	--	--	--	--	11.9	9.3	6.6	5.5	5.3	4.5	4.8	5.0	6.6	7.2	0.6	8.6	
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16.4	16.0	--	--
Prescription drugs	--	--	--	--	--	5.9	7.4	7.4	7.8	7.2	6.9	6.3	7.1	7.0	11.3	11.8	11.6	14.6	14.6	--	--	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.5	12.9	12.5	10.0	9.7	--	--	

NOTES: -- Data not available
 * Statistically significant changes between 2010 and 2011 prevalence rates (p<.05).
 ### Monitoring the Future Study, the University of Michigan, 2011

Percentage Reporting Monthly Use of Alcohol, Tobacco, and Other Drugs by Indiana 12th Grade Students: 1993-2011

DRUG	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	National ^{##} Change* 2010	
Cigarettes	35.6	37.3	40.6	39.8	41.6	41.6	40.5	38.9	35.1	30.5	28.8	27.4	26.5	26.9	24.3	24.8	24.4	24.9	24.6	19.2	
Smokeless tobacco	15.4	15.5	16.5	14.4	13.5	12.1	11.2	11.3	9.4	8.3	7.9	8.7	8.6	9.8	9.1	9.8	10.5	10.5	10.7	8.5	
Cigars	--	--	--	--	--	25.8	23.0	20.2	23.9	16.8	17.0	16.8	17.6	16.6	17.5	17.7	17.9	16.8	16.7	--	
Pipe	--	--	--	--	--	4.8	5.2	4.4	--	3.3	3.3	3.4	3.7	4.6	9.3	10.1	10.3	13.0	12.5	--	
Alcohol	53.2	53.7	51.2	52.5	50.1	52.0	51.7	50.1	49.9	48.1	46.1	42.2	41.8	42.2	39.7	38.4	35.7	39.4	37.8	-1.6	41.2
Binge drinking [#]	34.3	34.8	33.3	35.6	33.2	37.5	36.3	35.4	31.9	31.5	29.3	27.0	25.9	27.3	28.6	26.9	26.4	26.2	26.4	23.2	
Marijuana	17.8	21.6	24.0	25.4	23.5	24.5	23.5	22.7	23.5	20.5	19.8	18.3	17.8	17.2	15.8	16.2	16.7	19.2	19.8	21.4	
Cocaine	1.5	2.0	2.5	3.0	3.3	3.5	2.4	2.7	2.8	2.9	2.5	2.9	2.9	3.1	2.4	2.0	1.6	1.9	2.0	1.3	
Crack	0.1	0.9	1.7	1.5	1.8	2.0	1.1	1.1	1.1	1.1	1.1	1.4	1.2	1.4	1.1	1.0	0.9	1.0	1.2	0.7	
Inhalants	2.9	3.8	3.8	3.1	3.3	3.2	2.6	2.4	2.0	1.9	1.7	1.8	1.9	2.2	1.5	1.6	1.4	1.8	1.7	1.4	
Amphetamines	6.5	7.2	6.5	6.1	6.7	5.8	5.1	5.9	5.7	5.3	4.9	4.5	3.8	4.1	2.5	2.6	2.3	2.8	2.7	3.3	
Methamphetamines	--	--	--	--	--	--	--	--	--	--	--	--	1.7	1.5	1.0	0.9	0.9	1.0	1.3	0.3	0.5
Heroin	0.1	0.7	0.9	1.1	1.0	1.1	0.7	0.9	0.8	0.6	0.6	0.8	0.7	1.0	0.8	0.8	0.8	1.1	1.2	0.4	
Steroids	0.1	0.9	0.8	0.8	1.0	1.1	0.9	0.6	0.7	0.6	0.7	0.8	0.8	1.0	0.7	0.9	0.8	0.9	1.1	0.2	1.1
Ecstasy	--	--	--	--	--	--	--	--	--	2.1	1.6	1.4	1.3	1.7	1.4	1.6	1.5	1.9	2.1	1.4	
Tranquilizers	4.5	4.6	4.9	6.0	6.2	6.6	5.9	6.5	6.7	6.0	5.9	5.4	5.2	5.3	4.0	4.0	3.7	1.8	2.0	2.5	
Hallucinogens	--	--	--	--	--	--	--	--	--	1.5	1.5	1.4	1.2	1.3	1.1	1.3	1.2	2.0	2.4	0.4	1.9
Prescription painkillers	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.3	6.6	--
Prescription drugs	--	--	--	--	--	1.7	1.5	1.9	2.0	1.4	1.5	1.4	1.7	1.8	2.9	3.3	3.1	5.9	5.9	--	
Over the counter drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.3	4.3	4.0	3.2	3.2	--	

NOTES: -- Data not available

* Statistically significant changes between 2010 and 2011 prevalence rates (p<.05).

Binge drinking during the past two weeks.

Monitoring the Future Study, the University of Michigan, 2011

Mean Age of First Time Use of Alcohol, Tobacco, and Other Drugs, 2011

DRUG	6th	7th	8th	9th	10th	11th	12th	Total
Cigarettes	10.7	11.3	11.9	12.6	13.2	13.8	14.6	13.0
Smokeless Tobacco	10.9	11.5	12.2	13.0	13.8	14.4	15.0	13.6
Cigars	10.9	11.5	12.3	13.2	14.0	14.6	15.4	14.1
Pipe	11.0	11.6	12.4	13.3	14.1	14.8	15.7	14.3
Alcohol	10.7	11.3	12.0	12.9	13.6	14.2	14.8	13.2
Marijuana	11.2	11.8	12.5	13.3	14.0	14.6	15.1	13.9
Cocaine	10.9	11.7	12.5	13.2	14.1	14.7	15.2	14.0
Crack	10.8	11.6	12.3	13.0	13.5	13.8	14.2	13.1
Inhalants	10.8	11.5	12.3	13.0	13.7	13.9	14.5	13.2
Amphetamines	10.8	11.8	12.5	13.4	14.1	14.5	15.0	14.0
Methamphetamines	10.8	11.7	12.3	13.0	13.9	14.3	14.9	13.5
Heroin	10.9	11.6	12.4	13.0	13.7	14.0	14.6	13.4
Steroids	10.9	11.7	12.0	13.0	13.6	13.9	14.5	13.2
Ecstasy	11.0	11.8	12.7	13.4	14.3	14.9	15.5	14.2
Tranquilizers	10.9	11.8	12.3	13.3	13.8	14.3	14.8	13.8
Hallucinogens	11.2	11.7	12.7	13.4	14.2	14.9	15.5	14.2
Prescription painkillers	10.9	11.8	12.6	13.5	14.2	14.8	15.3	14.1
Prescription drugs	10.8	11.8	12.6	13.5	14.3	14.8	15.3	14.1
Over the counter drugs	11.2	11.8	12.6	13.3	14.0	14.6	15.0	13.7