



## III. PREVALENCE OF USE BY RACE/ETHNICITY

### **Prevalence Rates by Race/Ethnicity: Lifetime and Monthly Use**

• Grade 6 .....	78
• Grade 7 .....	80
• Grade 8 .....	82
• Grade 9 .....	84
• Grade 10 .....	86
• Grade 11 .....	88
• Grade 12 .....	90

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2011**  
(Values expressed as percentages)

**6th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	6.5 *	10.2 *	9.6 *	9.4 *	7.3
Smokeless tobacco	2.3	1.7	3.2 *	3.4 *	2.5
Cigars	1.4 *	2.8 *	3.1 *	3.0 *	1.9
Pipe	0.9 *	1.9	3.0 *	2.2 *	1.3
Alcohol	16.4 *	21.2 *	21.8 *	18.8	17.4
Marijuana	2.1 *	8.7 *	6.0 *	4.3 *	3.1
Cocaine	0.2 *	1.2 *	2.1 *	1.1 *	0.6
Crack	0.3 *	1.1 *	1.7 *	0.9 *	0.6
Inhalants	1.5 *	2.4	2.8 *	2.4 *	1.8
Amphetamines	0.2 *	1.0 *	1.4 *	0.6	0.4
Methamphetamines	0.3 *	1.1 *	1.9 *	0.8	0.5
Heroin	0.2 *	1.0 *	1.5 *	0.8 *	0.4
Steroids	0.3 *	1.2 *	1.5 *	0.9 *	0.6
Ecstasy	0.2 *	1.0 *	1.4 *	0.7 *	0.4
Tranquilizers	0.2 *	1.2 *	1.5 *	0.7	0.5
Hallucinogens	0.2 *	1.1 *	1.1 *	0.9 *	0.4
Prescription painkillers	0.8 *	1.5	2.5 *	1.3	1.1
Prescription drugs	0.8 *	1.7 *	2.4 *	1.2	1.0
Over the counter drugs	0.8 *	1.7 *	2.5 *	1.6 *	1.1

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

## Monthly Use of Alcohol, Tobacco, and Other Drugs, 2011

(Values expressed as percentages)

### 6th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	2.3 *	3.6 *	3.5 *	3.6 *	2.6
Smokeless tobacco	0.8	0.7	1.5 *	1.5 *	1.0
Cigars	0.5 *	1.2 *	1.2 *	1.2 *	0.7
Pipe	0.5	0.9	1.3 *	0.9	0.6
Alcohol	4.5 *	8.6 *	8.3 *	6.7 *	5.3
Binge drinking <sup>#</sup>	4.8 *	9.4 *	10.4 *	7.2 *	5.8
Marijuana	1.1 *	5.0 *	3.4 *	2.2 *	1.6
Cocaine	0.1 *	0.4	1.1 *	0.6 *	0.3
Crack	0.1 *	0.4	1.1 *	0.4	0.3
Inhalants	0.7	1.1	1.6 *	1.1	0.9
Amphetamines	0.1 *	0.6 *	1.1 *	0.3	0.2
Methamphetamines	0.1 *	0.7 *	1.1 *	0.4	0.3
Heroin	0.1 *	0.5 *	0.9 *	0.4	0.2
Steroids	0.1 *	0.5	0.8 *	0.3	0.2
Ecstasy	0.1 *	0.5	0.9 *	0.5 *	0.2
Tranquilizers	0.1 *	0.5	0.9 *	0.4	0.3
Hallucinogens	0.1 *	0.4	0.9 *	0.5 *	0.3
Prescription painkillers	0.5	0.5	1.3 *	1.0 *	0.6
Prescription drugs	0.5	1.1	1.1 *	0.8	0.6
Over the counter drugs	0.5 *	1.0	1.7 *	1.0	0.7

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).  
<sup>#</sup> Binge drinking during the past two weeks.

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2011**

(Values expressed as percentages)

**7th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	12.0 *	17.6 *	17.6 *	15.6 *	13.2
Smokeless tobacco	5.0	2.9 *	5.0	6.5 *	5.1
Cigars	3.7 *	4.5	6.3 *	6.0 *	4.3
Pipe	2.8 *	2.7	5.3 *	4.2 *	3.2
Alcohol	24.7 *	33.0 *	32.7 *	27.0	26.1
Marijuana	5.8 *	14.7 *	12.5 *	9.9 *	7.3
Cocaine	0.8 *	1.4	3.1 *	1.2	1.1
Crack	0.8 *	1.4	3.2 *	1.4	1.1
Inhalants	2.9	3.5	4.5 *	3.6	3.2
Amphetamines	0.9	1.3	1.7 *	1.3	1.0
Methamphetamines	0.7 *	1.3	2.5 *	1.5 *	1.0
Heroin	0.6 *	1.2	2.4 *	0.8	0.8
Steroids	0.7 *	1.2	2.5 *	1.4	1.0
Ecstasy	0.9 *	1.2	2.4 *	1.2	1.1
Tranquilizers	0.8	0.9	2.1 *	1.2	0.9
Hallucinogens	0.8	1.2	2.1 *	0.9	0.9
Prescription painkillers	2.3 *	2.9	4.7 *	3.0	2.7
Prescription drugs	2.0 *	2.5	4.4 *	2.6	2.4
Over the counter drugs	2.4 *	2.9	5.3 *	3.1	2.8

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

## Monthly Use of Alcohol, Tobacco, and Other Drugs, 2011

(Values expressed as percentages)

### 7th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	5.6	7.2	8.1 *	6.5	6.0
Smokeless tobacco	2.2	1.9	2.4	2.3	2.2
Cigars	1.3	1.8	2.7 *	2.2 *	1.6
Pipe	1.2 *	1.7	2.6 *	2.0 *	1.5
Alcohol	9.4 *	13.5 *	14.1 *	11.3	10.2
Binge drinking <sup>#</sup>	6.7 *	13.2 *	13.1 *	9.5 *	7.9
Marijuana	3.3 *	9.2 *	7.2 *	5.1 *	4.1
Cocaine	0.4 *	1.0	1.7 *	0.8	0.6
Crack	0.5 *	0.8	2.1 *	0.7	0.7
Inhalants	1.3	2.2	1.9	1.7	1.4
Amphetamines	0.5	0.8	1.1 *	0.4	0.5
Methamphetamines	0.3 *	0.9	1.9 *	0.5	0.5
Heroin	0.3 *	0.4	1.5 *	0.5	0.4
Steroids	0.4 *	0.9	1.3 *	0.6	0.5
Ecstasy	0.4	0.3	1.0 *	0.7	0.5
Tranquilizers	0.4	0.3	1.2 *	0.6	0.5
Hallucinogens	0.4	0.4	1.2 *	0.5	0.5
Prescription painkillers	1.4	1.0	2.3 *	1.5	1.5
Prescription drugs	1.2	1.3	2.6 *	1.7	1.4
Over the counter drugs	1.4	1.8	3.2 *	1.8	1.6

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).  
<sup>#</sup> Binge drinking during the past two weeks.

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2011**  
(Values expressed as percentages)

**8th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	19.2 *	21.8	25.2 *	25.1 *	20.6
Smokeless tobacco	8.9	4.2 *	8.0	9.2	8.6
Cigars	7.5 *	8.3	10.2 *	10.3 *	8.1
Pipe	5.4 *	4.2 *	8.8 *	7.8 *	6.0
Alcohol	36.0 *	44.8 *	45.5 *	39.4 *	37.7
Marijuana	12.1 *	24.8 *	21.1 *	20.1 *	14.6
Cocaine	1.5 *	2.8	5.1 *	2.9 *	2.0
Crack	1.2 *	2.7 *	4.3 *	2.1	1.7
Inhalants	5.0 *	5.5	7.1 *	6.6 *	5.4
Amphetamines	2.1	2.1	3.5 *	2.8	2.3
Methamphetamines	1.2 *	1.7	3.3 *	2.2 *	1.5
Heroin	0.8 *	2.0 *	3.0 *	1.6 *	1.2
Steroids	0.9 *	1.9	2.7 *	2.3 *	1.3
Ecstasy	1.7 *	2.8	4.0 *	3.3 *	2.2
Tranquilizers	1.7 *	1.5	3.9 *	2.2	1.9
Hallucinogens	1.9 *	2.8	4.0 *	3.3 *	2.3
Prescription painkillers	5.0 *	5.2	7.9 *	7.1 *	5.6
Prescription drugs	4.3 *	4.5	6.8 *	6.1 *	4.8
Over the counter drugs	4.5 *	4.7	7.3 *	5.9 *	5.0

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

## Monthly Use of Alcohol, Tobacco, and Other Drugs, 2011

(Values expressed as percentages)

### 8th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	9.4 *	8.8	12.2 *	12.5 *	10.0
Smokeless tobacco	3.9	2.1 *	3.6	4.5	3.9
Cigars	2.8 *	4.2 *	4.5 *	4.4 *	3.2
Pipe	2.6 *	2.6	4.4 *	3.9 *	3.0
Alcohol	15.7 *	19.5 *	21.6 *	18.2 *	16.7
Binge drinking <sup>#</sup>	9.6 *	15.3 *	17.1 *	14.1 *	11.1
Marijuana	6.8 *	15.2 *	12.1 *	11.4 *	8.3
Cocaine	0.7 *	1.5	3.0 *	1.5 *	1.0
Crack	0.6 *	1.5 *	2.3 *	1.2 *	0.9
Inhalants	2.0 *	2.7	3.2 *	3.0 *	2.3
Amphetamines	1.1	1.1	2.1 *	1.3	1.2
Methamphetamines	0.6 *	1.0	2.2 *	1.4 *	0.9
Heroin	0.5 *	1.0	2.0 *	0.9	0.7
Steroids	0.5 *	1.1	1.5 *	1.3 *	0.7
Ecstasy	0.9 *	1.1	2.3 *	1.5 *	1.1
Tranquilizers	0.8 *	0.7	2.2 *	1.5 *	1.0
Hallucinogens	0.9 *	1.3	2.3 *	1.8 *	1.2
Prescription painkillers	2.7	3.1	4.3 *	3.9 *	3.0
Prescription drugs	2.5	2.7	3.8 *	3.4 *	2.7
Over the counter drugs	2.4 *	2.2	3.9 *	3.7 *	2.7

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).  
<sup>#</sup> Binge drinking during the past two weeks.

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2011**  
(Values expressed as percentages)

**9th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	26.2 *	21.6 *	33.4 *	30.8 *	27.2
Smokeless tobacco	13.8	4.9 *	10.1 *	14.2	13.1
Cigars	14.5	10.8 *	16.5	17.5 *	14.9
Pipe	9.8	6.2 *	13.8 *	13.0 *	10.4
Alcohol	46.5 *	46.6	55.9 *	50.1 *	47.7
Marijuana	20.4 *	31.6 *	30.8 *	29.9 *	23.0
Cocaine	2.2 *	2.2	6.7 *	4.8 *	2.9
Crack	1.4 *	1.6	3.9 *	3.8 *	1.9
Inhalants	6.4	5.1 *	9.1 *	8.7 *	6.9
Amphetamines	4.0	1.9 *	5.3 *	5.7 *	4.3
Methamphetamines	1.4 *	1.2	3.9 *	3.3 *	1.9
Heroin	1.2 *	1.9	3.2 *	3.0 *	1.6
Steroids	1.2 *	1.6	2.8 *	2.7 *	1.5
Ecstasy	2.8 *	3.1	6.2 *	5.3 *	3.4
Tranquilizers	2.9 *	1.9 *	5.2 *	4.7 *	3.3
Hallucinogens	3.1 *	2.5	5.2 *	5.4 *	3.6
Prescription painkillers	9.0	5.3 *	12.2 *	11.4 *	9.4
Prescription drugs	7.9	4.9 *	10.6 *	9.7 *	8.2
Over the counter drugs	6.8	4.3 *	9.3 *	9.0 *	7.2

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

### Monthly Use of Alcohol, Tobacco, and Other Drugs, 2011

(Values expressed as percentages)

#### 9th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	14.0	8.2 *	17.2 *	16.4 *	14.4
Smokeless tobacco	6.4	1.7 *	5.1	7.3 *	6.2
Cigars	5.6	5.5	7.2 *	7.6 *	6.0
Pipe	4.2 *	3.2 *	7.0 *	6.9 *	4.8
Alcohol	22.7 *	23.6	30.4 *	26.2 *	23.8
Binge drinking#	13.7 *	16.0	23.7 *	18.7 *	15.3
Marijuana	11.2 *	18.4 *	18.3 *	17.4 *	13.0
Cocaine	0.9 *	1.4	3.2 *	2.7 *	1.4
Crack	0.6 *	1.4	2.3 *	2.2 *	1.0
Inhalants	2.0	2.1	3.0 *	3.2 *	2.2
Amphetamines	1.6	1.1	2.5	3.2 *	1.9
Methamphetamines	0.6 *	0.9	1.9 *	1.7 *	0.9
Heroin	0.5 *	1.0	1.8 *	1.7 *	0.8
Steroids	0.5 *	0.9	1.5 *	1.6 *	0.8
Ecstasy	1.1 *	1.1	2.5 *	2.6 *	1.4
Tranquilizers	1.3 *	1.1	2.8 *	2.7 *	1.6
Hallucinogens	1.2 *	1.4	2.5 *	2.7 *	1.5
Prescription painkillers	4.4	2.1 *	6.8 *	5.4	4.7
Prescription drugs	4.1	2.3 *	5.8 *	4.9	4.3
Over the counter drugs	3.2	2.1 *	4.8 *	4.9 *	3.5

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

# Binge drinking during the past two weeks.

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2011**

(Values expressed as percentages)

**10th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	32.3	25.5 *	37.6 *	35.4 *	32.8
Smokeless tobacco	18.4 *	4.8 *	13.3 *	17.7	17.2
Cigars	21.1	13.6 *	20.2	22.7 *	20.9
Pipe	14.5	9.8 *	18.7 *	17.4 *	15.0
Alcohol	54.7	55.1	61.6 *	57.0	55.5
Marijuana	27.5 *	40.4 *	39.9 *	36.7 *	30.3
Cocaine	3.1 *	3.0	8.5 *	5.5 *	3.8
Crack	1.5 *	2.0	4.7 *	3.3 *	2.0
Inhalants	7.1	5.2 *	9.6 *	9.4 *	7.4
Amphetamines	5.9	2.8 *	7.1 *	7.0 *	5.9
Methamphetamines	1.8 *	2.2	3.8 *	3.4 *	2.2
Heroin	1.4 *	1.8	4.4 *	3.1 *	1.9
Steroids	1.2 *	1.6	3.5 *	3.0 *	1.7
Ecstasy	3.7 *	3.7	7.8 *	6.8 *	4.4
Tranquilizers	3.8 *	3.2	7.1 *	5.7 *	4.3
Hallucinogens	4.7	3.3 *	7.1 *	6.9 *	5.1
Prescription painkillers	12.5	7.5 *	13.9	14.2 *	12.6
Prescription drugs	11.1	5.7 *	12.8 *	12.6 *	11.2
Over the counter drugs	8.4	6.1 *	11.0 *	10.7 *	8.8

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

## Monthly Use of Alcohol, Tobacco, and Other Drugs, 2011

(Values expressed as percentages)

### 10th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	17.1	10.1 *	18.0	20.4 *	17.2
Smokeless tobacco	8.3	2.1 *	6.0 *	9.2 *	7.9
Cigars	8.5	5.9 *	9.2	10.7 *	8.7
Pipe	6.0 *	4.8 *	9.8 *	8.6 *	6.6
Alcohol	27.5 *	27.9	32.3 *	31.2 *	28.4
Binge drinking#	16.9 *	17.6	24.2 *	21.8 *	18.1
Marijuana	14.5 *	21.2 *	23.3 *	21.3 *	16.4
Cocaine	1.1 *	2.4 *	3.8 *	2.6 *	1.6
Crack	0.7 *	1.7 *	2.7 *	1.6 *	1.0
Inhalants	1.8 *	1.7	3.8 *	3.1 *	2.1
Amphetamines	2.2	1.7	3.5 *	2.9	2.4
Methamphetamines	0.7 *	1.2	2.4 *	1.3 *	0.9
Heroin	0.6 *	1.2	2.2 *	1.5 *	0.9
Steroids	0.6 *	1.2	1.9 *	1.3 *	0.8
Ecstasy	1.3 *	1.8	4.0 *	2.9 *	1.7
Tranquilizers	1.7	1.7	3.7 *	2.4	2.0
Hallucinogens	1.6 *	1.7	3.1 *	2.9 *	1.9
Prescription painkillers	5.6	3.8 *	6.9	7.3 *	5.8
Prescription drugs	5.1	3.4 *	6.4 *	6.1 *	5.2
Over the counter drugs	3.3	2.8	5.0 *	4.6 *	3.6

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).  
# Binge drinking during the past two weeks.

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2011**  
(Values expressed as percentages)

**11th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	38.2	28.3 *	41.2 *	39.1	38.1
Smokeless tobacco	21.5 *	6.1 *	15.5 *	19.3	20.0
Cigars	27.8	16.8 *	23.5 *	27.8	27.0
Pipe	20.1	11.7 *	21.6	22.6 *	20.1
Alcohol	60.3	63.2	62.9	60.1	60.6
Marijuana	33.3 *	46.6 *	40.3 *	41.6 *	35.4
Cocaine	4.2 *	6.1	9.2 *	7.9 *	5.1
Crack	1.8 *	3.9 *	4.9 *	4.9 *	2.5
Inhalants	7.4	6.2	9.2	11.3 *	7.9
Amphetamines	7.2	4.3 *	9.6 *	11.5 *	7.8
Methamphetamines	2.1 *	3.0	4.7 *	5.1 *	2.7
Heroin	1.7 *	3.4 *	4.2 *	4.2 *	2.2
Steroids	1.5 *	2.3	4.2 *	3.8 *	2.0
Ecstasy	4.9 *	5.5	7.9 *	9.3 *	5.7
Tranquilizers	4.7	2.8 *	7.0 *	7.6 *	5.2
Hallucinogens	5.9 *	4.9	8.2 *	9.7 *	6.5
Prescription painkillers	14.6	10.2 *	15.0	18.7 *	14.9
Prescription drugs	13.0	8.1 *	14.5	16.1 *	13.3
Over the counter drugs	8.9	7.3 *	10.8	12.8 *	9.5

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

## Monthly Use of Alcohol, Tobacco, and Other Drugs, 2011

(Values expressed as percentages)

### 11th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	21.1	13.1 *	20.4	21.6	20.7
Smokeless tobacco	9.4	2.8 *	6.5 *	8.8	8.8
Cigars	11.0	8.8 *	11.0	13.1 *	11.1
Pipe	7.9	8.0	10.4 *	9.8 *	8.3
Alcohol	31.5	29.5	34.1	32.4	31.7
Binge drinking#	19.9 *	20.2	25.1 *	24.3 *	20.8
Marijuana	16.8 *	26.7 *	22.7 *	23.9 *	18.6
Cocaine	1.2 *	3.5 *	4.3 *	3.6 *	1.8
Crack	0.7 *	2.4 *	3.0 *	2.6 *	1.2
Inhalants	1.5 *	2.7	2.7 *	3.2 *	1.8
Amphetamines	2.3	2.4	3.4	4.0 *	2.6
Methamphetamines	0.8 *	2.0	2.7 *	2.8 *	1.3
Heroin	0.8 *	1.9	2.4 *	2.2 *	1.1
Steroids	0.6 *	1.9 *	2.2 *	2.1 *	1.0
Ecstasy	1.3 *	2.4	3.5 *	3.1 *	1.8
Tranquilizers	1.6 *	1.6	3.0 *	3.5 *	2.0
Hallucinogens	1.8 *	2.6	3.8 *	4.0 *	2.2
Prescription painkillers	5.5	4.4	6.5	8.4 *	5.9
Prescription drugs	5.3	4.2	6.4	7.5 *	5.6
Over the counter drugs	3.0	3.5	3.9	5.2 *	3.3

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

# Binge drinking during the past two weeks.

**Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2011**  
(Values expressed as percentages)

**12th Grade**

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	42.4	28.0 *	45.1 *	43.5	42.1
Smokeless tobacco	24.9 *	7.9 *	21.1	22.0	23.6
Cigars	37.2 *	20.8 *	31.8 *	34.8	35.9
Pipe	27.3	16.8 *	27.7	29.7 *	27.1
Alcohol	65.7	61.0 *	66.1	64.7	65.4
Marijuana	36.9 *	48.5 *	40.9	45.6 *	38.6
Cocaine	5.2 *	5.1	11.6 *	7.9 *	5.9
Crack	1.8 *	3.3	7.3 *	5.0 *	2.6
Inhalants	7.4	6.1	10.6 *	9.5 *	7.8
Amphetamines	8.1	4.5 *	10.3 *	10.7 *	8.3
Methamphetamines	2.2 *	3.3	6.7 *	4.4 *	2.8
Heroin	1.9 *	2.8	6.0 *	4.2 *	2.4
Steroids	1.6 *	2.8	5.2 *	3.7 *	2.1
Ecstasy	5.9 *	6.8	11.4 *	9.2 *	6.7
Tranquilizers	5.0	4.3	9.1 *	7.2 *	5.4
Hallucinogens	6.7	4.7 *	10.5 *	9.7 *	7.2
Prescription painkillers	16.0	10.1 *	16.6	18.3 *	16.0
Prescription drugs	14.6	8.9 *	15.1	16.5 *	14.6
Over the counter drugs	9.4	6.5 *	12.0 *	12.1 *	9.7

NOTES: \* Statistically significant differences from the Indiana rates (p < .05).

## Monthly Use of Alcohol, Tobacco, and Other Drugs, 2011

(Values expressed as percentages)

### 12th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	25.1	13.3 *	24.5	25.2	24.6
Smokeless tobacco	11.2	4.1 *	8.9 *	11.4	10.7
Cigars	16.7	12.8 *	15.1	19.0 *	16.7
Pipe	12.1	8.9 *	14.7 *	14.8 *	12.5
Alcohol	38.1	33.2 *	35.7	39.6	37.8
Binge drinking <sup>#</sup>	25.8	24.8	28.6	30.6 *	26.4
Marijuana	18.2 *	27.8 *	21.2	27.5 *	19.8
Cocaine	1.5 *	2.7	5.0 *	3.9 *	2.0
Crack	0.6 *	2.3 *	4.1 *	2.5 *	1.2
Inhalants	1.3 *	1.7	4.2 *	3.0 *	1.7
Amphetamines	2.4	1.6	4.9 *	4.1 *	2.7
Methamphetamines	0.8 *	1.9	3.9 *	2.6 *	1.3
Heroin	0.8 *	1.7	3.7 *	2.3 *	1.2
Steroids	0.6 *	1.7	3.7 *	2.3 *	1.1
Ecstasy	1.6 *	2.8	5.4 *	3.3 *	2.1
Tranquilizers	1.5 *	2.0	4.9 *	3.5 *	2.0
Hallucinogens	2.0 *	2.5	6.0 *	3.7 *	2.4
Prescription painkillers	6.3	5.2	8.5 *	7.8 *	6.6
Prescription drugs	5.7	3.9 *	8.1 *	7.2 *	5.9
Over the counter drugs	2.8	2.4	5.3 *	4.8 *	3.2

NOTES: \* Statistically significant differences from the Indiana rates ( $p < .05$ ).

# Binge drinking during the past two weeks.